



# SZABO SCANDIC

Part of Europa Biosite

## Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!  
See the following pages for more information!



### Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

### Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

### SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

[mail@szabo-scandic.com](mailto:mail@szabo-scandic.com)

[www.szabo-scandic.com](http://www.szabo-scandic.com)

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

## Mouse anti-Tubulin (Alpha), clone TU-02 (Monoclonal)

Clone no. TU-02

MONOSAN

---

Product name	Mouse anti-Tubulin (Alpha), clone TU-02 (Monoclonal)
Host	Mouse
Applications	ELISA, IHC-fr
Species reactivity	human, mouse, pig, plants (a.o. Nicotiana tabacum), rat
Conjugate	-
Immunogen	microtubular protein from pig brain
Isotype	IgM-K
Clonality	Monoclonal
Clone number	TU-02
Size	100 ug
Concentration	100 ug/ml
Format	-
Storage buffer	PBS with 0.02% sodium azide
Storage until expiry date	2-8°C

FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES

## Mouse anti-Tubulin (Alpha), clone TU-02 (Monoclonal)

Clone no. TU-02

MONOSAN

**Additional info**

TU-02 reacts with the N-terminal domain of alpha-tubulin. Tubulin isotypes have been identified with tissue specific expression. Immunocytochemical studies using several mAbs revealed remarkable heterogeneity of tubulin within various nervous tissues. TU-02 reacts with tubulin in fixed tissues only, not in unfixed or live tissues or cells. Interphase microtubules are also stained by TU-02 in fixed tissues.

**References**

1. Dráber, P. et. al. Eur.J.Cell.Biol. 41: 82-88 (1986)
2. Dráber, P. et. al. Histochemistry 87: 151-155 (1987)
3. Dráber, P. et. al. J. Cell Science 92: 519-528 (1989)
4. Smertenko et al. Eur. J. Cell. Biol. 72: 104-112 (1997)
5. -

FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES