



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

Product datasheet MON9879

MONOSAN[®]

Mouse anti-CD74, clone EBS-CD-041 (Monoclonal)

Clone no. EBS-CD-

MONOSAN

Product name Mouse anti-CD74, clone EBS-CD-041 (Monoclonal)

Host Mouse

Applications FC, IHC-fr, IF, WB

Species reactivity human

Conjugate -

Immunogen B lymphoblastoid cell line HFB1.

Isotype IgG1-K

Clonality Monoclonal

Clone number EBS-CD-041

Size 100 ug

Concentration 100 ug/ml

Format -

Storage buffer PBS with 0.02% sodium azide

Storage until expiry date 2-8°C

FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES

Mouse anti-CD74, clone EBS-CD-041 (Monoclonal)

Clone no. EBS-CD-041

MONOSAN

Additional info

The CD74 cluster, established during the IVth and Vth Leukocyte Typing Workshops, comprises four species of proteins (MW 41/35/33 kDa), all coded by a single gene, consisting of nine exons. CD74 is expressed primarily by antigen presenting cells, such as B-lymphocytes (from before the pre-B cell stage to before the plasma cell stage), macrophages, and monocytes, and many epithelial cells. In tissue sections anti-CD74 show a binding pattern very similar to that of anti-HLA-DR. It binds to the peptide binding groove of newly synthesized MHC class II alpha/beta heterodimers and prevents their premature association with endogenous polypeptides. EBS-CD-041 epitope is localized in the extracellular domain of CD74.

References

1. Epstein A.L. et al. J. Immunol. 133: 1028-1036 (1984)
2. Marder, R.J. et al. Lab. Invest. 52: 497-504 (1985)
3. Lazova R. et al. Cancer 79: 2115-2124 (1997).
4. Pich, A. et al. Eur J Basic Appl Histochem. 35(1): 81-9 (1991)
5. -

FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES