



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

Mouse anti-MADER (NAB2), clone EBS-T-005 (Monoclonal)

Clone no. EBS-T-005

MONOSAN

Product name	Mouse anti-MADER (NAB2), clone EBS-T-005 (Monoclonal)
Host	Mouse
Applications	IHC-fr
Species reactivity	human
Conjugate	-
Immunogen	partial recombinant NAB2
Isotype	IgG1-K
Clonality	Monoclonal
Clone number	EBS-T-005
Size	100 ug
Concentration	100 ug/ml
Format	-
Storage buffer	PBS with 0.02% sodium azide
Storage until expiry date	2-8°C

FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES

Mouse anti-MADER (NAB2), clone EBS-T-005 (Monoclonal)

Clone no. EBS-T-005

MONOSAN

Additional info

EBS-T-005 reacts with MADER or Melanoma-Associated Delayed Early Response protein, encoded by the NAB2 gene, belonging to the family of NGFI-A binding proteins. They modulate transcription induced by some members of the EGR (early growth response) family of transactivators. NAB proteins can form homo- or hetero-multimers with other EGR or NAB proteins through a conserved N-terminal domain, and repress transcription through two partially redundant C-terminal domains.

References

1. -
2. -
3. -
4. -
5. -

FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES