



# SZABO SCANDIC

Part of Europa Biosite

## Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!  
See the following pages for more information!



### Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

### Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

### SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

[mail@szabo-scandic.com](mailto:mail@szabo-scandic.com)

[www.szabo-scandic.com](http://www.szabo-scandic.com)

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

Product datasheet MON9939

**MONOSAN**<sup>®</sup>

Mouse anti-CD38, clone EBS-CD-025 (Monoclonal)

Clone no. EBS-CD-

MONOSAN

---

Product name	Mouse anti-CD38, clone EBS-CD-025 (Monoclonal)
Host	Mouse
Applications	FC, IHC-fr, IF
Species reactivity	human
Conjugate	-
Immunogen	human T-cell line CCRF-CEM
Isotype	IgG1-K
Clonality	Monoclonal
Clone number	EBS-CD-025
Size	100 ug
Concentration	100 ug/ml
Format	-
Storage buffer	PBS with 0.02% sodium azide
Storage until expiry date	2-8°C

FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES

Mouse anti-CD38, clone EBS-CD-025 (Monoclonal)

Clone no. EBS-CD-025

MONOSAN

**Additional info**

EBS-CD-025 reacts with a 45 kDa glycopeptide which is a type II membrane glycoprotein with a transmembrane sequence near the regulation of lymphocyte adhesion to endothelial cells. Its ligand is CD31. CD38 is found on early cells of B and T lineages and on activated B- and T cells. It is not found on most mature resting peripheral lymphocytes. Also positive are thymus cells and Ig secreting plasma cells. The CD34+ and CD38- population of hematopoietic stem cells defines the most pluripotent cells (e.g. blast colony forming cells). EBS-CD-025 antibody blocks the EBS-CD-026 epitope, and vice versa.

**References**

1. Deaglio, S., et. al. J Immunol. 160(1): 395-402 (1998)
2. -
3. -
4. -
5. -

FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES