



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

Mouse anti-CD59, clone 193-27 (Monoclonal)

Clone no. 193-27

MONOSAN

Product name	Mouse anti-CD59, clone 193-27 (Monoclonal)
Host	Mouse
Applications	FC, IHC-fr, IF
Species reactivity	human
Conjugate	-
Immunogen	stimulated human leucocytes
Isotype	IgM-K
Clonality	Monoclonal
Clone number	193-27
Size	100 ug
Concentration	100 ug/ml
Format	-
Storage buffer	PBS with 0.02% sodium azide
Storage until expiry date	2-8°C

FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES

Mouse anti-CD59, clone 193-27 (Monoclonal)

Clone no. 193-27

MONOSAN

Additional info

CD59, or protectin, is a 18-22 kDa cell surface molecule on an GPI anchor. It regulates complement-mediated cell lysis and is supposed to protect normal and tumor cells from cytotoxic attack by homologous complement through binding to C8 and C9. CD59 is expressed on leucocytes, vascular epithelium, a variety of epithelial cells and placenta. B-cells express low levels. The expression of CD59 on erythrocytes is important for their survival. Genetic defects in GPI-anchor attachment, that cause a reduction or loss of CD59 and CD55 on erythrocytes produce the symptoms of the disease Paroxysmal nocturnal hemoglobinuria (PNH). 193-27 was typed at the VIth International Workshop on human leucocyte differentiation antigens.

References

1. Kishimoto T. et al., eds. Leukocyte Typing VI, p509-514, Garland Publishing, Inc.
2. Shichishima T. et al. Br J Haematol, 85(2):378-386 (1993)
3. Navenot JM. et al. Transfusion 38(4):337-342 (1998)
4. Murray EW et al, J Biol Chem, 273(39):25279-25284 (1998)
5. -

FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES