



# SZABO SCANDIC

Part of Europa Biosite

## Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!  
See the following pages for more information!



### Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

### Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

### SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

[mail@szabo-scandic.com](mailto:mail@szabo-scandic.com)

[www.szabo-scandic.com](http://www.szabo-scandic.com)

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

Product datasheet

MON9958

**MONOSAN**<sup>®</sup>

Mouse anti-CD7, clone BF12 (Monoclonal)

Clone no. BF12

MONOSAN

---

Product name	Mouse anti-CD7, clone BF12 (Monoclonal)
Host	Mouse
Applications	FC, IHC-fr, IF
Species reactivity	human
Conjugate	-
Immunogen	CLL cells
Isotype	IgG1-K
Clonality	Monoclonal
Clone number	BF12
Size	100 ug
Concentration	100 ug/ml
Format	-
Storage buffer	PBS with 0.02% sodium azide
Storage until expiry date	2-8°C

FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES

Mouse anti-CD7, clone BF12 (Monoclonal)

Clone no. BF12

MONOSAN

**Additional info**

BF12 recognizes 40 kDa CD7, a member of the immunoglobulin gene superfamily and expressed on the majority of immature and mature T-lymphocytes, and T-cell leukemia. It is also found on natural killer cells, a small subpopulation of normal B-cells and on malignant B-cells. CD7 associates directly with phosphoinositol 3'-kinase. CD7 ligation induces production of D-3 phosphoinositides and tyrosine phosphorylation.

**References**

1. Wang, MY et. al, Bone Marrow Transplant. 9(5): 319-23 (1992)
2. -
3. -
4. -
5. -

**FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES**