



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

Mouse anti-bcl-2 Oncoprotein, clone BCL-2/100/D5 (monoclonal)

Clone no. bcl-

MONXtra

Product name	Mouse anti-bcl-2 Oncoprotein, clone BCL-2/100/D5 (monoclonal)
Host	Mouse
Applications	IHC-P (1:100)
Species reactivity	human
Conjugate	-
Immunogen	Synthetic peptide sequence (GAAPAPGIFSSQPGC-COOH).
Isotype	IgG1
Clonality	Monoclonal
Clone number	bcl-2/100/D5
Size	1 ml
Concentration	Greater than or equal to 56 mg/L
Format	-
Storage buffer	Tissue culture supernatant with sodium azide
Storage until expiry date	2-8°C

FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES

Mouse anti-bcl-2 Oncoprotein, clone BCL-2/100/D5 (monoclonal)

Clone no. bcl-2/100/D5

MONXtra

Additional info

Bcl-2 is a member of a family of proteins that are involved in apoptosis. Bcl-2 is an integral inner mitochondrial membrane protein of 25 kD and has a wide tissue distribution. It is considered to act as an inhibitor of apoptosis. For this reason, bcl-2 expression is inhibited in germinal centers where apoptosis forms part of the B cell production pathway.

References

1. Von Haefen C et al. *Oncogene*. 2002; 21(25):4009-4019
2. Takes RP et al. *Journal of Pathology*. 2001; 194:298-302
3. Tweddle DA et al. *American Journal of Pathology*. 2001; 158(6): 2067-2077
4. Ramani P et al. *Journal of Pathology*. 1994; 172:273-278
5. Pezzella F et al. *American Journal of Pathology*. 1990; 137(2):225-232

FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES