



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

Product datasheet MONX10370

MONOSAN[®]

Mouse anti-CD20, clone L26 (monoclonal)

Clone no. L26

MONXtra

Product name	Mouse anti-CD20, clone L26 (monoclonal)
Host	Mouse
Applications	IHC-P (1:100-1:200)
Species reactivity	human
Conjugate	-
Immunogen	Human tonsil B cells.
Isotype	IgG2a, kappa
Clonality	Monoclonal
Clone number	L26
Size	1 ml
Concentration	Greater than or equal to 95 mg/L
Format	-
Storage buffer	Tissue culture supernatant with sodium azide
Storage until expiry date	2-8°C

FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES

Mouse anti-CD20, clone L26 (monoclonal)

Clone no. L26

MONXtra

Additional info

The CD20 antigen is a non-glycosylated phosphoprotein of approximately 33kD which is expressed on normal and malignant human B cells and is thought to act as a receptor during B cell activation and differentiation. CD20 antigen has been reported to be expressed on normal B cells from peripheral blood, lymph node, spleen, tonsil, bone marrow, acute leukemias and chronic lymphocytic leukemias. An intracytoplasmic epitope localised on the human CD20 molecule. Reacts predominantly with a 33 kD polypeptide, but also with a minor component of 30 kD.

References

1. Mason DY et al. American Journal of Pathology. 1990; 136(6):1215–1222
2. Cartun RW et al. American Journal of Pathology. 1987; 129(3):415–421
3. Norton AJ and Isaacson PG. Journal of Clinical Pathology. 1987; 40:1405–1412
4. Ishii Y et al. Clinical Experimental Immunology. 1984; 58:183–192
5. -

FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES