



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

Mouse anti-Gross Cystic Disease Fluid Protein-15, clone 23A3 (monoclonal)

Clone no. 23A3

MONXtra

Product name	Mouse anti-Gross Cystic Disease Fluid Protein-15, clone 23A3 (monoclonal)
Host	Mouse
Applications	IHC-P (1:40)
Species reactivity	human
Conjugate	-
Immunogen	Recombinant prokaryotic protein corresponding to the excreted domain of the gross cystic disease fluid protein (15 kD) molecule.
Isotype	IgG2a
Clonality	Monoclonal
Clone number	23A3
Size	1 ml
Concentration	Greater than or equal to 55 mg/L
Format	-
Storage buffer	Tissue culture supernatant with Sodium azide
Storage until expiry date	2-8°C

FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES

Mouse anti-Gross Cystic Disease Fluid Protein-15, clone 23A3 (monoclonal)

Clone no. 23A3

MONXtra

Additional info

Gross cystic disease of the breast is a benign premenopausal disorder in which cysts are a predominant pathological lesion. These cysts appear to be formed from excessive apocrine cystic secretions. This fluid is composed of several glycoproteins including a unique 15 kD monomer protein, GCDFP15. It has been reported that cytosolic analysis of normal tissue from all major organs has demonstrated GCDFP15 in apocrine epithelia, lacrimal, ceruminous and Moll's glands and in numerous serous cells of the submandibular, tracheal, bronchial, sublingual and minor salivary glands. Specificity Human gross cystic disease fluid protein (15 kD)

References

1. Sapino A et al. J. of Biol.Regulators & Homeostatic Agents. 2000; 14(4):259–262
2. Haagensen DE Jr et al. Annals of the New York Academy of Sciences.1990;586:
3. -
4. -
5. -

FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES