



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

Mouse anti-von Willebrand Factor, clone 36B11 (monoclonal)

Clone no. 36B11

MONXtra

Product name	Mouse anti-von Willebrand Factor, clone 36B11 (monoclonal)
Host	Mouse
Applications	IHC-P (1:200)
Species reactivity	human
Conjugate	-
Immunogen	Prokaryotic recombinant fusion protein corresponding to the A2 domain of the von Willebrand molecule.
Isotype	IgG2a
Clonality	Monoclonal
Clone number	36B11
Size	1 ml
Concentration	Greater than or equal to 21 mg/L
Format	-
Storage buffer	Tissue culture supernatant with sodium azide
Storage until expiry date	2-8°C

FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES

Mouse anti-von Willebrand Factor, clone 36B11 (monoclonal)

Clone no. 36B11

MONXtra

Additional info

Human von Willebrand factor (or factor VIII-related antigen) is a 270 kD multimeric plasma glycoprotein. It mediates platelet adhesion to injured vessel walls and serves as a carrier and stabilizer for coagulation factor VIII. The von Willebrand factor has functional binding domains to platelet glycoprotein Ib, glycoprotein Ib/IIIa, collagen and heparin. Von Willebrand factor is synthesized by endothelial cells and is reported to be expressed in a number of tumors of vascular origin.

References

1. Zhang Y et al. Human Pathology. 2005; 36:797-805
2. Su H et al. Proceedings of the National Academy of Sciences, USA. 2000; 97(25)
3. -
4. -
5. -

FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES