



# SZABO SCANDIC

Part of Europa Biosite

## Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!  
See the following pages for more information!



### Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

### Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

### SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

[mail@szabo-scandic.com](mailto:mail@szabo-scandic.com)

[www.szabo-scandic.com](http://www.szabo-scandic.com)

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

Mouse anti-Cytokeratin (5/6/8/18), clone 5D3 and LP34 (monoclonal)

Clone no. 5D3/LP34

MONXtra

---

Product name	Mouse anti-Cytokeratin (5/6/8/18), clone 5D3 and LP34 (monoclonal)
Host	Mouse
Applications	IHC-P (1:50-1:100), IHC-fr (1:50-1:100)
Species reactivity	human
Conjugate	-
Immunogen	5D3, Cytokeratins for the human breast carcinoma cell line MCF-7. LP34, Detergent-insoluble fraction of psoriatic human epidermis.
Isotype	IgG1
Clonality	Monoclonal
Clone number	5D3/LP34
Size	1 ml
Concentration	n/a
Format	-
Storage buffer	Tissue culture supernatant with 15 mM sodium azide
Storage until expiry date	2-8°C

FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES

Mouse anti-Cytokeratin (5/6/8/18), clone 5D3 and LP34 (monoclonal)

Clone no. 5D3/LP34

MONXtra

**Additional info**

NCL-CK5/6/8/18, NCL-L-CK5/6/8/18 and RTU-CK5/6/8/18 react with human cytokeratins 5, 6, 8 and 18. These products are cocktails of monoclonal antibodies designed to recognize cytokeratins reported to be expressed in almost all epithelial tissues.

**References**

1. Hatzfeld M and Weber K. Journal of Cell Biology. 116: 157–166 (1992)
2. Angus B et al. Journal of Pathology. 155: 71–75 (1988)
3. Ghosh A K et al. British Journal of Haematology. 61: 21–30 (1985)
4. Gatter KC et al. Journal of Clinical Pathology. 35: 1253–1267 (1982)
5. Moll R et al. Cell. 31: 11–24 (1982)

**FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES**