



# SZABO SCANDIC

Part of Europa Biosite

## Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!  
See the following pages for more information!



### Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

### Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

### SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

[mail@szabo-scandic.com](mailto:mail@szabo-scandic.com)

[www.szabo-scandic.com](http://www.szabo-scandic.com)

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

Mouse anti-CD19, clone BT51E (monoclonal)

Clone no. BT51E

MONXtra

---

Product name	Mouse anti-CD19, clone BT51E (monoclonal)
Host	Mouse
Applications	IHC-P (1:50)
Species reactivity	human
Conjugate	-
Immunogen	A prokaryotic fusion protein containing part of the C-terminal region of the human CD19 molecule.
Isotype	IgG2b
Clonality	Monoclonal
Clone number	BT51E
Size	1 ml
Concentration	Greater than or equal to 35 mg/L
Format	-
Storage buffer	Tissue culture supernatant with sodium azide
Storage until expiry date	2-8°C

FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES

Mouse anti-CD19, clone BT51E (monoclonal)

Clone no. BT51E

MONXtra

**Additional info**

CD19 is a member of the immunoglobulin superfamily and has two Ig like domains. It is a single chain glycoprotein present on the surface of B lymphocytes and follicular dendritic cells of the hematopoietic system. CD19 is a crucial regulator in B cell development, activation and differentiation. On B cells, CD19 associates with CD21, CD81 and CD225 (Leu-13) forming a signal transduction complex. CD19 is expressed from the earliest recognizable B cell lineage stage, through development to B cell differentiation but is lost on maturation to plasma cells.

**References**

1. Fujimoto M and Sato S. Journal of Dermatological Science. 2007; 46:1-9
2. Otero D et al. The Journal of Immunology. 2003; 170: 73-83
3. Fujimoto M et al. Seminars in Immunology. 1998; 10:267-277
4. -
5. -

**FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES**