



# SZABO SCANDIC

Part of Europa Biosite

## Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!  
See the following pages for more information!



### Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

### Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

### SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

[mail@szabo-scandic.com](mailto:mail@szabo-scandic.com)

[www.szabo-scandic.com](http://www.szabo-scandic.com)

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

Mouse anti-CD79a, clone JCB117 (monoclonal)

Clone no. JCB117

MONXtra

---

Product name	Mouse anti-CD79a, clone JCB117 (monoclonal)
Host	Mouse
Applications	IHC-P (1:100)
Species reactivity	human
Conjugate	-
Immunogen	Prokaryotic recombinant fusion protein corresponding to the internal domain of 61 amino acids at the C-terminal region of the CD79a molecule.
Isotype	IgG2b
Clonality	Monoclonal
Clone number	JCB117
Size	1ml
Concentration	Greater than or equal to 20 mg/L
Format	-
Storage buffer	Tissue culture supernatant with sodium azide
Storage until expiry date	2-8°C

FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES

Mouse anti-CD79a, clone JCB117 (monoclonal)

Clone no. JCB117

MONXtra

---

**Additional info**

The CD79 complex is a disulfide-linked heterodimer which is non-covalently associated with membrane-bound immunoglobulins on B cells. This complex of polypeptides and immunoglobulin constitute the B cell antigen receptor. The two components of this complex are designated CD79a and CD79b. The CD79a antigen is reported to first appear at the pre-B cell stage, early in maturation, and persist until the plasma cell stage where it is found as an intracellular component. It is not present in myeloid or T cell lines.

**References**

1. Bhargava P et al. American Journal of Clinical Pathology. 2007; 128(2): 306-313
2. Torlakovic E et al. The American Journal of Surgical Pathology. 2002; 26(10): 13
3. Blakolmer K et al. Modern Pathology. 2000; 13(7): 766-772
4. Pillozzi E et al. The Journal of Pathology. 1998;186(2):140-143
5. -

**FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES**