



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

Product datasheet PS202

MONOSAN[®]

Polyclonal Rabbit anti-Enkephalin

Clone no. -

MONOSAN

Product name	Polyclonal Rabbit anti-Enkephalin
Host	Rabbit
Applications	IHC-fr, IHC-P (1:400-1:800)
Species reactivity	Cat, Pig, Rat
Conjugate	-
Immunogen	Synthetic met-enkephalin (Sigma), conjugated to BSA
Isotype	-
Clonality	Polyclonal
Clone number	-
Size	50 µl (lyoph.)
Concentration	n/a
Format	-
Storage buffer	Lyophilized; reconstitute in 100 µl dist. water
Storage until expiry date	2-8°C

FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES

Polyclonal Rabbit anti-Enkephalin

Clone no. -

MONOSAN

Additional info

Enkephalins are small peptides derived from large precursors (pro-enkephalin A and B) containing multiple enkephalin copies. They are the most abundant opioid peptides in the body and are widely distributed in the brain and the peripheral nervous system and occur also in the adrenal medulla. Several types of neuroendocrine tumors, incl. pheochromocytomas, neuroblastomas and bronchial and gastrointestinal endocrine tumors, produce enkephalin. Absorption with 10-100 ug immunogen per ml diluted antiserum abolishes the staining, while beta-endorphin does not. Cross-reacts with leu-enkephalin.

Positive control: Frozen sections of cat or pig small intestine.

References

1. Kirchgessner, A. L. et al. *Neurol.*1989; 285, 38–53
2. Thesleff, P. et al. *Gut* 1987;28:1298–301
3. Ekblad, E. et al. *Neuroscience*1994; 63: 233–248
4. -
5. -

FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES