



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

Product datasheet PS235

MONOSAN[®]

Polyclonal Rabbit anti-PACAP-related peptide (PRP)

Clone no. -

MONOSAN

Product name Polyclonal Rabbit anti-PACAP-related peptide (PRP)

Host Rabbit

Applications IHC-fr (1:400-1:800), IF

Species reactivity Rat

Conjugate -

Immunogen Synthetic rat PRP (Pensinsula), conjugated to BSA

Isotype -

Clonality Polyclonal

Clone number -

Size 50 µl (lyoph.)

Concentration n/a

Format -

Storage buffer Lyophilized; reconstitute in 100 µl dist. water

Storage until expiry date 2-8°C

FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES

Polyclonal Rabbit anti-PACAP-related peptide (PRP)

Clone no. -

MONOSAN

Additional info

Pituitary adenylate cyclase activating peptide (PACAP), originally isolated from ovine hypothalamus, belongs to the VIP-family of peptides. PACAP-related peptide (PRP) is a 29-amino acid peptide, which is produced together with PACAP-27 and PACAP-38 when PreproPACAP is being processed. PRP is abundant in the brain, but can be also found in the respiratory and gastrointestinal tracts.

Absorption with 10-100 ug immunogen per ml diluted antiserum abolishes the staining, while PACAP-27, PACAP-38, VIP, PHI, CRF, oxytocin and vasopressin do not.

Positive control: Stefanini-fixed frozen sections of rat duodenum, fundus or antrum.

References

1. -
2. -
3. -
4. -
5. -

FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES