



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

Product datasheet PS250

MONOSAN[®]

Polyclonal Guinea-Pig anti-Gastrin
Clone no. -

MONOSAN

Product name	Polyclonal Guinea-Pig anti-Gastrin
Host	Guinea pig
Applications	IHC-fr, IHC-P, IF (1:1,000-1:1,500)
Species reactivity	Human, Rat
Conjugate	-
Immunogen	Synthetic human gastrin I, conjugated to BSA
Isotype	-
Clonality	Polyclonal
Clone number	-
Size	50 µl (lyoph.)
Concentration	n/a
Format	-
Storage buffer	Lyophilized; reconstitute in 100 µl dist. water
Storage until expiry date	2-8°C

FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES

Polyclonal Guinea-Pig anti-Gastrin

Clone no. -

MONOSAN

Additional info

Gastrin-secreting cells are numerous in the antrum and a few are found in the proximal duodenum. The antibody can be used for the diagnosis of gastrin-producing tumors which are mainly found in the pancreas and occasionally in the stomach and the duodenum.
Absorption with 10-100 ug gastrin 1-34 and CCK 8 per ml antiserum abolishes the staining. Positive control: formalin-fixed paraffin sections of rat antrum.

References

1. Portela-Gomes, G. M.et al. Histochem. Cell Biol. 1999;111: 49-54
2. Portela-Gomes, G. M.et al. J. Histochem. Cytochem.1997;45: 815-22
3. Mulder, H. et al. Gastroenterology 1994;107: 712-9
4. -
5. -

FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES