



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

Anti-HCN1 Antibody [S70-28]

Mouse Anti-Rat HCN1 Monoclonal IgG1
Catalog No. SMC-304



Discovery through partnership | Excellence through quality

Overview

Product Name

HCN1 Antibody

Description

Mouse Anti-Rat HCN1 Monoclonal IgG1

Species Reactivity

Human, Mouse, Rat

Applications

WB, IHC, IP

Antibody Dilution

WB (1:1000), IHC (1:1000), ICC/IF (1:100); optimal dilutions for assays should be determined by the user.

Host Species

Mouse

Immunogen Species

Rat

Immunogen

Fusion protein amino acids 778-910 (C terminus) of rat HCN1

Concentration

1 mg/ml

Conjugates

Alkaline Phosphatase, APC, ATTO 390, ATTO 488, ATTO 565, ATTO 594, ATTO 633, ATTO 655, ATTO 680, ATTO 700, Biotin, FITC, HRP, PE/ATTO 594, PerCP, RPE, Streptavidin, Unconjugated

Properties

Storage Buffer

PBS pH7.4, 50% glycerol, 0.09% sodium azide

Storage Temperature

-20°C

Shipping Temperature

Blue Ice or 4°C

Purification

Protein G Purified

Clonality

Monoclonal

Clone Number

S70-28

Isotype

IgG1

Specificity

Detects ~100kDa. No cross-reactivity against HCN2.

Cite This Product

Mouse Anti-Rat HCN1 Monoclonal, Clone S70-28 (StressMarq Biosciences Inc., Victoria BC CANADA, Catalog # SMC-304)

Certificate Of Analysis

1 µg/ml of SMC-304 was sufficient for detection of HCN1 in 10 µg of rat brain lysate by colorimetric immunoblot analysis using Goat anti-mouse IgG:HRP as the secondary antibody.

Biological Description

Alternative Names

BCNG-1 Antibody, BCNG1 Antibody, Brain cyclic nucleotide gated channel 1 Antibody, Brain cyclic nucleotide-gated channel 1 Antibody, HAC2 Antibody, HCN1 Antibody, HCN1_HUMAN Antibody, Hyperpolarization activated cyclic nucleotide gated potassium channel 1 Antibody, Potassium/sodium hyperpolarization activated cyclic nucleotide gated channel 1 Antibody, Potassium/sodium hyperpolarization-activated cyclic nucleotide-gated channel 1 Antibody

Research Areas

Cardiovascular System, Cyclic Nucleotide-Gated Ion Channels, Heart, Ion Channels, Neuroscience

Cellular Localization

Membrane

Accession Number

NP_445827.1

Gene ID

84390

Swiss Prot

Q9JKBO


Scientific Background

Hyperpolarization-activated cation channels of the HCN gene family, such as HCN1, play a crucial role in the regulatons of cell excitability. Importantly, they contribute to spontaneous rhythmic activity in both the heart and brain (1).


References

1. Zong X., et al. (2005) J Biol Chem. 280(40): 34224-34232.


Product Images




Immunohistochemistry analysis using Mouse Anti-HCN1 Monoclonal Antibody, Clone S70-28 (SMC-304). Tissue: Cerebellum. Species: Mouse. Fixation: 10% Formalin Solution for 12-24 hours at RT. Primary Antibody: Mouse Anti-HCN1 Monoclonal Antibody (SMC-304) at 1:1000 for 1 hour at RT. Secondary Antibody: HRP/DAB Detection System: Biotinylated Goat Anti-Mouse, Streptavidin Peroxidase, DAB Chromogen (brown) for 30 minutes at RT. Counterstain: Mayer Hematoxylin (purple/blue) nuclear stain at 250-500 μ l for 5 minutes at RT. Localization: Cytoplasmic staining of Purkinje cells.




Western Blot analysis of Rat brain membrane lysate showing detection of HCN1 protein using Mouse Anti-HCN1 Monoclonal Antibody, Clone S70-28 (SMC-304). Load: 15 μ g protein. Block: 1.5% BSA for 30 minutes at RT. Primary Antibody: Mouse Anti-HCN1 Monoclonal Antibody (SMC-304) at 1:1000 for 2 hours at RT. Secondary Antibody: Sheep Anti-Mouse IgG: HRP for 1 hour at RT.



Immunohistochemistry analysis using Mouse Anti-HCN1 Monoclonal Antibody, Clone S70-28 (SMC-304). Tissue: hippocampus. Species: Human. Fixation: Bouin's Fixative and paraffin-embedded. Primary Antibody: Mouse Anti-HCN1 Monoclonal Antibody (SMC-304) at 1:1000 for 1 hour at RT. Secondary Antibody: FITC Goat Anti-Mouse (green) at 1:50 for 1 hour at RT.



Immunohistochemistry analysis using Mouse Anti-HCN1 Monoclonal Antibody, Clone S70-28 (SMC-304). Tissue: Frozen brain section. Species: Mouse. Fixation: 10% Formalin Solution for 12-24 hours at RT. Primary Antibody: Mouse Anti-HCN1 Monoclonal Antibody (SMC-304) at 1:1000 for 1 hour at RT. Secondary Antibody: HRP/DAB Detection System: Biotinylated Goat Anti-Mouse, Streptavidin Peroxidase, DAB Chromogen (brown) for 30 minutes at RT. Counterstain: Mayer Hematoxylin (purple/blue) nuclear stain at 250-500 μ l for 5 minutes at RT. Localization: Neurons.



Immunohistochemistry analysis using Mouse Anti-HCN1 Monoclonal Antibody, Clone S70-28 (SMC-304). Tissue: Frozen brain section. Species: Mouse. Fixation: 10% Formalin Solution for 12-24 hours at RT. Primary Antibody: Mouse Anti-HCN1 Monoclonal Antibody (SMC-304) at 1:1000 for 1 hour at RT. Secondary Antibody: HRP/DAB Detection System: Biotinylated Goat Anti-Mouse, Streptavidin Peroxidase, DAB Chromogen (brown) for 30 minutes at RT. Counterstain: Mayer Hematoxylin (purple/blue) nuclear stain at 250-500 μ l for 5 minutes at RT.

Product Citations (2)

Other Citations

Biomarker Analysis with Grating Coupled Surface Plasmon Coupled Fluorescence.

Mendoza, A., Dias, J.A., Zeltner, T. and Lawrence, D.A. (2014) J Adv Bio & Biotech. 1(1): 1-22.

PubMed ID: **Reactivity:** Human **Applications:** Antibody Microarray

Biomarker Analysis with Grating Coupled Surface Plasmon Coupled Fluorescence.

Mendoza, A., Dias, J.A., Zeltner, T. and Lawrence, D.A. (2014) J Adv Bio & Biotech. 1(1): 1-22.

PubMed ID: **Reactivity:** Mouse **Applications:** Antibody Microarray

Reviews

There are no reviews yet.