



# SZABO SCANDIC

Part of Europa Biosite

## Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!  
See the following pages for more information!



### Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

### Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

### SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

[mail@szabo-scandic.com](mailto:mail@szabo-scandic.com)


[www.szabo-scandic.com](http://www.szabo-scandic.com)

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

## Dimethyl sulfoxide

## Chemical Properties

CAS No. :	67-68-5
Formula:	C <sub>2</sub> H <sub>6</sub> O <sub>S</sub>
Molecular Weight:	78.13
Appearance:	no data available
Storage:	store at RT



## Biological Description

Description	Dimethyl sulfoxide (DMSO) is a commonly used solvent to dissolve polar and non-polar compounds. Dimethyl sulfoxide has been widely used for masterbatch preparation of compounds in biological experiments. Dimethyl sulfoxide has bacteriostatic activity.
Targets(IC50)	Others,Antibacterial
In vitro	<b>METHODS:</b> Human colorectal cancer cells HCT-116 and SW-480 were treated with Dimethyl sulfoxide (0.1%-1.5%) for 24 h, and cell viability was measured by MTT. <b>RESULTS:</b> Dimethyl sulfoxide showed a dose-dependent effect on cell proliferation. Cells treated with 1.5% Dimethyl sulfoxide showed about 10% reduction in cell growth. [1]
In vivo	<b>METHODS:</b> To detect toxicity, Dimethyl sulfoxide (10%-100%) was administered to Swiss mice by single intraperitoneal injection for five days. <b>RESULTS:</b> The LD50 increased with decreasing concentration and the LD50 values for 10%, 25%, 50%, 75%, and 100% Dimethyl sulfoxide were >10.1, 15.4, 13.3, 11.9, and 10.9 g/kg, respectively. [2]

## Preparing Stock Solutions

	1mg	5mg	10mg
1 mM	12.7992 mL	63.9959 mL	127.9918 mL
5 mM	2.5598 mL	12.7992 mL	25.5984 mL
10 mM	1.2799 mL	6.3996 mL	12.7992 mL
50 mM	0.256 mL	1.2799 mL	2.5598 mL

Please select the appropriate solvent to prepare the stock solution, according to the solubility of the product in different solvents. Please use it as soon as possible.

## Reference

Tunçer S, et al. Low dose dimethyl sulfoxide driven gross molecular changes have the potential to interfere with various cellular processes. Sci Rep. 2018 Oct 4;8(1):14828.  
Liang C, Yu X, Xiong N, et al. Pictilisib Enhances the

**Inhibitor · Natural Compounds · Compound Libraries · Recombinant Proteins**

This product is for Research Use Only · Not for Human or Veterinary or Therapeutic Use

Tel:781-999-4286 E\_mail:info@targetmol.com Address:36 Washington Street,Wellesley Hills,MA 02481