



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com


www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

Inecalcitol

Chemical Properties

CAS No. :	163217-09-2
Formula:	C ₂₆ H ₄₀ O ₃
Molecular Weight:	400.59
Appearance:	no data available
Storage:	Powder: -20°C for 3 years In solvent: -80°C for 1 year



Biological Description

Description	Inecalcitol (TX 522) is the growth inhibitor of human breast cancer cells. Inecalcitol is a unique vitamin D3 analog with Kd of 0.53 nM.
Targets(IC50)	Apoptosis
In vitro	A xenograft model of LNCaP cells was developed in immunodeficient mice treated with inecalcitol. The tumors of the diluent-treated control mice increased in size but those in the inecalcitol treatment group did not grow[1].
In vivo	Inecalcitol maximal tolerated dose (MTD) by intraperitoneal (i.p.) administration was 30 µg/mouse (1,300 µg/kg) three times per week, while we previously found that the MTD of 1,25(OH)(2) D(3) is 0.0625 µg/mouse; therefore, inecalcitol is 480 times less hypercalcemic than 1,25OH ₂ D ₃ [1]. Inecalcitol inhibits androgen-responsive prostate cancer growth in vivo.

Solubility Information

Solubility	DMSO: 55 mg/ml (137.3 mM) (< 1 mg/ml refers to the product slightly soluble or insoluble)
------------	--

Preparing Stock Solutions

	1mg	5mg	10mg
1 mM	2.4963 mL	12.4816 mL	24.9632 mL
5 mM	0.4993 mL	2.4963 mL	4.9926 mL
10 mM	0.2496 mL	1.2482 mL	2.4963 mL
50 mM	0.0499 mL	0.2496 mL	0.4993 mL

Please select the appropriate solvent to prepare the stock solution, according to the solubility of the product in different solvents. Please use it as soon as possible.

Reference

Ryoko Okamoto, et al. Inecalcitol, an analog of $1\alpha,25(\text{OH})_2\text{D}(3)$, induces growth arrest of androgen-dependent prostate cancer cells. *Int J Cancer*. 2012 May 15;130(10):2464-73.

Inhibitor · Natural Compounds · Compound Libraries · Recombinant Proteins

This product is for Research Use Only· Not for Human or Veterinary or Therapeutic Use

Tel:781-999-4286 E_mail:info@targetmol.com Address:36 Washington Street,Wellesley Hills,MA 02481