



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com


[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 



Jacalin, Biotinylated

B-1155-5

Product Images



Short Description

This lectin appears to bind only *O*-glycosidically linked oligosaccharides, preferring the structure galactosyl (β -1,3) *N*-acetylgalactosamine. This structure (the T-antigen) is the oligosaccharide to which peanut agglutinin (PNA) binds. However, unlike PNA, Jacalin will bind a mono- or disialylated form of this structure. This lectin has been used to purify human IgA. The specificity of this lectin also affords the opportunity to localize or isolate glycoproteins with *O*-glycosidically linked oligosaccharide side chains.

Biotinylated Jacalin has an appropriate number of biotins bound to provide the optimum staining characteristics for this lectin. This conjugate is supplied essentially free of unconjugated biotins and is preserved with sodium azide.

Additional Information

Unit Size	5 mg
Applications	Immunohistochemistry / Immunocytochemistry, Immunofluorescence, Blotting Applications, Elispot, ELISAs, Glycobiology
Recommended Usage	Reconstitute by adding 1 ml of water. Do not vortex. The resulting solution will have the following composition: 10 mM HEPES, 0.15 M NaCl, pH 7.5, 0.08% sodium azide, 0.1 mM CaCl ₂ , 10 mM galactose, 10 mM lactose. For most applications we recommend a freshly prepared working solution of 5-20 μ g/ml in the above buffer.
Recommended Storage	2-8 °C; Store frozen for long term storage
Inhibiting and/or Eluting Sugar	800 mM galactose (S-9003) or 100 mM melibiose.
Conjugate	Biotinylated
Sugar Specificity	Galactose

