



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 



Maackia Amurensis Lectin II (MAL II), Biotinylated

B-1265-1

[Product Images](#)



Short Description

Although the specificity of this lectin is not well defined, MAL II appears to bind only particular carbohydrate structures that contain sialic acid. Unlike Sambucus nigra lectin (SNA) which seems to prefer structures with (α -2,6) linked sialic acid, MAL II appears to bind sialic acid in an (α -2,3) linkage. Tissue staining patterns are also very different among MAL I, SNA and MAL II.

Biotinylated *Maackia amurensis* lectin II has an appropriate number of biotins bound to provide the optimum staining characteristics for this lectin. This conjugate is supplied essentially free of unconjugated biotins and is preserved with sodium azide.

Additional Information

Unit Size	1 mg
Applications	Immunohistochemistry / Immunocytochemistry, Immunofluorescence, Blotting Applications, Elispot, ELISAs, Glycobiology
Recommended Usage	For most applications, we recommend a freshly prepared working solution of 5-20 μ g/ml in the above buffer.
Recommended Storage	2-8 °C
Solution	10 mM HEPES, pH 7.5, 0.15 M NaCl, 0.08% sodium azide.
Concentration	1 mg active conjugate/ml
Conjugate	Biotinylated
Sugar Specificity	Sialic Acid

