



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com


[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic)



Goat Anti-Streptavidin Antibody, Biotinylated

BA-0500-.5

[Product Images](#)



Short Description

Biotinylated Anti-Streptavidin has been widely used as an amplifying reagent in immunohistochemistry, *in situ* hybridization, microarray assays, ELISAs, blots, and many other applications. The capability of binding streptavidin via either biotin binding sites or through antigen binding sites, makes this biotinylated antibody unique. Anti-Streptavidin does not bind avidin, and Anti-Avidin does not recognize streptavidin.

Additional Information

Unit Size	0.5 mg
Applications	Immunofluorescence, In situ hybridization
Concentration	0.5 mg active conjugate/ml
Recommended Storage	2-8 °C; Store frozen for long term storage
Solution	10 mM HEPES, pH 7.5, 0.15 M NaCl, 0.08% sodium azide, 20 mg/ml sucrose.
Recommended Usage	The recommended concentration range for use is 1-10 µg/ml. If this biotinylated antibody is to be used in tissues, which may contain cross-reacting endogenous immunoglobulins, dilution of this biotinylated antibody may be made in buffers containing 2% normal serum from the same species as the tissue.
Detection Target	Streptavidin
Conjugate	Biotinylated
Host Species	Goat
Format	Concentrate

