



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com


[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 



Dolichos Biflorus Agglutinin (DBA), Unconjugated

L-1030-5

[Product Images](#)



Short Description

This lectin has a carbohydrate specificity toward α -linked *N*-acetylgalactosamine. It has been used to establish secretor status in blood group A individuals by hemagglutination inhibition techniques and for blood typing. This lectin has also been used as a general marker of developing renal collecting ducts.

Additional Information

| | |
|---------------------|--|
| Unit Size | 5 mg |
| Applications | Immunohistochemistry / Immunocytochemistry, Immunofluorescence, Blotting Applications, Glycobiology |
| Recommended Usage | Although many buffers can be employed for reconstituting and diluting this lectin, 10 mM HEPES buffered saline, pH 8.5, 0.1 mM CaCl_2 is recommended. For preserving solutions stored at 4 °C, 0.08% sodium azide can be used. DO NOT VORTEX! |
| Recommended Storage | 2-8 °C |
| Conjugate | Unconjugated |
| Sugar Specificity | N-Acetylgalactosamine |

