



# SZABO SCANDIC

Part of Europa Biosite

## Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!  
See the following pages for more information!



### Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

### Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

### SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

[mail@szabo-scandic.com](mailto:mail@szabo-scandic.com)

[www.szabo-scandic.com](http://www.szabo-scandic.com)

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 



---

# Vicia Villosa Lectin (VVL, VVA), Unconjugated

## L-1230-5

[Product Images](#)

---



## Short Description

---

VVL recognizes preferentially  $\alpha$ - or  $\beta$ -linked terminal *N*-acetylgalactosamine, especially a single  $\alpha$ -*N*-acetylgalactosamine residue linked to serine or threonine in a polypeptide (the Tn antigen). Evidence suggests that this lectin also may require specific amino acid sequences at the receptor site of glycosylation. The disaccharide galactosyl ( $\alpha$ -1,3) *N*-acetylgalactosamine is also a potent inhibitor of this lectin.

## Additional Information

---

Unit Size	5 mg
Applications	Glycobiology
Recommended Usage	Although many buffers can be employed for reconstituting this lectin, we recommend 10 mM HEPES buffered saline, pH 8.5, 0.1 mM CaCl <sub>2</sub> . For preserving solutions stored at 4 °C, 0.08% sodium azide can be used.
Recommended Storage	2-8 °C
Conjugate	Unconjugated
Sugar Specificity	N-Acetylgalactosamine

