



# SZABO SCANDIC

Part of Europa Biosite

## Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!  
See the following pages for more information!



### Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

### Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

### SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

[mail@szabo-scandic.com](mailto:mail@szabo-scandic.com)

[www.szabo-scandic.com](http://www.szabo-scandic.com)

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 



---

# Bauhinia Purpurea Lectin (BPL), Unconjugated

## L-1280-5

[Product Images](#)

---



## Short Description

---

BPL binding appears to be highest for glycoconjugates containing galactosyl ( $\beta$ -1,3)N-acetylgalactosamine structures but oligosaccharides with a terminal  $\alpha$ -linked N-acetylgalactosamine can also bind. Although binding specificity is similar to that of peanut agglutinin, tissue staining patterns of these two lectins are distinct.

Inhibiting/Eluting Sugar: 100 mM lactose

## Additional Information

---

Unit Size	5 mg
Applications	Glycobiology, Mitogenic Stimulation
Recommended Usage	Although many buffers can be employed for reconstituting and diluting this lectin, 10 mM HEPES buffered saline, pH 8.5, 0.1 mM CaCl <sub>2</sub> is recommended. For preserving solutions stored at 4 °C, 0.08% sodium azide can be used.
Recommended Storage	2-8 °C
Conjugate	Unconjugated
Sugar Specificity	N-Acetylgalactosamine, Lactose

