



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 



ZYMO RESEARCH

The Beauty of Science is to Make Things Simple

INSTRUCTION MANUAL

Quick-DNA™ Tissue/Insect Microprep Kit

Catalog No. **D6015**

Highlights

- Simple method for the isolation of DNA (up to 5 µg) from fresh, frozen, or stored insect and arthropod specimens in as little as 15 minutes.
- The organic denaturant/proteinase K-free procedure is ideal for processing small organisms including mosquitoes, bees, lice, ticks, and *D. melanogaster*.
- State-of-the-art, ultra-high density **BashingBeads™** are fracture resistant and chemically inert.
- Compatible with mammalian tissues, cultured cells, and whole blood.

Contents

Product Contents & Specifications.....	1
Product Description	2
Protocol.....	3
Ordering Information.....	4

Satisfaction of all Zymo Research products is guaranteed. If you should be dissatisfied with this product, please call 1-888-882-9682.

Product Contents

Quick-DNA™ Tissue/Insect Microprep Kit (Kit Size)	D6015 (50 preps.)	Storage Temperature
ZR BashingBead™ Lysis Tubes (2.0 mm)	50	Room Temp.
BashingBead™ Buffer	40 ml	Room Temp.
Genomic Lysis Buffer¹	100 ml	Room Temp.
DNA Pre-Wash Buffer²	15 ml	Room Temp.
g-DNA Wash Buffer	50 ml	Room Temp.
DNA Elution Buffer	10 ml	Room Temp.
Zymo-Spin™ III-F Filters	50	Room Temp.
Zymo-Spin™ IC Columns	50	Room Temp.
Collection Tubes	150	Room Temp.
Instruction Manual	1	-

Note - Integrity of kit components is guaranteed for up to one year from date of purchase. Reagents are routinely tested on a lot-to-lot basis to ensure they provide maximal performance and reliability.

¹ For optimal performance, add beta-mercaptoethanol to 0.5%(v/v) i.e., 500 µl per 100 ml.

² A precipitate may have formed in the DNA Pre-Wash Buffer during shipping. To completely resuspend the buffer, incubate the bottle at 30 – 37 °C for 30 minutes and mix by inversion. DO NOT MICROWAVE.

Specifications

- **Format** – Bead Beating, Spin Column.
- **Sample Sources** – Small amounts ($n \geq 1$ and ≤ 10 mg) of fresh, frozen, or stored insects including: mosquitoes, bees, lice, ticks, *D. melanogaster*, etc. Also, compatible with fresh or frozen mammalian tissues, as well as cultured cells and whole blood.
- **DNA Yield** – Expected yields can range from 1 - 5 µg DNA per mg specimen sampled. For mammalian tissues, yields are 1 - 3 µg DNA per mg of skeletal, heart, and brain tissues and 3 - 5 µg DNA per mg of liver, kidney, and lung tissues. Whole blood will yield from 3 - 7 µg DNA per 100 µl.
- **DNA Purity** – High quality DNA is eluted with **DNA Elution Buffer** that is well suited for PCR amplification, endonuclease digestion, etc. $A_{260}/A_{280} > 1.8$
- **DNA Size Limits** – Capable of recovering genomic DNA up to and above 40 kb. In most instances, mitochondrial DNA and viral DNA (if present) will also be recovered.
- **DNA Recovery** – Typically, up to 5 µg total DNA is eluted into 20 µl (10 µl minimum) **DNA Elution Buffer** per sample.
- **Equipment** – Microcentrifuge, vortex, cell disrupter/pulverizer (recommended)

Note - ™ Trademarks of Zymo Research Corporation. This product is for research use only and should only be used by trained professionals. It is not intended for use in diagnostic procedures. Some reagents included with this kit are irritants. Wear protective gloves and eye protection. Follow the safety guidelines and rules enacted by your research institution or facility. Disruptor Genie™ is a trademark of Scientific Industries, Inc. and FastPrep® is a registered trademark of Qbiogene, Inc.


Use the **Quick-DNA™ Tissue/Insect Miniprep Kit (D6016)** for DNA recoveries up to 25 µg.

ZYMO RESEARCH CORP.

Product Description

The **Quick-DNA™ Tissue/Insect Microprep Kit** is designed for the simple, rapid isolation of up to 5 µg total DNA (e.g., genomic, viral, mitochondrial) from small amounts of fresh, frozen, or stored insect specimens including mosquitoes, bees, lice, ticks, and *D. melanogaster*. The procedure is easy and can be completed in as little as 15 minutes: samples are added directly to a **ZR BashingBead™ Lysis Tube (2.0 mm)**, then rapidly and efficiently lysed by bead, without using organic denaturants or proteinases. The DNA is isolated and purified using our Zymo-Spin™ Technology and is ideal for downstream molecular-based applications including PCR, array, genotyping, etc. The procedure is compatible with mammalian tissues, whole blood, and cultured cells. A schematic of the **Quick-DNA™ Tissue/Insect Microprep Kit** procedure is shown below.

For **Technical Assistance**, please contact **Zymo Research's Technical Department** at 1-888-882-9682 or E-mail to tech@zymoresearch.com.



Comparison of DNA yields from various insect and mouse samples using the **Quick-DNA™ Tissue/Insect Kit**. Various amounts of sample were processed with equal volumes of eluted DNA analyzed in a 0.8% (w/v) agarose/ethidium bromide gel. The 1 kb DNA size marker is from Zymo Research.

Protocol

For optimal performance, add beta-mercaptoethanol (user supplied) to the **Genomic Lysis Buffer** to a final dilution of 0.5%(v/v) i.e., 500 µl per 100 ml.

1. Add specimen(s) to a **ZR BashingBead™ Lysis Tube (2.0 mm)**. Add 750 µl **BashingBead™ Buffer** to the tube and cap tightly.

*Note: Generally, no more than 10 mg tissue should be sampled, since larger samples will exceed the DNA binding capacity of the spin column (See **Specifications** on page 1). Up to 200 µl of whole blood or up to 1.7 x10⁶ cells suspended in 200 µl PBS can also be sampled.*

2. Secure in a bead beater fitted with a 2 ml tube holder assembly (e.g., Disruptor Genie™) and process at maximum speed for 10 minutes.

Note: Processing time will vary based on sample input and bead beater. Times may be as little as 5 minutes when using high-speed cell disrupters (FastPrep® -24).

3. Centrifuge the **ZR BashingBead™ Lysis Tube (2.0 mm)** in a microcentrifuge at ≥10,000 x g for 1 minute.

4. Transfer up to 400 µl supernatant to the **Zymo-Spin™ III-F Filter** in a **Collection Tube** and centrifuge at 8,000 x g for 1 minute. Discard the Zymo-Spin™ III-F Filter.

5. Add 1,200 µl of **Genomic Lysis Buffer** to the filtrate in the **Collection Tube** from Step 4. Mix well.

6. Transfer 800 µl of the mixture from Step 5 to a **Zymo-Spin™ IC Column¹** in a **Collection Tube** and centrifuge at 10,000 x g for 1 minute.

7. Discard the flow through from the **Collection Tube** and repeat Step 6.

8. Add 200 µl **DNA Pre-Wash Buffer** to the **Zymo-Spin™ IC Column** in a new **Collection Tube** and centrifuge at 10,000 x g for 1 minute.

9. Add 500 µl **g-DNA Wash Buffer** to the **Zymo-Spin™ IC Column** and centrifuge at 10,000 x g for 1 minute.

10. Transfer the **Zymo-Spin™ IC Column** to a clean 1.5 ml microcentrifuge tube and add ≥ 20 µl (10 µl minimum) **DNA Elution Buffer** directly to the column matrix. Centrifuge at 10,000 x g for 30 seconds to elute the DNA.

Ultra-pure DNA is now ready for use in your experiments.

¹ The **Zymo-Spin™ IC Column** has a maximum capacity of 800 µl.

Ordering Information

Product Description	Catalog No.	Kit Size
Quick-DNA™ Tissue/Insect Microprep Kit	D6015	50 preps.
Quick-DNA™ Tissue/Insect Miniprep Kit	D6016	50 preps.
Quick-DNA™ Tissue/Insect 96 Kit	D6017	2x96 preps.

For Individual Sale	Catalog No.	Amount
ZR BashingBead™ Lysis Tubes (2.0 mm)	S6003-50	50
BashingBead™ Buffer	D6001-3-40	40 ml
Genomic Lysis Buffer	D3004-1-100	100 ml
DNA Pre-Wash Buffer	D3004-5-15	15 ml
gDNA Wash Buffer	D3004-2-50	50 ml
DNA Elution Buffer	D3004-4-10	10 ml
Zymo-Spin™ III-F Filters	C1057-50	50
Zymo-Spin™ IC Columns	C1004-50 C1004-250	50 250
Collection Tubes	C1001-50 C1001-500 C1001-1000	50 500 1,000

Lysis Instruments



Description	Cat. No.	Amount
Disruptor Genie™, 120V w/ 2 ml tube holder assembly.	S6001-2-120	1 unit
Disruptor Genie™, 240V w/ 2 ml tube holder assembly.	S6001-2-240	1 unit
TurboMix Attachment, 2 ml Permanently mounts to most existing Vortex Genie™ mixers converting them to a Disruptor Genie™.	S6004-2	1 unit

The **Disruptor Genie™** with 2 ml tube holder from Scientific Industries, Inc. (Cat. No. S6001-2 from Zymo Research Corp.)

ZYMO RESEARCH CORP.