

1.1

1.2

1.3

1.4

2.1

2.2

2.2.1

SAFETY DATA SHEET **Prostaglandin HPLC Mixture**

Revision: 04/21/2015 Supersedes Revision: 01/16/2015 according to Regulation (EC) No. 1907/2006 as amended by (EC) No. 1272/2008 Section 1. Identification of the Substance/Mixture and of the Company/Undertaking **Product Code:** 10002 **Product Name:** Prostaglandin HPLC Mixture Synonyms: PG HPLC Mixture; Relevant identified uses of the substance or mixture and uses advised against: **Relevant identified uses:** For research use only, not for human or veterinary use. Details of the Supplier of the Safety Data Sheet: **Company Name:** Cayman Chemical Company 1180 E. Ellsworth Rd. Ann Arbor, MI 48108 Web site address: www.caymanchem.com Information: Cayman Chemical Company +1 (734)971-3335 **Emergency telephone number: Emergency Contact:** CHEMTREC Within USA and Canada: +1 (800)424-9300 CHEMTREC Outside USA and Canada: +1 (703)527-3887 Section 2. Hazards Identification **Classification of the Substance or Mixture:** 2.1.1 Classification according to Regulation (EC) No 1272/2008 [CLP]: Flammable Liquids, Category 2 Serious Eye Damage/Eye Irritation, Category 2 Specific Target Organ Toxicity (single exposure), Category 3 Label Elements: Labeling according to Regulation (EC) No 1272/2008 [CLP]: GHS Signal Word: Danger **GHS Hazard Phrases:** EUH066: Repeated exposure may cause skin dryness or cracking. H225: Highly flammable liquid and vapor. H319: Causes serious eye irritation. H336: May cause drowsiness or dizziness. **GHS Precaution Phrases:** P210: Keep away from {heat/sparks/open flames/hot surfaces}. - No smoking. P261: Avoid breathing {dust/fume/gas/mist/vapors/spray}. P264: Wash {hands} thoroughly after handling. P280: Wear {protective gloves/protective clothing/eye protection/face protection}. **GHS Response Phrases:** P303+361+353: IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with water/shower. P304+340: IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. P305+351+338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Multi-region format



2.3

SAFETY DATA SHEET Prostaglandin HPLC Mixture

Revision: 04/21/2015 Supersedes Revision: 01/16/2015

P312: Call a POISON CENTER or doctor/physician if you feel unwell.

P337+313: If eye irritation persists, get medical advice/attention.

GHS Storage and Disposal Phrases:

Please refer to Section 7 for Storage and Section 13 for Disposal information.

Adverse Human Health Causes serious eye irritation.

Effects and Symptoms: Material may be irritating to the mucous membranes and upper respiratory tract.

May be harmful by inhalation, ingestion, or skin absorption.

May cause adverse reproductive effects in males and/or females.

May cause drowsiness or dizziness.

May cause gastrointestinal disturbances.

May cause skin or respiratory system irritation.

May damage fertility or the unborn child.

May stimulate contraction of intestinal and reproductive smooth muscle.

Repeated exposure may cause skin dryness or cracking.

This chemical has the potential to induce premature labor or abortion.

To the best of our knowledge, the toxicological properties have not been thoroughly investigated.

Section 3. Composition/Information on Ingredients

| CAS # / RTECS # | Hazardous Components (Chemical Name)/ REACH Registration No. | Concentration | EC No./ EC Index No. | GHS Classification |
|-------------------------|---|---------------|---------------------------|---|
| 79-20-9 Al9100000 | Methyl acetate | 99.9 % | 201-185-2 607-021-00-X | Flam. Liq. 2: H225 Eye Damage 2: H319 STOT (SE) 3: H335 H336 |
| 745-65-3 GY4569800 | Prostaglandin E1 | 0.02 % | 212-017-2 NA | Acute Tox.(O) 3: H301 Toxic Repro. 2: H361 |
| 363-24-6 UK8000000 | Prostaglandin E2 | 0.02 % | 206-656-6 NA | Acute Tox.(O) 4: H302 Toxic Repro. 1B: H360 |
| 745-62-0 GY4569700 | Prostaglandin F1.alpha. | 0.02 % | NA NA | Acute Tox.(O) 3: H301 Toxic Repro. 2: H361 |
| 58962-34-8 UK8428300 | 6-keto Prostaglandin F1.alpha. | 0.02 % | NA NA | Acute Tox.(O) 4: H302 Acute Tox.(D) 4: H312 Acute Tox.(I) 4: H332 |
| 551-11-1 UK8020000 | Prostaglandin F2.alpha. | 0.02 % | NA NA | Acute Tox.(O) 4: H302 Toxic Repro. 1B: H360 |



Revision: 04/21/2015 Supersedes Revision: 01/16/2015

| Section 4 | First Aid Measures | |
|-----------|--------------------|--|
| | \mathbf{I} | |

| | | Section 4. First Aid Measures | | | | | |
|----------------|--|---|--|--|--|--|--|
| 4.1 | Description of First Aid | No data available. | | | | | |
| | Measures: | | | | | | |
| | In Case of Inhalation: | Remove to fresh air. If not breathing, give artificial respiration or give oxygen by trained personnel. Get immediate medical attention. | | | | | |
| | In Case of Skin Contact: | Immediately wash skin with soap and plenty of water for at least 15 minutes. Remove contaminated | | | | | |
| | clothing. Get medical attention if symptoms occur. Wash clothing before reuse. | | | | | | |
| | In Case of Eye Contact: | Hold eyelids apart and flush eyes with plenty of water for at least 15 minutes. Have eyes examined and tested by medical personnel. | | | | | |
| | In Case of Ingestion: | Wash out mouth with water provided person is conscious. Never give anything by mouth to an unconscious person. Get medical attention. Do NOT induce vomiting unless directed to do so by medical personnel. | | | | | |
| 4.2 | Important Symptoms and | Exposure may cause: coughing, dizziness, drowsiness, headache, narcosis, optic nerve atrophy, | | | | | |
| | Effects, Both Acute and | chest tightness. | | | | | |
| | Delayed: | Exposure can cause: diarrhea, dizziness, fever, flushing, headache, hypotension, nausea, shivering, vomiting. | | | | | |
| | | Section 5. Fire Fighting Measures | | | | | |
| 5.1 | Suitable Extinguishing | Use alcohol-resistant foam, carbon dioxide, water, or dry chemical spray. | | | | | |
| J . I | Media: | Use water spray to cool fire-exposed containers. | | | | | |
| | | | | | | | |
| | Media: | A solid water stream may be inefficient. | | | | | |
| 5.2 | Flammable Properties an | dCan release vapors that form explosive mixtures at temperatures at or above the flash point. | | | | | |
| | Hazards: Container explosion may occur under fire conditions. | | | | | | |
| | | Emits toxic fumes under fire conditions. | | | | | |
| | | Sensitive to static discharge. | | | | | |
| | | Vapors can travel to a source of ignition and flash back. | | | | | |
| | Flash Pt: | -10.00 C Method Used: Closed Cup | | | | | |
| | Explosive Limits: | LEL: 3.1% at 25.0 C UEL: 16.0% at 25.0 C | | | | | |
| | Autoignition Pt: | 455.00 C | | | | | |
| 5.3 | Fire Fighting Instructions | s: As in any fire, wear self-contained breathing apparatus pressure-demand (NIOSH approved or equivalent), and full protective gear to prevent contact with skin and eyes. | | | | | |
| | | Note: Flammable as diluted in methyl acetate. | | | | | |
| | | Section 6. Accidental Release Measures | | | | | |
| 6.1 | Protective Precautions, | Avoid breathing vapors and provide adequate ventilation. | | | | | |
| | Protective Equipment an | d As conditions warrant, wear a NIOSH approved self-contained breathing apparatus, or respirator, | | | | | |
| | Emergency Procedures: | and appropriate personal protection (rubber boots, safety goggles, and heavy rubber gloves). | | | | | |
| 6.2 | Environmental | Take steps to avoid release into the environment, if safe to do so. | | | | | |
| | Precautions: | · · · · · · · · · · · · · · · · · · · | | | | | |
| 6.3 | Methods and Material Fo | r Contain spill and collect, as appropriate. | | | | | |
| | | ng Transfer to a chemical waste container for disposal in accordance with local regulations. | | | | | |
| | Up: | | | | | | |
| | • | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| 1 | | | | | | | |



Page: 4 of 8

Revision: 04/21/2015 Supersedes Revision: 01/16/2015

| Cay | man | | | | | vision: 01/16/2015 | |
|------------------------------|--|---|--------------------------------------|---|---|--------------------|--|
| | | | Section 7 | . Handling and Stor | rage | | |
| 7.1 | Precau | tions To Be Taker | Avoid breathing dust | /fume/gas/mist/vapours/spray. | | | |
| | in Hanc | lling: | Avoid prolonged or r | epeated exposure. | | | |
| | | | Keep away from sou | rces of ignition. | | | |
| | | Take precautionary measures against static discharge. | | | | | |
| 7.2 | Precaut | tions To Be Taker | Keep away from hea | t, sparks, and flame. | | | |
| | in Stori | ng: | Keep container tightl | • | | | |
| | | | | with information listed on the p | product insert. | | |
| | Other P | recautions: | Protect from moistur | е. | | | |
| | | Sec | tion 8. Exposu | ure Controls/Person | al Protection | | |
| 8.1 | Exposu | re Parameters: | | | | | |
| CAS | # | Partial Chemical | Name | Britain EH40 | France VL | Europe | |
| 79 | 79-20-9 Methyl acetate | | | TWA: 616 mg/m3 (200 ppm) STEL: 770 mg/m3 (250 ppm) | TWA: 610 mg/m3 (200 ppm) STEL: 760 mg/m3 (250 ppm) | No data. | |
| 745-65-3 P | | Prostaglandin E1 | | No data. | No data. | No data. | |
| 363-24-6 | | Prostaglandin E2 | | No data. | No data. | No data. | |
| 745-62-0 Prostaglandi | | Prostaglandin F1 | alpha. | No data. | No data. | No data. | |
| 58962-34-8 6-keto Prostaglan | | 6-keto Prostaglar | idin F1.alpha. | No data. | No data. | No data. | |
| 55 | 551-11-1 Prostaglandin F2.a | | alpha. | No data. | No data. | No data. | |
| CAS # Partial Chemical | | Name | OSHA TWA | ACGIH TWA | Other Limits | | |
| 79 |)-20-9 | Methyl acetate | | PEL: 200 ppm | TLV: 200 ppm STEL: 250 ppm | No data. | |
| 74 | 5-65-3 | Prostaglandin E1 | | No data. | No data. | No data. | |
| 36 | 3-24-6 | Prostaglandin E2 | | No data. | No data. | No data. | |
| 74 | 5-62-0 | Prostaglandin F1.alpha. | | No data. | No data. | No data. | |
| 58962-34-8 | | 6-keto Prostaglandin F1.alpha. | | No data. | No data. | No data. | |
| 551-11-1 Prostaglandin F2.a | | alpha. | No data. | No data. | No data. | | |
| 8.2 | Exposu | re Controls: | | • | | • | |
| 8.2.1 | 2.1 Engineering Controls Use process enclosures, local exhaust ventilation, or other engineering controls to control | | | | to control airborne | | |
| | (Ventilation etc.): levels below recommended exposure limits. | | | | | | |
| 8.2.2 | | al protection equi | - | | | | |
| | - | otection: | Safety glasses | | | | |
| Protective Gloves: | | ive Gloves: | Compatible chemical-resistant gloves | | | | |

Other Protective Clothing: Lab coat

Respiratory Equipment NIOSH approved respirator, as conditions warrant.

(Specify Type):

Work/Hygienic/Maintenan Do not take internally.

 ce Practices:
 Facilities storing or utilizing this material should be equipped with an eyewash and a safety shower.

 Wash thoroughly after handling.

No data available.

Multi-region format



Revision: 04/21/2015 Supersedes Revision: 01/16/2015

| | HEMICAL | Supersedes Revision: 01/16/2015 | | | | | |
|------|---|---|--|--|--|--|--|
| | S | Section 9. Physical and Chemical Properties | | | | | |
| 9.1 | Information on Basic Phy | vsical and Chemical Properties | | | | | |
| | Physical States: | []Gas [X]Liquid []Solid | | | | | |
| | Appearance and Odor: | A solution in methyl acetate | | | | | |
| | Melting Point: | No data. | | | | | |
| | Boiling Point: | No data. | | | | | |
| | Flash Pt: | -10.00 C Method Used: Closed Cup | | | | | |
| | Evaporation Rate: | No data. | | | | | |
| | Explosive Limits: | LEL: 3.1% at 25.0 C UEL: 16.0% at 25.0 C | | | | | |
| | Vapor Pressure (vs. Air o | or mm 173 MM_HG at 20.0 C | | | | | |
| | Hg): | | | | | | |
| | Vapor Density (vs. Air = | 1): No data. | | | | | |
| | Specific Gravity (Water = | = 1): No data. | | | | | |
| | Solubility in Water: | No data. | | | | | |
| | Autoignition Pt: | 455.00 C | | | | | |
| 9.2 | Other Information | | | | | | |
| J.L | Percent Volatile: | No data. | | | | | |
| | | | | | | | |
| | | Section 10. Stability and Reactivity | | | | | |
| 10.1 | Reactivity: | No data available. | | | | | |
| 10.2 | Stability: | Unstable [] Stable [X] | | | | | |
| 10.3 | Stability Note(s): | Stable if stored in accordance with information listed on the product insert. | | | | | |
| | Polymerization: Will occur [] Will not occur [X] | | | | | | |
| 10.4 | Conditions To Avoid: | heat, flames and sparks | | | | | |
| 10.5 | Incompatibility - Material | npatibility - Materials acids | | | | | |
| | To Avoid: | alkalis | | | | | |
| | | nitrates | | | | | |
| | | strong oxidizing agents | | | | | |
| 10.6 | Hazardous | carbon dioxide | | | | | |
| | Decomposition Or | carbon monoxide | | | | | |
| | Byproducts: | | | | | | |
| | | Section 11. Toxicological Information | | | | | |
| 11.1 | Information on | The toxicological effects of this product have not been thoroughly studied. | | | | | |
| | Toxicological Effects: | Methyl Acetate - Toxicity Data: Oral LD50 (rat): >5,000 mg/kg; Oral LD50 (rabbit): 3,705 mg/kg; | | | | | |
| | | in LD50 (rabbit): >5,000 mg/kg; Inhalation TCLO (human): 15,000 mg/m3; | | | | | |
| | | Methyl Acetate - Irritation Data: Skin (rabbit): 500 mg (24h) mild; Eyes (rabbit): 100 mg (24h) | | | | | |
| | | moderate; | | | | | |
| | | Prostaglandin E1 - Toxicity Data: Oral LD50 (rat): 228 mg/kg; Intraperitoneal Oral LD50 (rat): | | | | | |
| | | 24900 ug/kg; Oral LD50 (mouse): 186 mg/kg; Subcutaneous LD50 (mouse): 26400 ug/kg; | | | | | |
| | | Prostaglandin E2 - Toxicity Data: Oral LD50 (rat): 500 mg/kg; Subcutaneous LD50 (rat): 31600 | | | | | |
| | | ug/kg; Oral LD50 (mouse): 750 mg/kg; Subcutaneous LD50 (mouse): 19700 ug/kg; | | | | | |
| | | Prostaglandin F1.alpha Toxicity Data: Intraperitoneal TDLO (rat): 12.5 ug/kg/5D (intermittent); | | | | | |
| | | Prostaglandin F2.alpha. Toxicity Data: Oral LD50 (rat): 1170 mg/kg; Subcutaneous Oral LD50 (ra | | | | | |
| | | 95 mg/kg; Oral LD50 (mouse): 1300 mg/kg; Subcutaneous LD50 (mouse): 212 mg/kg; | | | | | |
| | Chronic Toyler Is start | Prostoglandia E1 Investigated on a drug hormone, mutager, and served writing effective | | | | | |
| | Chronic Toxicological | Prostaglandin E1 - Investigated as a drug, hormone, mutagen, and reproductive effector. | | | | | |
| | Effects: | Prostaglandin E2 - Investigated as a drug, hormone, mutagen, and reproductive effector. | | | | | |
| | | Multi-region form | | | | | |



Prostaglandin F1.alpha. - Investigated as a mutagen and reproductive effector.

Page: 6 of 8

Revision: 04/21/2015 Supersedes Revision: 01/16/2015

| | | | 0 | n F2.alpha Investigated a | 0 | • | | ctivo offoctor |
|-------|------------|-------------------|---------------|-------------------------------|----------------|-------------|-----------------|---------------------|
| | | | - | Registry of Toxic Effects of | - | - | - | |
| | | | - | ntry in RTECS for complete | | | co) uala is pre | sented here. |
| | | | | ate RTECS Number: Al910 | | | | |
| | | | , | n E1 RTECS Number: GY | | | | |
| | | | • | n E2 RTECS Number: UK | | | | |
| | | | - | n F1.alpha. RTECS Numb | |) | | |
| | | | • | n F2.alpha. RTECS Numb | | | | |
| | | | i reetagiana. | | | | | |
| Carci | nogenicity | /: | NTP? No | IARC Monographs? No | OSHA Re | gulated? No | | |
| CAS | # | Hazardous Com | ponents (Ch | emical Name) | NTP | IARC | ACGIH | OSHA |
| 79 | -20-9 | Methyl acetate | | | n.a. | n.a. | n.a. | n.a. |
| 74 | 5-65-3 | Prostaglandin E1 | | | n.a. | n.a. | n.a. | n.a. |
| 363 | 3-24-6 | Prostaglandin E2 | | | n.a. | n.a. | n.a. | n.a. |
| 74 | 5-62-0 | Prostaglandin F1. | alpha. | | n.a. | n.a. | n.a. | n.a. |
| | 62-34-8 | 6-keto Prostaglan | • | | n.a. | n.a. | n.a. | n.a. |
| | 1-11-1 | Prostaglandin F2 | - | | n.a. | n.a. | n.a. | n.a. |
| | | | - | | | | | |
| | | | Secti | on 12. Ecological | Informati | Ion | | |
| 12.1 | Toxicity | : | Avoid releas | e into the environment. | | | | |
| | | | Runoff from | fire control or dilution wate | may cause po | ollution. | | |
| | | | | | | | | |
| 12.2 | Persiste | nce and | No data avai | lable. | | | | |
| | Degrada | bility: | | | | | | |
| 12.3 | Bioaccu | mulative | No data avai | lable. | | | | |
| | Potentia | l: | | | | | | |
| 12.4 | Mobility | in Soil: | No data avai | lable. | | | | |
| 12.5 | Results | of PBT and vPvB | No data ava | lable. | | | | |
| | assessm | nent: | | | | | | |
| 12.6 | Other ad | lverse effects: | | | | | | |
| | | | Sectio | n 13. Disposal Co | onsiderati | ons | | |
| 13.1 | Waste D | isposal Method: | Dispose in a | ccordance with local, state | and federal re | egulations. | | |
| | | | Sect | ion 14. Transport | Informati | ion | | |
| 14.1 | LAND T | RANSPORT (US I | ООТ): | | | | | |
| D | OT Prope | r Shipping Name: | Methyl A | cetate Solution | | | | |
| | OT Hazar | | 3 | FLAMMABLE LIQ | JID | | | |
| U U | N/NA Nun | nber: | 1231 | | Packing Grou | p: | II | |
| | | | | | | | | |
| | | | July 1 | | | | | |
| | | | FLAMMABLE L | | | | | |
| | | | 3 | | | | | |
| | | | • | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | N | Iulti-region format |
| | | | | | | | I. | |

| SAFETY DATA SHEET |
|----------------------------|
| Prostaglandin HPLC Mixture |

Page: 7 of 8

| 14.1 LAND | TRANSPORT (Europe | an ADR/RID): | | | | |
|--|--------------------------------|---------------------------------|---|---|-----------------------|--|
| ADR/RID Shipping Name: Methyl Acetate Solution | | | | | | |
| UN Number: 1231 | | Packing Gro | oup: | II | | |
| Hazard Class: 3 - FLAMMABLE LIQUID | | | | | | |
| 14.3 AIR TR | ANSPORT (ICAO/IAT | A): | | | | |
| ICAO/IATA | A Shipping Name: | Methyl Acetate Solution | | | | |
| UN Numbe | er: | 1231 | Packing Gro | oup: | II | |
| Hazard Cla | ass: | 3 - FLAMMABLE LIQUID | IATA Classi | fication: | 3 | |
| Additional Tra | ansport T | ransport in accordance with le | ocal, state, and fede | ral regulations. | | |
| Information: | | /hen sold in quantities of less | - | - | | |
| | | 1, E2, E4, or E5, this item me | | - | • | |
| | | herefore packaging does not | | - | ds/Excepted Quantity. | |
| | | Section 15. Regu | llatory Information | ation | | |
| EPA SARA (S | uperfund Amendmen | ts and Reauthorization Act | of 1986) Lists | | | |
| CAS # | Hazardous Compo | nents (Chemical Name) | S. 302 (EHS) | S. 304 RQ | S. 313 (TRI) | |
| 79-20-9 | Methyl acetate | | No | No | No | |
| 745-65-3 | Prostaglandin E1 | | No | No | No | |
| 363-24-6 | Prostaglandin E2 | | No | No | No | |
| 745-62-0 | Prostaglandin F1.al | oha. | No | No | No | |
| 58962-34-8 | 6-keto Prostaglandir | ı F1.alpha. | No | No | No | |
| 551-11-1 | Prostaglandin F2.al | oha. | No | No | No | |
| CAS # | Hazardous Compo | nents (Chemical Name) | Other US EPA or | State Lists | | |
| 79-20-9 | Methyl acetate | | | HAP,ODC: No; CWA NPDES: No; TSCA: Yes - ntory, 4 Test, 8A PAIR; CA PROP.65: No | | |
| 745-65-3 | Prostaglandin E1 | | CAA HAP,ODC: No; CWA NPDES: No; TSCA: No; CA PROP.65: No | | | |
| 363-24-6 | Prostaglandin E2 | | CAA HAP,ODC: No; CWA NPDES: No; TSCA: No; CA PROP.65: No | | | |
| 745-62-0 | Prostaglandin F1.alpha. | | CAA HAP,ODC: No; CWA NPDES: No; TSCA: No; CA PROP.65: No | | | |
| 58962-34-8 | 6-keto Prostaglandin F1.alpha. | | CAA HAP,ODC: No; CWA NPDES: No; TSCA: No; CA PROP.65: No | | | |
| 551-11-1 | Prostaglandin F2.al | bha. | CAA HAP,ODC: | No; CWA NPDES | : No; TSCA: No; CA | |

Regulatory Information Statement:

Caymo

This SDS was prepared in accordance with 29 CFR 1910.1200 and Regulation (EC) No.1272/2008.



6

Revision: 04/21/2015 Supersedes Revision: 01/16/2015

| SAFELT DALA SHEEL | |
|----------------------------|--|
| Prostaglandin HPLC Mixture | |

Section 16. Other Information 04/21/2015 Revision Date: Additional Information About No data available. This Product: Company Policy or Disclaimer: DISCLAIMER: This information is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes.