

Page 1/11

# Safety Data Sheet acc. to OSHA HCS

Printing date 07/21/2023 Revision date 07/21/2023

### 1 Identification

- · Product identifier
- · Trade name: Creatinine Acid Solution
- · Article number: 10005317
- · Application of the substance / the mixture

This product is for research use - Not for human or veterinary diagnostic or therapeutic use.

- · Details of the supplier of the safety data sheet
- Manufacturer/Supplier:

Cayman Chemical Co. 1180 E. Ellsworth Rd. Ann Arbor, MI 48108

USA

- · Information department: Product safety department
- · Emergency telephone number:

During normal opening times: +1 (734) 971-3335

US/CANADA: 800-424-9300

Outside US/CANADA: 703-741-5970

### 2 Hazard(s) identification

· Classification of the substance or mixture



GHS02 Flame

Flammable Liquids 3 H226 Flammable liquid and vapor.



**GHS05** Corrosion

Skin Corrosion 1A H314 Causes severe skin burns and eye damage.

Eye Damage 1 H318 Causes serious eye damage.

- · Label elements
- · GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

(Contd. on page 2)

(Contd. from page 1)

# Safety Data Sheet acc. to OSHA HCS

Printing date 07/21/2023 Revision date 07/21/2023

**Trade name: Creatinine Acid Solution** 

### · Hazard pictograms





GHS02 GHS05

### · Signal word Danger

### · Hazard-determining components of labeling:

Acetic acid Sulfuric acid

#### · Hazard statements

H226 Flammable liquid and vapor.

H314 Causes severe skin burns and eye damage.

#### · Precautionary statements

P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

P233 Keep container tightly closed.

P240 Ground/bond container and receiving equipment.

P241 Use explosion-proof electrical/ventilating/lighting/equipment.

P242 Use only non-sparking tools.

P243 Take precautionary measures against static discharge.

P260 Do not breathe dusts or mists. P264 Wash thoroughly after handling.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P301+P330+P331 If swallowed: Rinse mouth. Do NOT induce vomiting.

P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with

water/shower.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P310 Immediately call a poison center/doctor.
P321 Specific treatment (see on this label).
P363 Wash contaminated clothing before reuse.

P370+P378 In case of fire: Use CO2, powder or water spray to extinguish.

P403+P235 Store in a well-ventilated place. Keep cool.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

### · Classification system:

### NFPA ratings (scale 0 - 4)



Health = 3 Fire = 2 Reactivity = 0

### · HMIS-ratings (scale 0 - 4)



Health = 3 Fire = 2 Reactivity = 0

#### Other hazards

· Results of PBT and vPvB assessment

· **PBT:** Not applicable.

(Contd. on page 3)

Printing date 07/21/2023 Revision date 07/21/2023

**Trade name: Creatinine Acid Solution** 

· **vPvB:** Not applicable.

(Contd. from page 2)

### 3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · **Description:** Mixture of the substances listed below with nonhazardous additions.

· Dangerous compone	ents:	
CAS: 64-19-7 RTECS: AF1225000	Acetic acid	60.0%
CAS: 7664-93-9 RTECS: WS5600000	Sulfuric acid	5.0%
· Other ingredients		
CAS: 7732-18-5 RTECS: ZC0110000	Water	35.0%

### 4 First-aid measures

- Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing: Drink copious amounts of water and provide fresh air. Immediately call a doctor.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed

No further relevant information available.

· Indication of any immediate medical attention and special treatment needed

No further relevant information available.

## **5 Fire-fighting measures**

- · Extinguishing media
- Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- Special hazards arising from the substance or mixture
- 67-56-1During heating or in case of fire poisonous gases are produced.
- Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

### **6 Accidental release measures**

· Personal precautions, protective equipment and emergency procedures

Mount respiratory protective device.

Wear protective equipment. Keep unprotected persons away.

· Environmental precautions:

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

(Contd. on page 4)

(Contd. from page 3)

# Safety Data Sheet acc. to OSHA HCS

Printing date 07/21/2023 Revision date 07/21/2023

**Trade name: Creatinine Acid Solution** 

Use neutralizing agent.

Dispose contaminated material as waste according to section 13.

Ensure adequate ventilation.

### Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

**Protective Action Criteria for Chemicals** 

PAC-1:		
64-19-7	Acetic acid	5 ppm
7664-93-9	Sulfuric acid	0.20 mg/m <sup>3</sup>
· PAC-2:		
64-19-7	Acetic acid	35 ppm
7664-93-9	Sulfuric acid	8.7 mg/m³
· PAC-3:		
64-19-7	Acetic acid	250 ppm
7664-93-9	Sulfuric acid	160 mg/m³

### 7 Handling and storage

- · Handling:
- · Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

· Information about protection against explosions and fires:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

Keep respiratory protective device available.

- · Conditions for safe storage, including any incompatibilities
- Storage: Store in accordance with information listed on the product insert.
- · Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- · Specific end use(s) No further relevant information available.

### 8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see section 7.
- · Control parameters

· Com	Components with limit values that require monitoring at the workplace:	
64-19	9-7 Acetic acid	
PEL	Long-term value: 25 mg/m³, 10 ppm	
REL	Short-term value: 37 mg/m³, 15 ppm Long-term value: 25 mg/m³, 10 ppm	
TLV	Short-term value: 15 ppm Long-term value: 10 ppm	

(Contd. on page 5)

Printing date 07/21/2023 Revision date 07/21/2023

**Trade name: Creatinine Acid Solution** 

(Contd. from page 4)

#### 7664-93-9 Sulfuric acid

PEL Long-term value: 1 mg/m³
REL Long-term value: 1 mg/m³
TLV Long-term value: 0.2\* mg/m³
\*as thoracic fraction, A2

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

### 9 Physical and chemical properties

- Information on basic physical and chemical properties
- · General Information
- · Appearance:

Form: Liquid

Color: According to product specification

Odor: Characteristic
Odor threshold: Not determined.

(Contd. on page 6)

Printing date 07/21/2023 Revision date 07/21/2023

**Trade name: Creatinine Acid Solution** 

	(Contd. from page
Formulation	A mixture of sulfuric and acetic acids
· pH-value:	Not determined.
· Change in condition Melting point/Melting range: Boiling point/Boiling range:	Undetermined. 100 °C (212 °F)
· Flash point:	39 °C (102.2 °F)
· Flammability (solid, gaseous):	Flammable.
· Auto igniting:	485 °C (905 °F)
· Decomposition temperature:	Not determined.
· Ignition temperature:	Product is not selfigniting.
· Danger of explosion:	Product is not explosive. However, formation of explosive a vapor mixtures are possible.
· Explosion limits: Lower: Upper:	4 Vol % 17 Vol %
· Vapor pressure at 20 °C (68 °F):	23 hPa (17.3 mm Hg)
Density at 20 °C (68 °F):	1.072 g/cm³ (8.94584 lbs/gal)
<ul> <li>Bulk density:</li> <li>Relative density</li> <li>Vapor density</li> <li>Evaporation rate</li> </ul>	1,072 kg/m³ Not determined. Not determined. Not determined.
· Solubility in / Miscibility with Water:	Fully miscible.
· Partition coefficient (n-octanol/wate	er): Not determined.
· Viscosity: Dynamic: Kinematic:	Not determined. Not determined.
Solvent content: Organic solvents: Water: VOC content:	60.0 % 35.0 % 60.00 % 643.2 g/l / 5.37 lb/gal
Solids content:	0.0 %
· Other information	No further relevant information available.

# 10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.

(Contd. on page 7)

Printing date 07/21/2023 Revision date 07/21/2023

**Trade name: Creatinine Acid Solution** 

(Contd. from page 6)

- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

### 11 Toxicological information

- Information on toxicological effects
- · Acute toxicity:

· LD/LC50 values that are relevant for classification:			
64-19-7 Acetic a	64-19-7 Acetic acid		
Oral	LD50	>3,310 mg/kg (rat)	
	TDLO	1,470 μg/kg (hmn)	
Inhalative	LC50	5,620 mg/m³/1H (mouse)	
7664-93-9 Sulfu	ric acid		
Oral	LD50	2,140 mg/kg (rat)	
Inhalative	LC50	320 mg/m³ (mouse)	
	TCLO	0.63 mg/m³ (hmn)	
	TCLO	0.63 (hmn)	
Irritation of eyes	Irritation	5 mg/30s (rabbit)	
		severe	

- · Primary irritant effect:
- · on the skin: Strong caustic effect on skin and mucous membranes.
- on the eye:

Strong caustic effect.

Strong irritant with the danger of severe eye injury.

- · Sensitization: No sensitizing effects known.
- Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

Corrosive

Irritant

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

Carcinogenic categories

· IARC (International Agency for Research on Cancer)	
7664-93-9 Sulfuric acid	1
· NTP (National Toxicology Program)	
7664-93-9 Sulfuric acid	K
· OSHA-Ca (Occupational Safety & Health Administration)	
None of the ingredients is listed.	

# 12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.

(Contd. on page 8)

Printing date 07/21/2023 Revision date 07/21/2023

**Trade name: Creatinine Acid Solution** 

· Mobility in soil No further relevant information available.

(Contd. from page 7)

- Additional ecological information:
- · Additional ecological information
- · General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Must not reach bodies of water or drainage ditch undiluted or unneutralized.

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- vPvB: Not applicable.
- Other adverse effects No further relevant information available.

## 13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

## **14 Transport information**

· UN-Number · DOT, IMDG, IATA	UN2920
· UN proper shipping name	
DOT	Corrosive liquids, flammable, n.o.s. (Acetic acid, Sulfuric acid)
· IMDG	CORROSIVE LIQUID, FLAMMABLE, N.O.S. (Acetic acid, SULPHURIC ACID)
· IATA	Corrosive liquid, flammable, n.o.s. (Acetic acid, SULPHURIC ACID)

- · Transport hazard class(es)
- · DOT





· Class 8 Corrosive substances

· Label 8, 3

· IMDG





· Class 8 Corrosive substances

(Contd. on page 9)

Printing date 07/21/2023 Revision date 07/21/2023

**Trade name: Creatinine Acid Solution** 

Label	(Contd. from pag
Label	8/3
IATA	
8	
Class	8 Corrosive substances
Label	8 (3)
Packing group	
DOT, IMDG, IATA	II
Environmental hazards:	Not applicable.
Special precautions for user	Warning: Corrosive substances
Hazard identification number (Kemler coo	•
EMS Number: Segregation groups	F-E,S-C (SGG1a) Strong acids
Stowage Category	E
Stowage Code	SW1 Protected from sources of heat.
	SW2 Clear of living quarters.
Transport in bulk according to Annex II of	f
MARPOL73/78 and the IBC Code	Not applicable.
Transport/Additional information:	
Transport/Additional information: DOT	
•	On passenger aircraft/rail: 1 L
DOT	On passenger aircraft/rail: 1 L On cargo aircraft only: 30 L
DOT Quantity limitations IMDG	On cargo aircraft only: 30 L
DOT Quantity limitations IMDG Limited quantities (LQ)	On cargo aircraft only: 30 L
DOT Quantity limitations IMDG	On cargo aircraft only: 30 L  1L Code: E2
DOT Quantity limitations IMDG Limited quantities (LQ)	On cargo aircraft only: 30 L
DOT Quantity limitations  IMDG Limited quantities (LQ) Excepted quantities (EQ)	On cargo aircraft only: 30 L  1L Code: E2 Maximum net quantity per inner packaging: 30 ml
DOT Quantity limitations IMDG Limited quantities (LQ)	On cargo aircraft only: 30 L  1L Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
DOT Quantity limitations  IMDG Limited quantities (LQ) Excepted quantities (EQ)	On cargo aircraft only: 30 L  1L Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml  When sold in quantities of less than or equal to 1 m or 1 g, with an Excepted Quantity Code of
DOT Quantity limitations  IMDG Limited quantities (LQ) Excepted quantities (EQ)	On cargo aircraft only: 30 L  1L Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml  When sold in quantities of less than or equal to 1 m or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minin
DOT Quantity limitations  IMDG Limited quantities (LQ) Excepted quantities (EQ)	On cargo aircraft only: 30 L  1L Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml  When sold in quantities of less than or equal to 1 m or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minim Quantities exemption, per IATA 2.6.10.
DOT Quantity limitations  IMDG Limited quantities (LQ) Excepted quantities (EQ)	On cargo aircraft only: 30 L  1L Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml  When sold in quantities of less than or equal to 1 m or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minim Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled
DOT Quantity limitations  IMDG Limited quantities (LQ) Excepted quantities (EQ)	On cargo aircraft only: 30 L  1L Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml  When sold in quantities of less than or equal to 1 m or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minim

# **15 Regulatory information**

- · Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.
- · Sara
- · Section 355 (extremely hazardous substances):

7664-93-9 Sulfuric acid

(Contd. on page 10)

Printing date 07/21/2023 Revision date 07/21/2023

**Trade name: Creatinine Acid Solution** 

(Contd. from page 9)

### Section 313 (Specific toxic chemical listings):

7664-93-9 Sulfuric acid

### TSCA (Toxic Substances Control Act):

All components have the value ACTIVE.

#### · Hazardous Air Pollutants

None of the ingredients is listed.

#### · Proposition 65

#### · Chemicals known to cause cancer:

None of the ingredients is listed.

#### · Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

### · Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

### · Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

### · Carcinogenic categories

### · EPA (Environmental Protection Agency)

None of the ingredients is listed.

#### TLV (Threshold Limit Value)

7664-93-9 Sulfuric acid

A2

### · NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### 16 Other information

All chemicals may pose unknown hazards and should be used with caution. This SDS applies only to the material as packaged. If this product is combined with other materials, deteriorates, or becomes contaminated, it may pose hazards not mentioned in this SDS. Cayman Chemical Company assumes no responsibility for incidental or consequential damages, including lost profits, arising from the use of these data. It shall be the user's responsibility to develop proper methods of handling and personal protection based on the actual conditions of use. While this SDS is based on technical data judged to be reliable, Cayman Chemical Company assumes no responsibility for the completeness or accuracy of the information contained herein.

- · Department issuing SDS: Environment protection department.
- · Contact: -
- Date of preparation / last revision 07/21/2023

#### · Abbreviations and acronyms:

IMDG: International Maritime Code for Dangerous Goods

IMDG: International Maritime Code for DOT: US Department of Transportation

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

(Contd. on page 11)

Printing date 07/21/2023 Revision date 07/21/2023

**Trade name: Creatinine Acid Solution** 

vPvB: very Persistent and very Bioaccumulative
NIOSH: National Institute for Occupational Safety
OSHA: Occupational Safety & Health
TLV: Threshold Limit Value
PEL: Permissible Exposure Limit
REL: Recommended Exposure Limit
Flammable Liquids 3: Flammable liquids – Category 3
Skin Corrosion 1A: Skin corrosion/irritation – Category 1A
Eye Damage 1: Serious eye damage/eye irritation – Category 1

(Contd. from page 10)