

Printing date 12/13/2021

Revision date 12/13/2021

Page 1/10

### **1** Identification

- · Product identifier
- · Trade name: HAT Developer
- · Article number: 10009335
- Application of the substance / the mixture This product is for research use - Not for human or veterinary diagnostic or therapeutic use. It is the responsibility of the purchaser to determine suitability for other applications.
- Details of the supplier of the safety data sheet
   Manufacturer/Supplier:
   Cayman Chemical Co.
   1180 E. Ellsworth Rd.
   Ann Arbor, MI 48108
   USA
- · Information department: Product safety department
- Emergency telephone number: During normal opening times: +1 (734) 971-3335 US/CANADA: 800-424-9300 Outside US/CANADA: 703-741-5970

GI	on of the substance or mixture IS08 Health hazard
Carc. 2	H351 Suspected of causing cancer.
STOT SE 2	H371 May cause damage to organs.
STOT RE 2	H373 May cause damage to organs through prolonged or repeated exposure.
Skin Irrit. 2	H315 Causes skin irritation.
	H319 Causes serious eye irritation.
Eye Imit. ZA	H335 May cause respiratory irritation.
,	

(Contd. on page 2)

Printing date 12/13/2021

Revision date 12/13/2021

### Trade name: HAT Developer

Hazard pictog	rams (Contd. from page
GHS07 GHS	08
Signal word W	/arning
Hazard-determ Dimethyl sulfox	nining components of labeling:
Hazard statem	
H227 Combust	
H315 Causes s	
	serious eye irritation.
	ed of causing cancer.
	se damage to organs.
	se respiratory irritation.
	se damage to organs through prolonged or repeated exposure.
Precautionary	
P201	Obtain special instructions before use.
P202	Do not handle until all safety precautions have been read and understood.
P210	Keep away from flames and hot surfaces. – No smoking.
P260	Do not breathe dust/fume/gas/mist/vapors/spray.
P264	Wash thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P302+P352	If on skin: Wash with plenty of water.
P321	Specific treatment (see on this label).
P305+P351+P3	338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses,
	present and easy to do. Continue rinsing.
P308+P313	IF exposed or concerned: Get medical advice/attention.
P314	Get medical advice/attention if you feel unwell.
P332+P313	If skin irritation occurs: Get medical advice/attention.
P362+P364	Take off contaminated clothing and wash it before reuse.
P337+P313	If eye irritation persists: Get medical advice/attention.
P370+P378	In case of fire: Use CO2, powder or water spray to extinguish.
P403+P235 P405	Store in a well-ventilated place. Keep cool. Store locked up.
P501	Dispose of contents/container in accordance with local/regional/national/internation
F301	regulations.
Classification	•
NFPA ratings	
	ealth = 2
Fi	re = 2

· HMIS-ratings (scale 0 - 4)

HEALTH2Health = 2FIRE2Fire = 2REACTIVITY0

(Contd. on page 3)

US

Printing date 12/13/2021

Revision date 12/13/2021

#### Trade name: HAT Developer

- · Other hazards
- Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.

### **3 Composition/information on ingredients**

· Chemical characterization: Mixtures

• Description: Mixture of the substances listed below with nonhazardous additions.

#### · Dangerous components:

CAS: 67-68-5 Dimethyl sulfoxide, anhydrous RTECS: PV6210000

99.88%

### Other ingredients

76877-33-3 7-Diethylamino-3-(4-maleimidophenyl)-4-methylcoumarin

0.12%

### **4 First-aid measures**

#### · Description of first aid measures

· General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

- After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- After swallowing: If symptoms persist consult doctor.
- · Information for doctor:
- Most important symptoms and effects, both acute and delayed

May cause anemia, cough, CNS depression, drowsiness, headache, heart damage, lassitude (weakness, exhaustion), liver damage, narcosis, reproductive effects, teratogenic effects. No further relevant information available.

• **Indication of any immediate medical attention and special treatment needed** No further relevant information available.

## **5 Fire-fighting measures**

- · Extinguishing media
- · Suitable extinguishing agents:
- CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam. Special hazards arising from the substance or mixture
- 67-56-1During heating or in case of fire poisonous gases are produced.
- Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

## 6 Accidental release measures

• Personal precautions, protective equipment and emergency procedures Mount respiratory protective device.

(Contd. on page 4)

(Contd. from page 2)

US -

Printing date 12/13/2021

Revision date 12/13/2021

#### Trade name: HAT Developer

(Co	ntd. from page 3)
Wear protective equipment. Keep unprotected persons away.	,
· Environmental precautions:	
Dilute with plenty of water.	
Do not allow to enter sewers/ surface or ground water.	
<ul> <li>Methods and material for containment and cleaning up:</li> </ul>	
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdu	ist).
Dispose contaminated material as waste according to item 13.	
Ensure adequate ventilation.	
Reference to other sections     See Section 7 for information on cofe handling	
See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment.	
See Section 13 for disposal information.	
· Protective Action Criteria for Chemicals	
· PAC-1:	
	150 ppm
67-68-5 Dimethyl sulfoxide, anhydrous	150 ppm
· PAC-2:	
67-68-5 Dimethyl sulfoxide, anhydrous	290 ppm
· PAC-3:	
67-68-5 Dimethyl sulfoxide, anhydrous	1,800 ppm

### 7 Handling and storage

- · Handling:
- **Precautions for safe handling** Ensure good ventilation/exhaustion at the workplace. Open and handle receptacle with care. Prevent formation of aerosols.
- Information about protection against explosions and fires: Keep ignition sources away - Do not smoke. Keep respiratory protective device available.
- Conditions for safe storage, including any incompatibilities Keep container tightly closed.
   Store in accordance with information listed on the product insert.
- Store in accordance with information listed on the product insert.
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- Specific end use(s) No further relevant information available.

### 8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- Control parameters

· Components with limit values that require monitoring at the workplace:

67-68-5 Dimethyl sulfoxide, anhydrous

WEEL Long-term value: 250 ppm

• Additional information: The lists that were valid during the creation were used as basis.

(Contd. on page 5)

Printing date 12/13/2021

Revision date 12/13/2021

#### Trade name: HAT Developer

(Contd. from page 4)

- Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Store protective clothing separately. Avoid contact with the eyes and skin.
- · Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

• Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

#### Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

#### Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

#### · Eye protection:



Tightly sealed goggles

## 9 Physical and chemical properties

Appearance:		
Form:	Liquid	
Color:	Not determined.	
Odor:	Characteristic	
Odor threshold:	Not determined.	
pH-value:	Not determined.	
Change in condition		
Melting point/Melting range:	18.45 °C (65.2 °F)	
Boiling point/Boiling range:	189 °C (372.2 °F)	
Flash point:	89 °C (192.2 °F)	

Printing date 12/13/2021

Revision date 12/13/2021

### Trade name: HAT Developer

		(Contd. from page 5
· Flammability (solid, gaseous):	Not applicable.	
· Ignition temperature:	270 °C (518 °F)	
· Decomposition temperature:	Not determined.	
· Auto igniting:	Product is not selfigniting.	
· Danger of explosion:	Not determined.	
· Explosion limits:		
Lower:	1.8 Vol %	
Upper:	63 Vol %	
<sup>.</sup> Vapor pressure at 20 °C (68 °F):	2.5 hPa (1.9 mm Hg)	
· Density at 20 °C (68 °F):	1.1 g/cm³ (9.1795 lbs/gal)	
Relative density	Not determined.	
<sup>.</sup> Vapor density	Not determined.	
· Evaporation rate	Not determined.	
· Solubility in / Miscibility with		
Water:	Fully miscible.	
· Partition coefficient (n-octanol/wa	ter): Not determined.	
· Viscosity:		
Dynamic at 20 °C (68 °F):	198 mPas	
Kinematic:	Not determined.	
· Solvent content:		
Organic solvents:	99.9 %	
VOC content:	99.88 %	
	998.8 g/l / 8.34 lb/gal	
Solids content:	0.1 %	
• Other information	No further relevant information available.	

# 10 Stability and reactivity

· **Reactivity** No further relevant information available.

- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- Possibility of hazardous reactions No dangerous reactions known.
- Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

(Contd. on page 7)

US

Printing date 12/13/2021

Revision date 12/13/2021

#### Trade name: HAT Developer

(Contd. from page 6)

67-6		
	8-5 Dimethyl sulfoxic	le, anhydrous
Oral	LD50	7,200 mg/kg (mouse)
		14,500 mg/kg (rat)
	Intraperitoneal LD50	2,500 mg/kg (mouse)
	Subcutaneous LD50	14,000 mg/kg (mouse)
	Intravenous LD50	3,100 mg/kg (mouse)
The		nformation: Ilowing dangers according to internally approved calculation methods
The prep Irrita	product shows the fo arations: nt	
The prep Irrita Carc	product shows the fo arations: nt cinogenic categories	llowing dangers according to internally approved calculation methods
The prep Irrita Carc	product shows the fo arations: nt cinogenic categories	ollowing dangers according to internally approved calculation methods cy for Research on Cancer)
The preparity Irrita	product shows the fo arations: nt cinogenic categories C (International Agen	ollowing dangers according to internally approved calculation methods <b>cy for Research on Cancer)</b> isted.
The prep Irrita	product shows the fo arations: nt	

# **12 Ecological information**

· Toxicity

- Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- vPvB: Not applicable.
- Other adverse effects No further relevant information available.

(Contd. on page 8)

Printing date 12/13/2021

Revision date 12/13/2021

#### Trade name: HAT Developer

(Contd. from page 7)

## **13 Disposal considerations**

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- **Recommendation:** Disposal must be made according to official regulations.
- Recommended cleansing agent: Water, if necessary with cleansing agents.

· UN-Number · DOT, IMDG, IATA	UN1993
· UN proper shipping name · DOT · IMDG · IATA	Flammable liquids, n.o.s. FLAMMABLE LIQUID, N.O.S. Flammable liquid, n.o.s.
Transport hazard class(es)	
DOT	
PLAMA RE LODD	
· Class	3 Flammable liquids
· Label	3
· Class	3 Flammable liquids
· Label	3
· Packing group · DOT, IMDG, IATA	III
· Environmental hazards:	Not applicable.
<ul> <li>Special precautions for user</li> <li>Hazard identification number (Kemler cod</li> </ul>	Warning: Flammable liquids <b>de):</b> 30 F-E,S-E
· EMS Number: · Stowage Category	A

Printing date 12/13/2021

Revision date 12/13/2021

Trade name: HAT Developer

	(Contd. from page 8
· Transport/Additional information:	
· DOT	
· Quantity limitations	On passenger aircraft/rail: 60 L On cargo aircraft only: 220 L
· IMDG	
· Limited quantities (LQ)	5L
Excepted quantities (EQ)	Code: E1
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 1000 ml
Remarks:	When sold in quantities of less than or equal to 1 mL or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minimi Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled a Dangerous Goods/Excepted Quantity.
UN "Model Regulation":	UN 1993 FLAMMABLE LIQUID, N.O.S., 3, III

### **15 Regulatory information**

• Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

· Sara

· Section 355 (extremely hazardous substances):

None of the ingredients is listed.

· Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

• TSCA (Toxic Substances Control Act):

67-68-5 Dimethyl sulfoxide, anhydrous

· Hazardous Air Pollutants

None of the ingredients is listed.

· Proposition 65

· Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

#### · Carcinogenic categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

(Contd. on page 10)

ACTIVE

US

Printing date 12/13/2021

Revision date 12/13/2021

#### Trade name: HAT Developer

(Contd. from page 9)

# · TLV (Threshold Limit Value)

None of the ingredients is listed.

#### · NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

• Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### **16 Other information**

All chemicals may pose unknown hazards and should be used with caution. This SDS applies only to the material as packaged. If this product is combined with other materials, deteriorates, or becomes contaminated, it may pose hazards not mentioned in this SDS. Cayman Chemical Company assumes no responsibility for incidental or consequential damages, including lost profits, arising from the use of these data. It shall be the user's responsibility to develop proper methods of handling and personal protection based on the actual conditions of use. While this SDS is based on technical data judged to be reliable, Cayman Chemical Company assumes no responsibility for the completeness or accuracy of the information contained herein.

- · Department issuing SDS: Environment protection department.
- · Contact: -
- · Date of preparation / last revision 12/13/2021 / -

 Abbreviations and acronyms: IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit **REL: Recommended Exposure Limit** Flam. Liq. 4: Flammable liquids - Category 4 Skin Irrit. 2: Skin corrosion/irritation - Category 2 Eye Irrit. 2A: Serious eye damage/eye irritation - Category 2A Carc. 2: Carcinogenicity - Category 2 STOT SE 2: Specific target organ toxicity (single exposure) - Category 2 STOT RE 2: Specific target organ toxicity (repeated exposure) - Category 2 \* Data compared to the previous version altered.