

Revision: 06/20/2019 Supersedes Revision: 04/24/2014

	according	to Regulation (EC) No. 1907/2006 as amended by (EC) No. 2015/83					
	Section 1. Ic	lentification of the Substance/Mixture and of th	ne Company/Undertaking				
1	Product Code: Product Name: Synonyms:	10010425 13,14-dihydro-15-keto Prostaglandin D1 9.alphahydroxy-11,15-dioxo-prost-1-oic acid;	13,14-dihydro-15-keto PGD1;				
2	Relevant identified uses of	the substance or mixture and uses advised ag	ainst:				
3	Relevant identified uses:For research use only, not for human or veterinary use.Details of the Supplier of the Safety Data Sheet:						
	Company Name:	Cayman Chemical Company 1180 E. Ellsworth Rd. Ann Arbor, MI 48108					
	Web site address:	www.caymanchem.com					
	Information:	Cayman Chemical Company	+1 (734)971-3335				
1	Emergency telephone num	ber:					
	Emergency Contact:	CHEMTREC Within USA and Canada: CHEMTREC Outside USA and Canada:	+1 (800)424-9300 +1 (703)527-3887				
		Section 2. Hazards Identification	ation				
	Classification of the Substa						
!		Irritation, Category 2 xicity (single exposure), Category 3					
2	Specific Target Organ To						
2	Specific Target Organ To						
2	Specific Target Organ To Label Elements:	xicity (single exposure), Category 3					
2	Specific Target Organ To Label Elements: GHS Signal Word: GHS Hazard Phrases:	xicity (single exposure), Category 3					
2	Specific Target Organ To Label Elements: GHS Signal Word: GHS Hazard Phrases:	xicity (single exposure), Category 3 Danger ure may cause skin dryness or cracking.					
2	Specific Target Organ To Label Elements: GHS Signal Word: GHS Hazard Phrases: EUH066: Repeated exposu H225: Highly flammable liq H319: Causes serious eye	xicity (single exposure), Category 3 Danger ure may cause skin dryness or cracking. uid and vapor. irritation.					
2	Specific Target Organ To Label Elements: GHS Signal Word: GHS Hazard Phrases: EUH066: Repeated exposu H225: Highly flammable liq H319: Causes serious eye H336: May cause drowsine	<b>Danger</b> ure may cause skin dryness or cracking. uid and vapor. irritation.					
2	Specific Target Organ To Label Elements: GHS Signal Word: GHS Hazard Phrases: EUH066: Repeated exposu H225: Highly flammable liq H319: Causes serious eye H336: May cause drowsine GHS Precaution Phrases:	xicity (single exposure), Category 3 Danger ure may cause skin dryness or cracking. uid and vapor. irritation. ess or dizziness.					
2	Specific Target Organ To Label Elements: GHS Signal Word: GHS Hazard Phrases: EUH066: Repeated exposu H225: Highly flammable liq H319: Causes serious eye H336: May cause drowsine GHS Precaution Phrases: P210: Keep away from {heat	xicity (single exposure), Category 3 Danger ure may cause skin dryness or cracking. uid and vapor. irritation. ess or dizziness. at/sparks/open flames/hot surfaces} No smoking					
2	Specific Target Organ To Label Elements: GHS Signal Word: GHS Hazard Phrases: EUH066: Repeated exposu H225: Highly flammable liq H319: Causes serious eye H336: May cause drowsine GHS Precaution Phrases: P210: Keep away from {hea P261: Avoid breathing {dustices	xicity (single exposure), Category 3 Danger ure may cause skin dryness or cracking. uid and vapor. irritation. ess or dizziness. at/sparks/open flames/hot surfaces} No smoking tt/fume/gas/mist/vapors/spray}.					
2	Specific Target Organ To Label Elements: GHS Signal Word: GHS Hazard Phrases: EUH066: Repeated expose H225: Highly flammable liq H319: Causes serious eye H336: May cause drowsine GHS Precaution Phrases: P210: Keep away from {hea P261: Avoid breathing {dus P264: Wash {hands} thorow	xicity (single exposure), Category 3 Danger ure may cause skin dryness or cracking. uid and vapor. irritation. ess or dizziness. at/sparks/open flames/hot surfaces} No smoking t/fume/gas/mist/vapors/spray}. ughly after handling.					
2	Specific Target Organ To Label Elements:	xicity (single exposure), Category 3 Danger ure may cause skin dryness or cracking. uid and vapor. irritation. ess or dizziness. at/sparks/open flames/hot surfaces} No smoking tt/fume/gas/mist/vapors/spray}.					
2	Specific Target Organ To Label Elements: GHS Signal Word: GHS Hazard Phrases: EUH066: Repeated expose H225: Highly flammable liq H319: Causes serious eye H336: May cause drowsine GHS Precaution Phrases: P210: Keep away from {hea P261: Avoid breathing {dus P264: Wash {hands} thorow P280: Wear {protective glow	xicity (single exposure), Category 3 Danger ure may cause skin dryness or cracking. uid and vapor. irritation. ess or dizziness. at/sparks/open flames/hot surfaces} No smoking t/fume/gas/mist/vapors/spray}. ughly after handling.	on}.				
2	Specific Target Organ To Label Elements:	xicity (single exposure), Category 3 Danger The may cause skin dryness or cracking. Und and vapor. Und and vapo	on}. minated clothing. Rinse skin with				
2	Specific Target Organ To Label Elements: GHS Signal Word: GHS Hazard Phrases: EUH066: Repeated exposu H225: Highly flammable liq H319: Causes serious eye H336: May cause drowsine GHS Precaution Phrases: P210: Keep away from {hee P261: Avoid breathing {dus P264: Wash {hands} thorou P280: Wear {protective glow GHS Response Phrases: P303+361+353: IF ON SKI water/shower. P304+340: IF INHALED: R	xicity (single exposure), Category 3 Danger ure may cause skin dryness or cracking. uid and vapor. irritation. ess or dizziness. at/sparks/open flames/hot surfaces} No smoking at/sparks/open flames/hot surfaces} No smoking at/fume/gas/mist/vapors/spray}. ughly after handling. ves/protective clothing/eye protection/face protecti N (or hair): Remove/take off immediately all contact	on}. minated clothing. Rinse skin with ition comfortable for breathing.				
2	Specific Target Organ To Label Elements: GHS Signal Word: GHS Hazard Phrases: EUH066: Repeated exposu H225: Highly flammable liq H319: Causes serious eye H336: May cause drowsine GHS Precaution Phrases: P210: Keep away from {hee P261: Avoid breathing {dus P264: Wash {hands} thorou P280: Wear {protective glow GHS Response Phrases: P303+361+353: IF ON SKI water/shower. P304+340: IF INHALED: R	xicity (single exposure), Category 3 Danger Ure may cause skin dryness or cracking. Uid and vapor. Uriritation. Universe of dizziness. Universe of dizziness. Universe of the surfaces of the surface of	on}. minated clothing. Rinse skin with ition comfortable for breathing.				
2	Specific Target Organ To Label Elements:	xicity (single exposure), Category 3 Danger Under Unde	on}. minated clothing. Rinse skin with ition comfortable for breathing.				
2	Specific Target Organ To Label Elements:	xicity (single exposure), Category 3 Danger The may cause skin dryness or cracking. Uid and vapor. Uid and vapor. Uirritation. Uirritat	on}. minated clothing. Rinse skin with ition comfortable for breathing.				



Revision: 06/20/2019 Supersedes Revision: 04/24/2014

2.3	Adverse Human Health	Causes serious eye irritation.
	Effects and Symptoms:	Material may be irritating to the mucous membranes and upper respiratory tract.
		May be harmful by inhalation, ingestion, or skin absorption.
		May cause drowsiness or dizziness.
		May cause skin or respiratory system irritation.
		Repeated exposure may cause skin dryness or cracking.
		To the best of our knowledge, the toxicological properties have not been thoroughly investigated.

# Section 3. Composition/Information on Ingredients

CAS # / RTECS #	Hazardous Components (Chemical Name)/ REACH Registration No.	Concentration	EC No./ EC Index No.	GHS Classification
1392219-79-2 NA	13,14-dihydro-15-keto Prostaglandin D1	0.1 %	NA NA	No data available.
79-20-9 Al9100000	Methyl acetate 01-2119459211-47	99.9 %	201-185-2 607-021-00-X	Flam. Liq. 2: H225 Eye Damage 2: H319 STOT (SE) 3: H335 H336 EUH066

4.1	Description of First Aid Measures:					
	In Case of Inhalation:	Remove to fresh air. If not breathing, give artificial respiration or give oxygen by trained personnel. Get immediate medical attention.				
	In Case of Skin Contact:	Immediately wash skin with soap and plenty of water for at least 15 minutes. Remove contaminated clothing. Get medical attention if symptoms occur. Wash clothing before reuse.				
	In Case of Eye Contact:	Hold eyelids apart and flush eyes with plenty of water for at least 15 minutes. Have eyes examined and tested by medical personnel.				
	In Case of Ingestion:	Wash out mouth with water provided person is conscious. Never give anything by mouth to an unconscious person. Get medical attention. Do NOT induce vomiting unless directed to do so by medical personnel.				
4.2	Important Symptoms and	Exposure may cause: coughing, dizziness, drowsiness, headache, narcosis, optic nerve atrophy,				
	Effects, Both Acute and	chest tightness.				
	Delayed:					
		Section 5. Fire Fighting Measures				
5.1	Suitable Extinguishing	Use alcohol-resistant foam, carbon dioxide, water, or dry chemical spray.				
	Media:	Use water spray to cool fire-exposed containers.				
	Unsuitable Extinguishing	A solid water stream may be inefficient.				
	Media:					

5.2 Flammable Properties and Can release vapors that form explosive mixtures at temperatures at or above the flash point.

- Hazards: Container explosion may occur under fire conditions.
  - Emits toxic fumes under fire conditions. Sensitive to static discharge.
    - Vapors can travel to a source of ignition and flash back.
    - No data available.
- Flash Pt:
   -10.00 C
   Method Used:
   Closed Cup

   Explosive Limits:
   LEL:
   3.1%
   at
   25.0 C
   UEL:
   16.0%
   at
   25.0 C

   Autoignition Pt:
   455.00 C
   C
   C
   C
   C
   C
   C
   C
   C
   C
   C
   C
   C
   C
   C
   C
   C
   C
   C
   C
   C
   C
   C
   C
   C
   C
   C
   C
   C
   C
   C
   C
   C
   C
   C
   C
   C
   C
   C
   C
   C
   C
   C
   C
   C
   C
   C
   C
   C
   C
   C
   C
   C
   C
   C
   C
   C
   C
   C
   C
   C
   C
   C
   C
   C
   C
   C
   C
   C
   C
   C
   C
   C
   C
   C
   C
   C
   C
   C
   C
   C
   C
   C
   C
   C
   C</thr

5.3 Fire Fighting Instructions: As in any fire, wear self-contained breathing apparatus pressure-demand (NIOSH approved or



Revision: 06/20/2019 Supersedes Revision: 04/24/2014

		equivalent), and full protect	tive gear to prevent contact with skin and eyes.	1es (Cevision: 04/24/2014		
		Note: Flammable as dilute				
		Section 6. Accide	ental Release Measures			
6.1	Protective Precautions,	Avoid breathing vapors ar	nd provide adequate ventilation.			
	Protective Equipment and As conditions warrant, wear a NIOSH approved self-contained breathing apparatus, or resp					
	Emergency Procedures:	and appropriate personal	protection (rubber boots, safety goggles, and he	avy rubber gloves).		
6.2	Environmental		se into the environment, if safe to do so.			
	Precautions:	·				
6.3	Methods and Material Fo	r Contain spill and collect, a	as appropriate.			
	Containment and Cleani	ngTransfer to a chemical wa	ste container for disposal in accordance with loc	al regulations.		
	Up:					
		Section 7. Ha	andling and Storage			
7.1	Precautions To Be Taker	n Avoid breathing dust/fume				
	in Handling:	Avoid prolonged or repeate				
		Keep away from sources of	of ignition.			
		Take precautionary measu	ires against static discharge.			
7.2	Precautions To Be Taker	n Keep away from heat, spa	rks, and flame.			
	in Storing:	Keep container tightly clos	ed.			
		Store in accordance with in	nformation listed on the product insert.			
	Other Precautions:	Protect from moisture.				
	Sec	tion 8. Exposure (	Controls/Personal Protection			
8.1	Exposure Parameters:					
CAS	# Chemical Name	Jurisdiction	Recommended Exposure Limits	Notations		
79-20	9-9 Methyl acetate	ACGIH TLV	TLV: 200 ppm STEL: 250 ppm			
I		France VL	TWA: 610 mg/m3 (200 ppm)			
			STEL: 760 mg/m3 (250 ppm)			
		OSHA PELs	PEL: 200 ppm			
		Britain EH40	TWA: 616 mg/m3 (200 ppm)			
			STEL: 770 mg/m3 (250 ppm)			
8.2	Exposure Controls:					
8.2.1	Engineering Controls	-	ocal exhaust ventilation, or other engineering con	ntrols to control airborn		
	(Ventilation etc.):	levels below recommended	d exposure limits.			
8.2.2	Personal protection equi	ipment:				
	Eye Protection:	Safety glasses				
	Protective Gloves:	Compatible chemical-resis	tant gloves			
	Other Protective Clothing	g:Lab coat				
	Respiratory Equipment	NIOSH approved respirato	r, as conditions warrant.			
	(Specify Type):					
	Work/Hygienic/Maintena	<b>n</b> Do not take internally.				
	ce Practices:	Facilities storing or utilizing	g this material should be equipped with an eyewa	ash and a safety showe		
		Wash thoroughly after han	dling.			
		No data available.				
				Marildi wa milana f		
				Multi-region forn		



rostagiandin D1 Revision: 06/20/2019 Supersedes Revision: 04/24/2014

Section 9. Physical and Chemical Properties 9.1 Information on Basic Physical and Chemical Properties **Physical States:** []Gas [X] Liquid [ ] Solid A solution in methyl acetate Appearance and Odor: pH: No data. **Melting Point:** No data. **Boiling Point:** No data. Flash Pt: -10.00 C Method Used: Closed Cup **Evaporation Rate:** No data. Flammability (solid, gas): No data available. **Explosive Limits:** LEL: 3.1% at 25.0 C UEL: 16.0% at 25.0 C Vapor Pressure (vs. Air or mm 173 MM\_HG at 20.0 C Hg): Vapor Density (vs. Air = 1): No data. Specific Gravity (Water = 1): No data. Solubility in Water: No data. **Octanol/Water Partition** No data. **Coefficient: Autoignition Pt:** 455.00 C **Decomposition Temperature:** No data. Viscosity: No data. 9.2 **Other Information Percent Volatile:** No data. C20H34O5 354.5 Molecular Formula & Weight: Section 10. Stability and Reactivity 10.1 No data available. Reactivity: 10.2 Stability: Unstable [ ] Stable [X] 10.3 Stability Note(s): Stable if stored in accordance with information listed on the product insert. **Polymerization:** Will occur [ ] Will not occur [X] 10.4 **Conditions To Avoid:** heat, flames, and sparks 10.5 Incompatibility - Materials acids alkalis To Avoid: nitrates strong oxidizing agents 10.6 carbon dioxide Hazardous carbon monoxide **Decomposition or Byproducts:** 

Multi-region format



Multi-region format

Revision: 06/20/2019 Supersedes Revision: 04/24/2014

11.1	Informat	ion on	The toxicological effects of this	product have not be	en thoroughly e	tudied	
		ogical Effects:	The toxicological effects of this product have not been thoroughly studied. Methyl Acetate - Toxicity Data: Oral LD50 (rat): >5,000 mg/kg; Oral LD50 (rabbit): 3,705 mg/kg; Skin LD50 (rabbit): >5,000 mg/kg; Inhalation TCLO (human): 15,000 mg/m3; Methyl Acetate - Irritation Data: Skin (rabbit): 500 mg (24h) mild; Eyes (rabbit): 100 mg (24h) moderate;				
Chronic Toxicological         Methyl Acetate - Investigated as a mutagen and primary irritant           Effects:         Only select Registry of Toxic Effects of Chemical Substances (F					ubstances (RTE	CS) data is pre	esented here
See actual entry in RTECS for complete information.							
Carcir	nogenicity	r.	Methyl Acetate RTECS Number: Al9100000 NTP? No IARC Monographs? No OSHA Regulated? No				
		i	ponents (Chemical Name)	NTP	IARC	ACGIH	OSHA
	219-79-2		-keto Prostaglandin D1	n.a.	n.a.	n.a.	n.a.
79	-20-9	Methyl acetate		n.a.	n.a.	n.a.	n.a.
		Į	Section 12. Ecolo	ogical Information	ation	Į	
12.1	Toxicity:	:	Avoid release into the environm	•			
			Runoff from fire control or dilution	on water may cause	pollution.		
12.2	Persiste	nce and	No data available.				
	Degradability:						
	Degrada	bility:					
12.3	Degrada Bioaccu	-	No data available.				
12.3	-	mulative	No data available.				
	Bioaccu	mulative I:	No data available. No data available.				
12.4	Bioaccu Potentia Mobility	mulative I: in Soil:					
12.4	Bioaccu Potentia Mobility	mulative I: in Soil: of PBT and vPvB	No data available.				
12.4 12.5	Bioaccur Potentia Mobility Results assessm	mulative I: in Soil: of PBT and vPvB	No data available.				
12.4 12.5	Bioaccur Potentia Mobility Results assessm	mulative I: in Soil: of PBT and vPvB nent:	No data available. No data available.	sal Considera	ations		
12.4 12.5 12.6	Bioaccur Potentia Mobility Results assessm Other ad	mulative I: in Soil: of PBT and vPvB nent:	No data available. No data available. No data available. Section 13. Dispos				
12.4 12.5 12.6	Bioaccur Potentia Mobility Results assessm Other ad	mulative I: in Soil: of PBT and vPvB nent: Iverse effects:	No data available. No data available. No data available. Section 13. Dispos	al, state, and federa	regulations.		
12.4 12.5 12.6	Bioaccur Potentia Mobility Results assessm Other ad	mulative I: in Soil: of PBT and vPvB nent: Iverse effects:	No data available. No data available. No data available. Section 13. Dispose Dispose in accordance with loca Section 14. Tran	al, state, and federa	regulations.		
12.4 12.5 12.6 13.1 14.1	Bioaccur Potentia Mobility Results of assessm Other ad Waste D	mulative I: in Soil: of PBT and vPvB nent: Iverse effects: isposal Method:	No data available. No data available. No data available. Section 13. Dispose Dispose in accordance with loc Section 14. Tran	al, state, and federa	regulations.		
12.4 12.5 12.6 13.1 14.1 D	Bioaccur Potentia Mobility Results of assessm Other ad Waste D	mulative I: in Soil: of PBT and vPvB nent: Iverse effects: isposal Method: RANSPORT (US I r Shipping Name:	No data available. No data available. No data available. Section 13. Dispose Dispose in accordance with loc Section 14. Tran	al, state, and federa	regulations.		
D D	Bioaccur Potentia Mobility Results assessm Other ad Waste D	mulative I: in Soil: of PBT and vPvB nent: Iverse effects: isposal Method: RANSPORT (US I r Shipping Name: d Class:	No data available. No data available. No data available. Section 13. Dispose Dispose in accordance with loc Section 14. Tran	al, state, and federa sport Informa	I regulations. Ation		
12.4 12.5 12.6 13.1 14.1 D	Bioaccur Potentia Mobility Results assessm Other ad Waste D LAND T OT Proper	mulative I: in Soil: of PBT and vPvB nent: Iverse effects: isposal Method: RANSPORT (US I r Shipping Name: d Class:	No data available. No data available. No data available. Section 13. Dispose Dispose in accordance with loc Section 14. Tran Sottion 14. Tran Methyl Acetate Solution 3 FLAMMAE	al, state, and federa <b>SPORT Informa</b> SLE LIQUID	I regulations. Ation		
12.4 12.5 12.6 13.1 14.1 D	Bioaccur Potentia Mobility Results assessm Other ad Waste D LAND T OT Proper OT Hazaro	mulative I: in Soil: of PBT and vPvB nent: Iverse effects: isposal Method: RANSPORT (US I r Shipping Name: d Class:	No data available. No data available. No data available. Section 13. Dispose Dispose in accordance with loc Section 14. Tran Sot): Methyl Acetate Solution 3 FLAMMAE UN1231	al, state, and federa <b>SPORT Informa</b> SLE LIQUID	I regulations. Ation		
12.4 12.5 13.1 14.1 D U 14.1 A	Bioaccur Potentia Mobility Results a assessm Other ad Waste D LAND T OT Proper OT Hazaro N/NA Num	mulative I: in Soil: of PBT and vPvB ment: Iverse effects: isposal Method: RANSPORT (US I r Shipping Name: hber: RANSPORT (Euro hipping Name:	No data available. No data available. No data available. Section 13. Dispose Dispose in accordance with loc Section 14. Tran Section 14. Tran Methyl Acetate Solution 3 FLAMMAE UN1231	al, state, and federa SPORT Informa LE LIQUID Packing Gra	I regulations. Ation		
12.4 12.5 12.6 13.1 14.1 D U 14.1 A U	Bioaccur Potentia Mobility Results of assessm Other ad Waste D LAND T OT Proper OT Hazaro N/NA Num	mulative I: in Soil: of PBT and vPvB nent: Iverse effects: isposal Method: RANSPORT (US I r Shipping Name: d Class: hber: RANSPORT (Euro hipping Name: r:	No data available. No data available. No data available. Section 13. Dispose Dispose in accordance with loca Section 14. Tran Sort: Methyl Acetate Solution 3 FLAMMAE UN1231	al, state, and federa <b>SPORT Informa</b> SLE LIQUID	I regulations. Ation		



Revision: 06/20/2019 Supersedes Revision: 04/24/2014

### 14.3 AIR TRANSPORT (ICAO/IATA):

ICAO/IATA Shipping Name:	Methyl Acetate Solution		
UN Number:	1231	Packing Group:	II
Hazard Class:	3 - FLAMMABLE LIQUID	IATA Classification:	3
Additional Transport	Transport in accordance with loca	l, state, and federal regulations.	
Information:	When sold in quantities of less that	an or equal to 1 mL, or 1 g, with ar	n Excepted Quantity Code of
	E1, E2, E4, or E5, this item meets	the De Minimis Quantities exemp	otion, per IATA 2.6.10.
	Therefore packaging does not have	ve to be labeled as Dangerous Go	ods/Excepted Quantity.

# Section 15. Regulatory Information

CAS #	Hazardous Com	ponents (Chemical Name)	S. 302 (EHS)	S. 304 RQ	S. 313 (TRI)	
1392219-79-2	13,14-dihydro-15-keto Prostaglandin D1		No	No	No	
79-20-9	Methyl acetate		No	No	No	
CAS #	Hazardous Components (Chemical Name)		Other US EPA o	Other US EPA or State Lists		
1392219-79-2	13,14-dihydro-15-keto Prostaglandin D1		CAA HAP,ODC: No; CWA NPDES: No; TSCA: No; CA PROP.65: No			
79-20-9	Methyl acetate		,	No; CWA NPDES IR; CA PROP.65:	: No; TSCA: Yes - No	
Regulatory Info Statement:	ormation	This SDS was prepared in accord No.1272/2008.	ordance with 29 CFF	R 1910.1200 and R	egulation (EC)	
		Section 16. Otl	ner Informatio	on		
Revision Date:		06/20/2019				
	rmation About	No data available.				
This Product: Company Policy or Disclaimer:		DISCLAIMER: This information currently available to us. However express or implied, with respect use. Users should make their of their particular purposes.	ver, we make no wa t to such informatior	rranty of merchanta n, and we assume r	ability or any other warranty no liability resulting from its	