

Page 1/10

Safety Data Sheet acc. to OSHA HCS

Printing date 09/18/2020

Revision date 09/18/2020

1 Identification

Product identifier

- · Trade name: 17(R)-HETE
- Synonym 17R-hydroxy-5Z,8Z,11Z,14Z-eicosatetraenoic acid
- · Article number: 10010637, 007135
- · Details of the supplier of the safety data sheet
- Manufacturer/Supplier: Cayman Chemical Co. 1180 E. Ellsworth Rd. Ann Arbor, MI 48108 USA
- · Information department: Product safety department
- Emergency telephone number: During normal opening times: +1 (734) 971-3335 US/CANADA: 800-424-9300 Outside US/CANADA: 703-741-5970

2 Hazard(s) identification

· Classification of the substance or mixture



Flam. Liq. 2 H225 Highly flammable liquid and vapor.

- · Label elements
- · GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS). • Hazard pictograms



GHS02 Signal word Danger Hazard statements Highly flammable liquid and vapor. Precautionary statements Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Keep container tightly closed. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Wear protective gloves/protective clothing/eye protection/face protection. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. In case of fire: Use for extinction: CO2, powder or water spray. Store in a well-ventilated place. Keep cool. (Contd. or

Printing date 09/18/2020

Revision date 09/18/2020

Trade name: 17(R)-HETE

Dispose of content Classification sys NFPA ratings (sca	s/container in accordance with local/regional/national/international regula	td. from page 1) tions.		
0 0 0 Healt Fire = Reac				
HMIS-ratings (scale 0 - 4)				
FIRE 3 Fire	th = 0 = 3 ctivity = 0			
 Other hazards Results of PBT ar PBT: Not applicab vPvB: Not applica 				
3 Composition/i	nformation on ingredients			
 Chemical characterization: Mixtures Description: Mixture of the substances listed below with nonhazardous additions. 				
· Dangerous comp	onents:			
CAS: 64-17-5 RTECS: KQ63000	Ethyl alcohol 00	99.99%		

· Other ingredients

183509-24-2 17(R)-HETE

4 First-aid measures

- Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact: Immediately rinse with water.
- After eye contact: Rinse opened eye for several minutes under running water.
- After swallowing: If symptoms persist consult doctor.
- Information for doctor:
- Most important symptoms and effects, both acute and delayed May cause anemia, cough, CNS depression, drowsiness, headache, heart damage, lassitude (weakness, exhaustion), liver damage, narcosis, reproductive effects, teratogenic effects.
- Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents:
- CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam. Special hazards arising from the substance or mixture

Can release vapors that form explosive mixtures at temperatures at or above the flashpoint. Container explosion may occur under fire conditions.

(Contd. on page 3)

0.01%

Printing date 09/18/2020

Revision date 09/18/2020

Trade name: 17(R)-HETE

Emits toxic fumes under fire conditions. Sensitive to static discharge.	(Contd. from page 2)			
Vapors can travel to a source of ignition and flash back. • Advice for firefighters				
• Protective equipment: No special measures required.				
6 Accidental release measures				
· Personal precautions, protective equipment and emergency procedures				
Wear protective equipment. Keep unprotected persons away.				
 Environmental precautions: Dilute with plenty of water. 				
Do not allow to enter sewers/ surface or ground water.				
• Methods and material for containment and cleaning up:				
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).				
Dispose contaminated material as waste according to item 13.				
Ensure adequate ventilation.				
See Section 7 for information on safe handling.				
See Section 8 for information on personal protection equipment.				
See Section 13 for disposal information.				
Protective Action Criteria for Chemicals				
· PAC-1:				
64-17-5 Ethyl alcohol	1,800 ppm			
· PAC-2:				
64-17-5 Ethyl alcohol	3300* ppm			
PAC-3:				
64-17-5 Ethyl alcohol	15000* ppm			

· Handling:

- Precautions for safe handling
 No special precautions are necessary if used correctly.
 Avoid breathing dust/fume/gas/mist/vapours/spray.
 Avoid prolonged or repeated exposure.
 Keep away from sources of ignition.
 Take precautionary measures against static discharge.re.
- Information about protection against explosions and fires: Keep ignition sources away - Do not smoke. Protect against electrostatic charges.
- Conditions for safe storage, including any incompatibilities Keep away from heat, sparks and flame. Keep container tightly closed. Store in accordance with information listed on the product insert.

Storage:

- Requirements to be met by storerooms and receptacles: Store in a cool location.
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.

(Contd. on page 4)

US

Printing date 09/18/2020

Revision date 09/18/2020

Trade name: 17(R)-HETE

Store in cool, dry conditions in well sealed receptacles.

• Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see item 7.

· Control parameters

· Components with limit values that require monitoring at the workplace:

64-17-5 Ethyl alcohol

PEL Long-term value: 1900 mg/m³, 1000 ppm

- REL Long-term value: 1900 mg/m³, 1000 ppm
- TLV Short-term value: 1880 mg/m³, 1000 ppm

· Additional information: The lists that were valid during the creation were used as basis.

- · Exposure controls
- Personal protective equipment:
- General protective and hygienic measures: Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work.
- · Breathing equipment: Not required.
- Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

(Contd. on page 5)

(Contd. from page 3)

Printing date 09/18/2020

Revision date 09/18/2020

Trade name: 17(R)-HETE

(Contd. from page 4)

Information on basic physical and o	chemical properties		
General Information			
Appearance:			
Form:	Fluid		
Color:	According to product specification		
Odor:	Alcohol-like		
Structural Formula	C20H32O3		
Molecular Weight Odor threshold:	320.5 Not determined.		
Formulation	A solution in ethanol		
pH-value:	Not determined.		
Change in condition	Not determined.		
Melting point/Melting range:	-114.5 °C (-174.1 °F)		
Boiling point/Boiling range:	78 °C (172.4 °F)		
Flash point:	13 °C (55.4 °F)		
Flammability (solid, gaseous):	Not applicable.		
Ignition temperature:	425 °C (797 °F)		
Decomposition temperature:	Not determined.		
Auto igniting:	Product is not selfigniting.		
Danger of explosion:	Product is not explosive. However, formation of explosive air/		
	vapor mixtures are possible.		
Explosion limits:			
Lower:	3.5 Vol %		
Upper:	15 Vol %		
Vapor pressure at 20 °C (68 °F):	59 hPa (44.3 mm Hg)		
Density at 20 °C (68 °F):	0.79 g/cm³ (6.59255 lbs/gal)		
Relative density	Not determined.		
Vapor density	Not determined.		
Evaporation rate	Not determined.		
Solubility in / Miscibility with Water at 20 °C (68 °F):	1 000 ~//		
Partition coefficient (n-octanol/wate	1,000 g/l		
•			
Viscosity: Dynamic at 20 °C (68 °F):	1.2 mPas		
Kinematic:	Not determined.		
	Hot dotoffinition.		
Solvent content:	100.0.9/		
Organic solvents: VOC content:	100.0 % 99.99 %		
voc content:	99.99 % 999.9 g/l / 8.34 lb/gal		
Solids content:	0.0 %		
Other information	No further relevant information available.		

(Contd. on page 6)

Printing date 09/18/2020

Revision date 09/18/2020

Trade name: 17(R)-HETE

(Contd. from page 5)

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- Possibility of hazardous reactions No dangerous reactions known.
- Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:

· LD/LC50 values that are relevant for classification:					
64-17-5 Ethyl alcohol					
Oral	TDLO	1.14 ml/kg (man)			
	LD50	7,060 mg/kg (rat)			
	TDLO	650 (man)			
Dermal	LD50	40,000 mg/kg (rat)			
Inhalative	LC50/4 h	5,900 mg/m³ (rat)			
	LC50	20,000 mg/m³/10h (rat)			
	TCLO	1,800 mg/m³/30m (hmn)			
	LCLO	29,300 mg/m³/7h (mouse)			
	TCLO	1,800 (hmn)			
	LC50	10 h - 20,000 mg/m³ (rat)			
	LD50 Inhalation TCLO	1,800 mg/m³/30m (hmn)			
	LC50/4 h	20,000 mg/l (rat)			
Irritation of skin	Irritation	20 mg/24h (rabbit)			
	TDLO	1,800 mg/kg (wmn)			
Irritation of eyes	Irritation	500 mg/24h (rabbit)			
	Intraperitoneal LD50	280 mg/kg (rat)			
	Data	500 mg/24h (rabbit)			
 Primary irritant effect: on the skin: No irritant effect. on the eye: No irritating effect. Sensitization: No sensitizing effects known. Additional toxicological information: 					
· Carcinogenic categories					
IARC (International Agency for Research on Cancer)					
64-17-5 Ethyl alcohol 1					

NTP (National Toxicology Program)

None of the ingredients is listed.

(Contd. on page 7)

US

Printing date 09/18/2020

Revision date 09/18/2020

Trade name: 17(R)-HETE

(Contd. from page 6)

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

- · Toxicity
- Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

14 Transport information · UN-Number · DOT, IMDG, IATA UN1170 · UN proper shipping name · DOT Ethanol solutions ·IMDG ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION) ·IATA Ethanol solution · Transport hazard class(es) · DOT · Class 3 Flammable liquids (Contd. on page 8) LIS

Printing date 09/18/2020

Revision date 09/18/2020

Trade name: 17(R)-HETE

	(Contd. from page 7
· Label	3
· IMDG, IATA	
· Class	3 Flammable liquids
· Label	3
· Packing group · DOT, IMDG, IATA	II
· Environmental hazards:	Not applicable.
 Special precautions for user Hazard identification number (Kemler code): EMS Number: 	Warning: Flammable liquids 33 F-E,S-D
· Stowage Category	A
 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code 	Not applicable.
· Transport/Additional information:	
· DOT · Quantity limitations	On passenger aircraft/rail: 5 L On cargo aircraft only: 60 L
 IMDG Limited quantities (LQ) Excepted quantities (EQ) 	1L Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
· IATA · Remarks:	When sold in quantities of less than or equal to 1 mL or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minimi Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled a Dangerous Goods/Excepted Quantity.
· UN "Model Regulation":	UN 1170 ETHANOL SOLUTION (ETHYL ALCOHO SOLUTION), 3, II

15 Regulatory information

 $^{\rm \cdot}$ Safety, health and environmental regulations/legislation specific for the substance or mixture $^{\rm \cdot}$ Sara

· Section 355 (extremely hazardous substances):

None of the ingredients is listed.

· Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

(Contd. on page 9)

⁻ US

Printing date 09/18/2020

Revision date 09/18/2020

Trade name: 17(R)-HETE

(Contd	from		0
(Contd.	nom	page	0)

ACTIVE

· Hazardous Air Pollutants

64-17-5 Ethyl alcohol

None of the ingredients is listed.

· Proposition 65

· Chemicals known to cause cancer:

• TSCA (Toxic Substances Control Act):

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

• Chemicals known to cause developmental toxicity:

64-17-5 Ethyl alcohol

· Carcinogenic categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

• TLV (Threshold Limit Value established by ACGIH)

64-17-5 Ethyl alcohol

A3

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

· GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

Hazard pictograms



· Signal word Danger

· Hazard statements

Highly flammable liquid and vapor.

Precautionary statements

Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

Keep container tightly closed.

Ground/bond container and receiving equipment.

Use explosion-proof electrical/ventilating/lighting/equipment.

Use only non-sparking tools.

Take precautionary measures against static discharge.

Wear protective gloves/protective clothing/eye protection/face protection.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

In case of fire: Use for extinction: CO2, powder or water spray.

Store in a well-ventilated place. Keep cool.

Dispose of contents/container in accordance with local/regional/national/international regulations.

Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

(Contd. on page 10)

Printing date 09/18/2020

Trade name: 17(R)-HETE

Revision date 09/18/2020

(Contd. from page 9)

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- **Department issuing SDS:** Environment protection department.
- · Contact: -
- Date of preparation / last revision 09/18/2020 / -• Abbreviations and acronyms:

IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit **REL: Recommended Exposure Limit** Flam. Liq. 2: Flammable liquids - Category 2

us -