

according to Regulation (EC) No. 1907/2006 as amended by (EC) No. 1272/2008

Section 1. Identification of the Substance/Mixture and of the Company/Undertaking

- 1.1 Product Code:** 10011362
Product Name: 14,15-Leukotriene E4
Synonyms: 15S-hydroxy-14R-(S-cysteinyl)-5Z,8Z,10E,12E-eicosatetraenoic acid; Eoxin E4; EXE4; 14,15-LTE4;
- 1.2 Relevant identified uses of the substance or mixture and uses advised against:**
Relevant identified uses: For research use only, not for human or veterinary use.
- 1.3 Details of the Supplier of the Safety Data Sheet:**
- Company Name:** Cayman Chemical Company
1180 E. Ellsworth Rd.
Ann Arbor, MI 48108
- Web site address:** www.caymanchem.com
- Information:** Cayman Chemical Company +1 (734)971-3335
- 1.4 Emergency telephone number:**
- Emergency Contact:** CHEMTREC Within USA and Canada: +1 (800)424-9300
CHEMTREC Outside USA and Canada: +1 (703)527-3887

Section 2. Hazards Identification

- 2.1 Classification of the Substance or Mixture:**
- 2.1.1 Classification according to Regulation (EC) No 1272/2008 [CLP]:**
Flammable Liquids, Category 2
Acute Toxicity: Inhalation, Category 3
Acute Toxicity: Oral, Category 3
Acute Toxicity: Skin, Category 3
Specific Target Organ Toxicity (single exposure), Category 1
- 2.2 Label Elements:**
- 2.2.1 Labeling according to Regulation (EC) No 1272/2008 [CLP]:**



GHS Signal Word: **Danger**

GHS Hazard Phrases:

H225: Highly flammable liquid and vapor.
H301: Toxic if swallowed.
H311: Toxic in contact with skin.
H331: Toxic if inhaled.
H370: Causes damage to organs.

GHS Precaution Phrases:

P210: Keep away from {heat/sparks/open flames/hot surfaces}. - No smoking.
P260: Do not breathe {dust/fume/gas/mist/vapors/spray}.
P264: Wash {hands} thoroughly after handling.
P280: Wear {protective gloves/protective clothing/eye protection/face protection}.

GHS Response Phrases:

P301+310: IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.

P302+352: IF ON SKIN: Wash with plenty of soap and water.
 P303+361+353: IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with water/shower.
 P304+340: IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
 P308+311: If exposed or concerned: Call a {POISON CENTER/Doctor/...}.

P311: Call a POISON CENTER or doctor/physician.
 P321: Specific treatment {see ... on this label}.

P330: Rinse mouth.
 P361+364: Take off immediately all contaminated clothing and wash it before reuse.

GHS Storage and Disposal Phrases:

Please refer to Section 7 for Storage and Section 13 for Disposal information.

2.3 Adverse Human Health Causes damage to eyes.

Effects and Symptoms: Material may be irritating to the mucous membranes and upper respiratory tract.
 May be fatal or cause blindness if swallowed.
 May cause eye, skin, or respiratory system irritation.
 Toxic if swallowed, inhaled, or absorbed through the skin.
 To the best of our knowledge, the toxicological properties have not been thoroughly investigated.

Section 3. Composition/Information on Ingredients

| CAS # / RTECS # | Hazardous Components (Chemical Name)/ REACH Registration No. | Concentration | EC No./ EC Index No. | GHS Classification |
|----------------------|---|---------------|---------------------------|--|
| 1000852-57-2 NA | 14,15-Leukotriene E4 | 0.01 % | NA NA | No data available. |
| 67-56-1 PC1400000 | Methanol | 99.99 % | 200-659-6 603-001-00-X | Flam. Liq. 2: H225 Acute Tox.(O) 3: H301 Acute Tox.(D) 3: H311 Acute Tox.(I) 3: H331 STOT (SE) 1: H370 |

Section 4. First Aid Measures

4.1 Description of First Aid No data available.

Measures:

In Case of Inhalation: Remove to fresh air. If not breathing, give artificial respiration or give oxygen by trained personnel. Get immediate medical attention.

In Case of Skin Contact: Immediately wash skin with soap and plenty of water for at least 15 minutes. Remove contaminated clothing. Get medical attention if symptoms occur. Wash clothing before reuse.

In Case of Eye Contact: Hold eyelids apart and flush eyes with plenty of water for at least 15 minutes. Have eyes examined and tested by medical personnel.

In Case of Ingestion: Wash out mouth with water provided person is conscious. Never give anything by mouth to an unconscious person. Get medical attention. Do NOT induce vomiting unless directed to do so by medical personnel.

4.2 Important Symptoms and Effects, Both Acute and Delayed: Overexposure may cause: confusion, dermatitis, headache, drowsiness, dizziness, gastrointestinal disturbance, optic nerve damage (blindness), nausea, unconsciousness, vomiting, visual disturbance, weakness.
 May cause convulsions.
 Once methanol is absorbed into the body, it is very slowly eliminated.
 Toxic: danger of very serious irreversible effects through inhalation, in contact with skin and if swallowed.

Section 5. Fire Fighting Measures

- 5.1 Suitable Extinguishing** Use alcohol-resistant foam, carbon dioxide, water, or dry chemical spray.
Media: Use water spray to cool fire-exposed containers.
Unsuitable Extinguishing A solid water stream may be inefficient.
Media:
- 5.2 Flammable Properties and Hazards:** Can release vapors that form explosive mixtures at temperatures at or above the flashpoint.
 Container explosion may occur under fire conditions.
 Emits toxic fumes under fire conditions.
 Sensitive to static discharge.
 Vapors can travel to a source of ignition and flash back.
Flash Pt: 11.00 C Method Used: Closed Cup
Explosive Limits: LEL: 6% at 25.0 C UEL: 36% at 25.0 C
Autoignition Pt: 385.00 C
- 5.3 Fire Fighting Instructions:** As in any fire, wear self-contained breathing apparatus pressure-demand (NIOSH approved or equivalent), and full protective gear to prevent contact with skin and eyes.
 Note: Flammable as diluted in methanol.

Section 6. Accidental Release Measures

- 6.1 Protective Precautions, Protective Equipment and Emergency Procedures:** Avoid breathing vapors and provide adequate ventilation.
 As conditions warrant, wear a NIOSH approved self-contained breathing apparatus, or respirator, and appropriate personal protection (rubber boots, safety goggles, and heavy rubber gloves).
- 6.2 Environmental Precautions:** Take steps to avoid release into the environment, if safe to do so.
- 6.3 Methods and Material For Containment and Cleaning Up:** Contain spill and collect, as appropriate.
 Transfer to a chemical waste container for disposal in accordance with local regulations.

Section 7. Handling and Storage

- 7.1 Precautions To Be Taken in Handling:** Avoid breathing dust/fume/gas/mist/vapours/spray.
 Avoid prolonged or repeated exposure.
 Keep away from sources of ignition.
 Take precautionary measures against static discharge.
- 7.2 Precautions To Be Taken in Storing:** Keep away from heat, sparks, and flame.
 Keep container tightly closed.
 Store in accordance with information listed on the product insert.
Other Precautions: Light sensitive.

Section 8. Exposure Controls/Personal Protection

8.1 Exposure Parameters:

| CAS # | Partial Chemical Name | Britain EH40 | France VL | Europe |
|--------------|-----------------------|---|---|----------------|
| 1000852-57-2 | 14,15-Leukotriene E4 | No data. | No data. | No data. |
| 67-56-1 | Methanol | TWA: 266 mg/m3 (200 ppm) STEL: 333 mg/m3 (250 ppm) | TWA: 260 mg/m3 (200 ppm) STEL: 1300 mg/m3 (1000 ppm) | TWA: 260 mg/m3 |

| CAS # | Partial Chemical Name | OSHA TWA | ACGIH TWA | Other Limits |
|--------------|-----------------------|--------------|-------------------------------|--------------|
| 1000852-57-2 | 14,15-Leukotriene E4 | No data. | No data. | No data. |
| 67-56-1 | Methanol | PEL: 200 ppm | TLV: 200 ppm STEL: 250 ppm | No data. |

8.2 Exposure Controls:

8.2.1 Engineering Controls (Ventilation etc.): Use process enclosures, local exhaust ventilation, or other engineering controls to control airborne levels below recommended exposure limits.

8.2.2 Personal protection equipment:

Eye Protection: Safety glasses

Protective Gloves: Compatible chemical-resistant gloves

Other Protective Clothing: Lab coat

Respiratory Equipment (Specify Type): NIOSH approved respirator, as conditions warrant.

Work/Hygienic/Maintenance Practices: Do not take internally.

Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower.

Wash thoroughly after handling.

No data available.

Section 9. Physical and Chemical Properties

9.1 Information on Basic Physical and Chemical Properties

Physical States: [] Gas [X] Liquid [] Solid

Appearance and Odor: A solution in methanol

Melting Point: No data.

Boiling Point: No data.

Flash Pt: 11.00 C Method Used: Closed Cup

Evaporation Rate: No data.

Explosive Limits: LEL: 6% at 25.0 C UEL: 36% at 25.0 C

Vapor Pressure (vs. Air or mm Hg): 96 MM_HG at 20.0 C

Vapor Density (vs. Air = 1): No data.

Specific Gravity (Water = 1): No data.

Solubility in Water: No data.

Autoignition Pt: 385.00 C

9.2 Other Information

Percent Volatile: No data.

Molecular Formula & Weight: C23H37NO5S 439.6

Section 10. Stability and Reactivity

10.1 Reactivity: No data available.

10.2 Stability: Unstable [] Stable [X]

10.3 Stability Note(s): Stable if stored in accordance with information listed on the product insert.

Polymerization: Will occur [] Will not occur [X]

10.4 Conditions To Avoid: heat, flames and sparks

10.5 Incompatibility - Materials To Avoid: acids

alkali metals

reducing agents

strong oxidizing agents

| | |
|--|-----------------------------------|
| 10.6 Hazardous Decomposition Or Byproducts: | carbon dioxide carbon monoxide |
|--|-----------------------------------|

Section 11. Toxicological Information

| | |
|---|--|
| 11.1 Information on Toxicological Effects: | The toxicological effects of this product have not been thoroughly studied. Methanol - Toxicity Data: Oral LD50 (rat): 5,600 mg/kg; Oral LD50 (rabbit): 14,200 mg/kg; Inhalation LC50 (rat): 64,000 ppm (4h); Inhalation LC50 (mouse): 61,100 ppm (134 m); Skin LD50 (rabbit): 15,800 mg/kg; Oral LDLO (human): 143 mg/kg; Methanol - Irritation Data: Skin (rabbit): 20 mg (24h) moderate; Eyes (rabbit): 40 mg moderate; Eyes (rabbit): 100 mg (24h) moderate; |
| Chronic Toxicological Effects: | Methanol - Investigated as a mutagen and reproductive effector. Only select Registry of Toxic Effects of Chemical Substances (RTECS) data is presented here. See actual entry in RTECS for complete information. Methanol RTECS Number: PC1400000 |
| Carcinogenicity: | NTP? No IARC Monographs? No OSHA Regulated? No |

| CAS # | Hazardous Components (Chemical Name) | NTP | IARC | ACGIH | OSHA |
|--------------|--------------------------------------|------|------|-------|------|
| 1000852-57-2 | 14,15-Leukotriene E4 | n.a. | n.a. | n.a. | n.a. |
| 67-56-1 | Methanol | n.a. | n.a. | n.a. | n.a. |

Section 12. Ecological Information

| | |
|---|--|
| 12.1 Toxicity: | Avoid release into the environment. Runoff from fire control or dilution water may cause pollution. |
| 12.2 Persistence and Degradability: | No data available. |
| 12.3 Bioaccumulative Potential: | No data available. |
| 12.4 Mobility in Soil: | No data available. |
| 12.5 Results of PBT and vPvB assessment: | No data available. |
| 12.6 Other adverse effects: | No data available. |

Section 13. Disposal Considerations

| | |
|------------------------------------|---|
| 13.1 Waste Disposal Method: | Dispose in accordance with local, state, and federal regulations. |
|------------------------------------|---|

Section 14. Transport Information

| | |
|--------------------------------------|---------------------------------------|
| 14.1 LAND TRANSPORT (US DOT): | |
| DOT Proper Shipping Name: | Methanol |
| DOT Hazard Class: | 3 (6.1) FLAMMABLE LIQUID, POISON |
| UN/NA Number: | 1230 Packing Group: II |





SAFETY DATA SHEET

14,15-Leukotriene E4

Revision: 04/14/2015
Supersedes Revision: 07/14/2010**14.1 LAND TRANSPORT (European ADR/RID):**

ADR/RID Shipping Name: Methanol
UN Number: 1230 **Packing Group:** II
Hazard Class: 3 (6.1) - FLAMMABLE LIQUID,
 POISON

14.3 AIR TRANSPORT (ICAO/IATA):

ICAO/IATA Shipping Name: Methanol
UN Number: 1230 **Packing Group:** II
Hazard Class: 3 (6.1) - FLAMMABLE LIQUID, **IATA Classification:** 3,6.1
 POISON

Additional Transport Information: Transport in accordance with local, state, and federal regulations.
 When sold in quantities of less than or equal to 1 mL, or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minimis Quantities exemption, per IATA 2.6.10.
 Therefore packaging does not have to be labeled as Dangerous Goods/Excepted Quantity.

Section 15. Regulatory Information

EPA SARA (Superfund Amendments and Reauthorization Act of 1986) Lists

| CAS # | Hazardous Components (Chemical Name) | S. 302 (EHS) | S. 304 RQ | S. 313 (TRI) |
|--------------|--------------------------------------|--------------|-------------|--------------|
| 1000852-57-2 | 14,15-Leukotriene E4 | No | No | No |
| 67-56-1 | Methanol | No | Yes 5000 LB | Yes |

| CAS # | Hazardous Components (Chemical Name) | Other US EPA or State Lists |
|--------------|--------------------------------------|---|
| 1000852-57-2 | 14,15-Leukotriene E4 | CAA HAP,ODC: No; CWA NPDES: No; TSCA: No; CA PROP.65: No |
| 67-56-1 | Methanol | CAA HAP,ODC: HAP; CWA NPDES: No; TSCA: Yes - Inventory; CA PROP.65: Yes |

Section 16. Other Information

Revision Date: 04/14/2015**Additional Information About** No data available.**This Product:**

Company Policy or Disclaimer: DISCLAIMER: This information is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes.