

Page: 1 of 5

Revision: 03/12/2019 Supersedes Revision: 02/20/2015

		p Regulation (EC) No. 1907/2006 as amended by (EC) No. 2015/83						
	Section 1. Ide	entification of the Substance/Mixture and of th	e Company/Undertaking					
1	Product Code:	10188						
	Product Name:	trans-trismethoxy Resveratrol						
	Synonyms:	1,3-dimethoxy-5-[(1E)-2-(4-methoxyphenyl)eth	enyl]-benzene;					
		(E)-5-[2-(4-hydroxyphenyl)ethenyl]-1,3-benzen	e diol;					
2	Relevant identified uses of the substance or mixture and uses advised against:							
	Relevant identified uses:	For research use only, not for human or veterir	nary use.					
3	Details of the Supplier of the Safety Data Sheet:							
	Company Name:	Cayman Chemical Company						
		1180 E. Ellsworth Rd.						
		Ann Arbor, MI 48108						
	Web site address:	www.caymanchem.com						
	Information:	Cayman Chemical Company	+1 (734)971-3335					
4	Emergency telephone numb	er:						
	Emergency Contact:	CHEMTREC Within USA and Canada:	+1 (800)424-9300					
		CHEMTREC Outside USA and Canada:	+1 (703)527-3887					
		Section 2. Hazards Identifica	ation					
	Classification of the Substa							
2	Aquatic Toxicity (Acute), C Aquatic Toxicity (Chronic) Label Elements:							
2	Aquatic Toxicity (Chronic)	Category 1						
2	Aquatic Toxicity (Chronic) Label Elements:	Category 1 , Category 1						
2	Aquatic Toxicity (Chronic) Label Elements:	Category 1						
2	Aquatic Toxicity (Chronic) Label Elements: GHS Signal Word: GHS Hazard Phrases:	Category 1 , Category 1 Danger						
2	Aquatic Toxicity (Chronic) Label Elements: GHS Signal Word: GHS Hazard Phrases: H315: Causes skin irritation.	Category 1 , Category 1 Danger						
2	Aquatic Toxicity (Chronic) Label Elements: GHS Signal Word: GHS Hazard Phrases: H315: Causes skin irritation. H318: Causes serious eye of	Category 1 , Category 1 Danger Jamage.						
2	Aquatic Toxicity (Chronic) Label Elements: GHS Signal Word: GHS Hazard Phrases: H315: Causes skin irritation. H318: Causes serious eye of H335: May cause respirator	Category 1 , Category 1 Danger Jamage. y irritation.						
2	Aquatic Toxicity (Chronic) Label Elements: GHS Signal Word: GHS Hazard Phrases: H315: Causes skin irritation. H318: Causes serious eye of H335: May cause respirator H400: Very toxic to aquatic b	Category 1 , Category 1 Danger Danger						
2	Aquatic Toxicity (Chronic) Label Elements: GHS Signal Word: GHS Hazard Phrases: H315: Causes skin irritation. H318: Causes serious eye of H335: May cause respiratory H400: Very toxic to aquatic I	Category 1 , Category 1 Danger Danger						
2	Aquatic Toxicity (Chronic) Label Elements: GHS Signal Word: GHS Hazard Phrases: H315: Causes skin irritation. H318: Causes serious eye of H335: May cause respirator H400: Very toxic to aquatic I H410: Very toxic to aquatic I H410: Very toxic to aquatic I	Category 1 , Category 1 Danger Danger						
2	Aquatic Toxicity (Chronic) Label Elements: GHS Signal Word: GHS Hazard Phrases: H315: Causes skin irritation. H318: Causes serious eye of H335: May cause respirator H400: Very toxic to aquatic H H410: Very toxic to aquatic H H410: Very toxic to aquatic H H410: Very toxic to aquatic H	Category 1 , Category 1 Danger Jamage. y irritation. ife. ife with long lasting effects. /fume/gas/mist/vapours/spray}.						
2	Aquatic Toxicity (Chronic) Label Elements: GHS Signal Word: GHS Hazard Phrases: H315: Causes skin irritation. H318: Causes serious eye of H335: May cause respirator H400: Very toxic to aquatic I H410: Very toxic to aquatic I GHS Precaution Phrases: P261: Avoid breathing {dust P264: Wash {hands} thoroug	Category 1 , Category 1 Danger Danger lamage. y irritation. ife. ife with long lasting effects. /fume/gas/mist/vapours/spray}. ghly after handling.						
2	Aquatic Toxicity (Chronic) Label Elements:	Category 1 , Category 1 Danger Danger lamage. y irritation. ife. ife with long lasting effects. /fume/gas/mist/vapours/spray}. ghly after handling. environment.	on}.					
2	Aquatic Toxicity (Chronic) Label Elements: GHS Signal Word: GHS Hazard Phrases: H315: Causes skin irritation. H318: Causes serious eye of H335: May cause respirator H400: Very toxic to aquatic I H410: Very toxic to aquatic I GHS Precaution Phrases: P261: Avoid breathing {dust P264: Wash {hands} thoroug P273: Avoid release to the e P280: Wear {protective glow	Category 1 , Category 1 Danger Danger lamage. y irritation. ife. ife with long lasting effects. /fume/gas/mist/vapours/spray}. ghly after handling.	on}.					
2	Aquatic Toxicity (Chronic) Label Elements:	Category 1 , Category 1 , Category 1 Danger Danger lamage. y irritation. ife. ife with long lasting effects. /fume/gas/mist/vapours/spray}. ghly after handling. environment. es/protective clothing/eye protection/face protection	on}.					
2	Aquatic Toxicity (Chronic) Label Elements: GHS Signal Word: GHS Hazard Phrases: H315: Causes skin irritation. H318: Causes serious eye of H335: May cause respirator H400: Very toxic to aquatic I H410: Very toxic to aquatic I GHS Precaution Phrases: P261: Avoid breathing {dust P264: Wash {hands} thoroug P273: Avoid release to the e P280: Wear {protective glov GHS Response Phrases: P302+352: IF ON SKIN: Wa	Category 1 , Category 1 , Category 1 Danger Danger lamage. y irritation. ife. ife with long lasting effects. /fume/gas/mist/vapours/spray}. ghly after handling. environment. es/protective clothing/eye protection/face protection sh with plenty of soap and water.						
2	Aquatic Toxicity (Chronic) Label Elements: GHS Signal Word: GHS Hazard Phrases: H315: Causes skin irritation. H318: Causes serious eye of H335: May cause respirator H400: Very toxic to aquatic H H410: Very toxic to aquatic H GHS Precaution Phrases: P261: Avoid breathing {dust P264: Wash {hands} thoroug P273: Avoid release to the of P280: Wear {protective glow GHS Response Phrases: P302+352: IF ON SKIN: Wa P304+340: IF INHALED: Response Phrases	Category 1 , Category 1 , Category 1 Danger Danger Jamage. y irritation. ife. ife with long lasting effects. /fume/gas/mist/vapours/spray}. ghly after handling. environment. es/protective clothing/eye protection/face protection sh with plenty of soap and water. move victim to fresh air and keep at rest in a posi	tion comfortable for breathing.					
2	Aquatic Toxicity (Chronic) Label Elements: GHS Signal Word: GHS Hazard Phrases: H315: Causes skin irritation. H318: Causes serious eye of H335: May cause respirator H400: Very toxic to aquatic H H410: Very toxic to aquatic H GHS Precaution Phrases: P261: Avoid breathing {dust P264: Wash {hands} thoroug P273: Avoid release to the of P280: Wear {protective glow GHS Response Phrases: P302+352: IF ON SKIN: Wa P304+340: IF INHALED: Response Phrases	Category 1 , Category 1 , Category 1 Danger Danger lamage. y irritation. ife. ife with long lasting effects. /fume/gas/mist/vapours/spray}. ghly after handling. environment. es/protective clothing/eye protection/face protection sh with plenty of soap and water.	tion comfortable for breathing.					



Multi-region format

	Revision:	03/12/2019
Supersedes	Revision:	02/20/2015

	CHEMICAL					Supersedes Revision: 02/20/2015		
	P332+	-313: If skin irritatio	n occurs, get medical advice/a	ttention.				
	P362+	-364: Take off conta	aminated clothing and wash it	before reuse.				
	P391: Collect spillage.							
	GHS S	Storage and Dispo	osal Phrases:					
	Please	e refer to Section 7	for Storage and Section 13 for	r Disposal informatio	on.			
2.3	Advers	e Human Health	Causes serious eye damage					
	Effects	and Symptoms:	Causes skin irritation.					
			Material may be irritating to t	he mucous membra	anes and upper re	spiratory tract.		
			May be harmful by inhalation	n, ingestion, or skin a	absorption.			
			May cause eye or respirator	-				
			Very toxic to aquatic life with					
			To the best of our knowledge	e, the toxicological p	properties have no	t been thoroughly investigated.		
		Sec	tion 3. Composition	/Information	on Ingredie	ents		
CAS RTE	# / CS #	Hazardous Com REACH Registra	oonents (Chemical Name)/ tion No.	Concentration	EC No./ EC Index No.	GHS Classification		
	55-22-7	trans-trismethoxy R	esveratrol	100.0 %	694-659-7	Skin Corr. 2: H315		
CZ68	85187				NA	Eye Damage 1: H318		
						STOT (SE) 3: H335 H336 Aquatic (A) 1: H400		
						Aquatic (C) 1: H410		
			Section 4. Fi	rst Ald Meas	ures			
4.1	Descrip	otion of First Aid						
	Measur	res:						
	In Case	e of Inhalation:	Remove to fresh air. If not br	eathing, give artificia	al respiration or gi	ve oxygen by trained personnel.		
	Get immediate medical atte			ention.				
	In Case	of Skin Contact:	Immediately wash skin with soap and plenty of water for at least 15 minutes. Remove contaminated					
			clothing. Get medical attention	lothing. Get medical attention if symptoms occur. Wash clothing before reuse.				
	In Case	e of Eye Contact:	Hold eyelids apart and flush	eyes with plenty of v	water for at least 1	5 minutes. Have eyes examined		
			and tested by medical person	nnel.				
	In Case	e of Ingestion:	Wash out mouth with water p	provided person is co	onscious. Never g	ive anything by mouth to an		
	unconscious person. Get			medical attention. Do NOT induce vomiting unless directed to do so by				
			medical personnel.					
			Section 5. Fire	Fighting Me	asures			
5.1	Suitable Extinguishing Use alcohol-resistant foam, carbon dioxide, water, or dry chemical spray.							
	Media:		Use water spray to cool fire-	exposed containers.				
	Unsuitable Extinguishing A solid water stream may be inefficient.							
	Media:							
5.2	Flammable Properties andNo data available.							
	Hazard	s:						
			No data available.					
	Flash F	Pt:	No data.					
	Explosive Limits:		LEL: No data. UEL: No data.					
	-	nition Pt:	No data.	 				
5.3	-			ained breathing ann	aratus pressure o	demand (NIOSH approved or		
5.5	Fire Fighting Instructions: As in any fire, wear self-contained breathing apparatus pressure-demand (NIOSH approved or equivalent), and full protective gear to prevent contact with skin and eyes.							
			equivalent, and full protectiv	e gear to prevent of	Small with Skill af	iu 5y53.		



Revision: 03/12/2019

-uy	HTMICAL	Supersedes Revision: 02/20/2015
	S	ection 6. Accidental Release Measures
6.1	Protective Precautions,	Avoid raising and breathing dust, and provide adequate ventilation.
	Protective Equipment and A	As conditions warrant, wear a NIOSH approved self-contained breathing apparatus, or respirator,
	Emergency Procedures: a	and appropriate personal protection (rubber boots, safety goggles, and heavy rubber gloves).
6.2	Environmental	Take steps to avoid release into the environment, if safe to do so.
	Precautions:	
6.3	Methods and Material For	Contain spill and collect, as appropriate.
	Containment and Cleaning	ransfer to a chemical waste container for disposal in accordance with local regulations.
	Up:	
		Section 7. Handling and Storage
7.1	Precautions To Be Taken A	void breathing dust/fume/gas/mist/vapours/spray.
	in Handling: A	void prolonged or repeated exposure.
7.2	Precautions To Be Taken K	
	in Storing: S	tore in accordance with information listed on the product insert.
	Sectio	on 8. Exposure Controls/Personal Protection
8.1	Exposure Parameters:	
8.2	Exposure Controls:	
8.2.1	Engineering Controls	lse process enclosures, local exhaust ventilation, or other engineering controls to control airborne
	(Ventilation etc.):	evels below recommended exposure limits.
8.2.2	Personal protection equipm	ient:
	Eye Protection: S	afety glasses
	Protective Gloves: C	compatible chemical-resistant gloves
	Other Protective Clothing:L	ab coat
	Respiratory Equipment N (Specify Type):	IIOSH approved respirator, as conditions warrant.
	Work/Hygienic/Maintenan D	o not take internally.
	ce Practices: F	acilities storing or utilizing this material should be equipped with an eyewash and a safety shower
	V	Vash thoroughly after handling.
	Ν	lo data available.
	Sec	ction 9. Physical and Chemical Properties
9.1	Information on Basic Physic	al and Chemical Properties
	Physical States:	[]Gas []Liquid [X]Solid
	Appearance and Odor:	A crystalline solid
	pH:	No data.
	Melting Point:	No data.
	Boiling Point:	No data.
	Flash Pt:	No data.
	Evaporation Rate:	No data.
	Flammability (solid, gas):	No data available.
	Explosive Limits:	LEL: No data. UEL: No data.
	Vapor Pressure (vs. Air or n	nm No data.
	Hg):	
	Vapor Density (vs. Air = 1):	No data.



	Revision:	03/12/2019
Supersedes	Revision:	02/20/2015

							•	
	Specific	Gravity (Water =	1): No data.					
	Solubility in Water:		No data.	No data.				
Solubility I		Notes:	~0.25 mg/ml in DMSO & DMF	a 1:2 solution of DN ;	ISO:PBS (p	oH 7.2); ~10m	g/ml in EtOH; -	-50 mg/ml in
	Octanol/\	Nater Partition	No data.					
	Coefficie	nt:						
	Autoignit	ion Pt:	No data.					
	Decompo	sition Temperat	ure: No data.					
	Viscosity	:	No data.					
9.2	Other Info	ormation						
	Percent \	/olatile:	No data.					
	Molecular Formula & Weight:		ght: C17H18O3	270.3				
			Section 10.	Stability and	Reactiv	vity		
10.1	Reactivit	y:	No data available.					
10.2	Stability:		Unstable [] Stab	le [X]				
10.3	Stability	Note(s):	Stable if stored in acco	ordance with informa	tion listed o	on the product	insert.	
	Polymeri	zation:	Will occur [] Will	not occur [X]				
10.4	Condition	ns To Avoid:	No data available.					
10.5	Incompat	ibility - Materials	strong oxidizing agent	s				
	To Avoid	:						
10.6	Hazardou	IS	carbon dioxide					
	Decompo	osition or	carbon monoxide					
	Byproduc	cts:						
			Section 11. 7	Foxicological	Informa	ation		
11.1	Informati	on on	The toxicological effec	ts of this product ha	ve not been	thoroughly st	udied.	
	Toxicolo	gical Effects:	trans-trismethoxy Rest (intermittent);	veratrol - Toxicity Da	ta: Intraper	itoneal TDLO	(mouse): 500 r	ng/kg/23D
	Chronic 1	Foxicological	trans-trismethoxy Res	ns-trismethoxy Resveratrol - Investigated as a mutagen and natural product.				
	-		Only select Registry of	nly select Registry of Toxic Effects of Chemical Substances (RTECS) data is presented here.				
			See actual entry in RT	•				
			trans-trismethoxy Res	veratrol RTECS Nun	nber: CZ688	85187		
CAS	#	Hazardous Com	ponents (Chemical Na	ame)	NTP	IARC	ACGIH	OSHA
2225	55-22-7	trans-trismethoxy	Resveratrol		n.a.	n.a.	n.a.	n.a.
			Section 12.	Ecological Ir	formati	on	·	·
12.1	Runot		Avoid release into the	environment.				
			Runoff from fire control or dilution water may cause pollution.					
12.2			No data available.					
	Degradat	pility:						
12.3	Bioaccun	nulative	No data available.					
	Potential	:						
12.4	Mobility i	n Soil:	No data available.					
12.5	-		No data available.					
	assessm							
12.6	Other adv	verse effects:	No data available.					
1							Ν	Iulti-region forma



Revision: 03/12/2019

ayman				Supe	ersedes Revision: 02/20/2015
		Section 13. Dispo	sal Considera	ations	
13.1 Waste D	Disposal Method:	Dispose in accordance with loc	cal, state, and federa	I regulations.	
		Section 14. Trar	nsport Inform	ation	
14.1 LAND T	RANSPORT (US	DOT):			
DOT Prope	er Shipping Name	: Not dangerous goods.			
DOT Hazar					
UN/NA Nur					
	-	opean ADR/RID):			
UN Numbe	hipping Name:	Not dangerous goods.			
Hazard Cla					
14.3 AIR TR	ANSPORT (ICAO/	/IATA):			
ICAO/IATA	Shipping Name:	Not dangerous goods.			
Additional Tra	nsport	Transport in accordance with I	ocal, state, and fede	ral regulations.	
Information:					
		Section 15. Regu	latory Inform	ation	
EPA SARA (Su	perfund Amendn	nents and Reauthorization Act	t of 1986) Lists		
CAS #		ponents (Chemical Name)	S. 302 (EHS)	S. 304 RQ	S. 313 (TRI)
22255-22-7	trans-trismethoxy	y Resveratrol	No	No	No
CAS #		ponents (Chemical Name)	Other US EPA o		
22255-22-7	trans-trismethoxy	y Resveratrol CAA HAP,ODC: No; CWA NPDES: No; TSCA: No; CA PROP.65: No			
Regulatory Info	ormation	This SDS was prepared in acc	ordance with 29 CFI	R 1910.1200 and R	egulation (EC)
Statement:		No.1272/2008.			
		Section 16. Ot	her Informati	on	
Revision Date:		03/12/2019			
Additional Info	rmation About	No data available.			
This Product:					
Company Polic	y or Disclaimer:	DISCLAIMER: This information currently available to us. Howe		-	
		express or implied, with respec		•	
		use. Users should make their			
		their particular purposes.			

Multi-region format