

Revision: 03/31/2015

ay			Supersedes Revision: 07/24/200	
	acc	ording to Regulation (EC) No. 1907/2006 as amended by (E	EC) No. 1272/2008	
	Section 1.	Identification of the Substance/Mixture and of the	e Company/Undertaking	
1.1 Product Code: 10280 Product Name: 16,16-dimethyl Prostaglandin A2 Synonyms: 9-oxo-15R-hydroxy-16,16-dimethyl-prosta-5Z,10,13E-trien-1-oic acid; 16,16-dimethyl-prosta-5Z,10,13E-trien-1-oic acid; 16,16-dimethyl-prosta-5Z,10,15E-trien-1-0-1-0-1-0-1-0-1-0-1-0-1-0-1-0-1-0-1-				
.2	Relevant identified uses o Relevant identified uses	f the substance or mixture and uses advised aga For research use only, not for human or veterina		
.3	Details of the Supplier of t	the Safety Data Sheet:		
	Company Name:	Cayman Chemical Company 1180 E. Ellsworth Rd. Ann Arbor, MI 48108		
	Web site address:	www.caymanchem.com		
	Information:	Cayman Chemical Company	+1 (734)971-3335	
.4	Emergency telephone nur	nber:		
	Emergency Contact:	CHEMTREC Within USA and Canada:	+1 (800)424-9300	
		CHEMTREC Outside USA and Canada:	+1 (703)527-3887	
		Section 2. Hazards Identifica	ation	
2.1.1	Flammable Liquids, Cat Serious Eye Damage/Ey	tance or Mixture: to Regulation (EC) No 1272/2008 [CLP]: egory 2		
2.1.1	Classification according to Flammable Liquids, Cat Serious Eye Damage/Ey Specific Target Organ T Label Elements:	tance or Mixture: to Regulation (EC) No 1272/2008 [CLP]: egory 2 re Irritation, Category 2		
2.1.1	Classification according to Flammable Liquids, Cate Serious Eye Damage/Eye Specific Target Organ T Label Elements: Labeling according to Re	tance or Mixture: to Regulation (EC) No 1272/2008 [CLP]: egory 2 re Irritation, Category 2 foxicity (single exposure), Category 3 egulation (EC) No 1272/2008 [CLP]:		
.1.1	Classification according to Flammable Liquids, Cat Serious Eye Damage/Ey Specific Target Organ T Label Elements:	tance or Mixture: to Regulation (EC) No 1272/2008 [CLP]: egory 2 re Irritation, Category 2 roxicity (single exposure), Category 3		
.1.1	Classification according to Flammable Liquids, Cata Serious Eye Damage/Ey Specific Target Organ T Label Elements: Labeling according to Re Office Content of the termination of terminatio of termination of te	tance or Mixture: to Regulation (EC) No 1272/2008 [CLP]: egory 2 re Irritation, Category 2 foxicity (single exposure), Category 3 egulation (EC) No 1272/2008 [CLP]: Danger		
.1.1	Classification according to Flammable Liquids, Cate Serious Eye Damage/Eye Specific Target Organ T Label Elements: Labeling according to Re GHS Signal Word: GHS Hazard Phrases:	tance or Mixture: to Regulation (EC) No 1272/2008 [CLP]: egory 2 re Irritation, Category 2 foxicity (single exposure), Category 3 egulation (EC) No 1272/2008 [CLP]: Danger		
.1.1	Classification according to Flammable Liquids, Cate Serious Eye Damage/Eye Specific Target Organ T Label Elements: Labeling according to Re GHS Signal Word: GHS Hazard Phrases: H225: Highly flammable li	tance or Mixture: to Regulation (EC) No 1272/2008 [CLP]: egory 2 re Irritation, Category 2 foxicity (single exposure), Category 3 regulation (EC) No 1272/2008 [CLP]: Danger iquid and vapor. e irritation.		
2.1.1	Classification according to Flammable Liquids, Cate Serious Eye Damage/Eye Specific Target Organ T Label Elements: Labeling according to Re GHS Signal Word: GHS Hazard Phrases: H225: Highly flammable li H319: Causes serious eye H336: May cause drowsin GHS Precaution Phrase	tance or Mixture: to Regulation (EC) No 1272/2008 [CLP]: egory 2 re Irritation, Category 2 foxicity (single exposure), Category 3 regulation (EC) No 1272/2008 [CLP]: Danger iquid and vapor. e irritation. hess or dizziness. s:		
2.1.1	Classification according to Flammable Liquids, Cate Serious Eye Damage/Eye Specific Target Organ T Label Elements: Labeling according to Re Construction of the GHS Signal Word: GHS Hazard Phrases: H225: Highly flammable lit H319: Causes serious eye H336: May cause drowsin GHS Precaution Phrases P210: Keep away from {h	tance or Mixture: to Regulation (EC) No 1272/2008 [CLP]: egory 2 re Irritation, Category 2 foxicity (single exposure), Category 3 regulation (EC) No 1272/2008 [CLP]: Danger iquid and vapor. e irritation. hess or dizziness. s: eat/sparks/open flames/hot surfaces} No smoking.		
2.1.1	Classification according to Flammable Liquids, Cata Serious Eye Damage/Eye Specific Target Organ T Label Elements: Labeling according to Re Construction of the GHS Signal Word: GHS Hazard Phrases: H225: Highly flammable lit H319: Causes serious eye H336: May cause drowsin GHS Precaution Phrases: P210: Keep away from {h P280: Wear {protective gl	tance or Mixture: to Regulation (EC) No 1272/2008 [CLP]: egory 2 re Irritation, Category 2 roxicity (single exposure), Category 3 egulation (EC) No 1272/2008 [CLP]: Danger iquid and vapor. e irritation. hess or dizziness. s: leat/sparks/open flames/hot surfaces} No smoking. loves/protective clothing/eye protection/face protectio	n}.	
2.1.1 2.2	Classification according to Flammable Liquids, Cate Serious Eye Damage/Eye Specific Target Organ T Label Elements: Labeling according to Re Construction Construction GHS Signal Word: GHS Hazard Phrases: H225: Highly flammable lif H319: Causes serious eye H336: May cause drowsin GHS Precaution Phrases P210: Keep away from {h P280: Wear {protective gl P264: Wash {hands} thore	tance or Mixture: to Regulation (EC) No 1272/2008 [CLP]: egory 2 re Irritation, Category 2 roxicity (single exposure), Category 3 rgulation (EC) No 1272/2008 [CLP]: Danger iquid and vapor. e irritation. hess or dizziness. s: leat/sparks/open flames/hot surfaces} No smoking. loves/protective clothing/eye protection/face protectio oughly after handling.	n}.	
2.1.1	Classification according to Flammable Liquids, Cata Serious Eye Damage/Eye Specific Target Organ T Label Elements: Labeling according to Re Construction of the second GHS Signal Word: GHS Hazard Phrases: H225: Highly flammable lit H319: Causes serious eye H336: May cause drowsin GHS Precaution Phrases P210: Keep away from {h P280: Wear {protective gl P264: Wash {hands} thoro P261: Avoid breathing {du	tance or Mixture: to Regulation (EC) No 1272/2008 [CLP]: egory 2 re Irritation, Category 2 roxicity (single exposure), Category 3 egulation (EC) No 1272/2008 [CLP]: Danger iquid and vapor. e irritation. hess or dizziness. s: leat/sparks/open flames/hot surfaces} No smoking. loves/protective clothing/eye protection/face protectio oughly after handling. ust/fume/gas/mist/vapours/spray}.	n}.	
2.1.1	Classification according to Flammable Liquids, Cata Serious Eye Damage/Eye Specific Target Organ T Label Elements: Labeling according to Re GHS Signal Word: GHS Hazard Phrases: H225: Highly flammable li H319: Causes serious eye H336: May cause drowsin GHS Precaution Phrases P210: Keep away from {h P280: Wear {protective gl P264: Wash {hands} thord P261: Avoid breathing {du GHS Response Phrases P303+361+353: IF ON Se	tance or Mixture: to Regulation (EC) No 1272/2008 [CLP]: egory 2 re Irritation, Category 2 roxicity (single exposure), Category 3 egulation (EC) No 1272/2008 [CLP]: Danger iquid and vapor. e irritation. hess or dizziness. s: leat/sparks/open flames/hot surfaces} No smoking. loves/protective clothing/eye protection/face protectio oughly after handling. ust/fume/gas/mist/vapours/spray}.		
2.1.1 2.2	Classification according to Flammable Liquids, Cata Serious Eye Damage/Eye Specific Target Organ T Label Elements: Labeling according to Re Construction of the Construction GHS Signal Word: GHS Hazard Phrases: H225: Highly flammable lit H319: Causes serious eye H336: May cause drowsin GHS Precaution Phrases: P210: Keep away from {h P280: Wear {protective gl P264: Wash {hands} thoro P261: Avoid breathing {du GHS Response Phrasess P303+361+353: IF ON Se water/shower.	tance or Mixture: to Regulation (EC) No 1272/2008 [CLP]: egory 2 re Irritation, Category 2 roxicity (single exposure), Category 3 rgulation (EC) No 1272/2008 [CLP]: Danger iquid and vapor. e irritation. hess or dizziness. s: heat/sparks/open flames/hot surfaces} No smoking. loves/protective clothing/eye protection/face protection oughly after handling. ust/fume/gas/mist/vapours/spray}. s:	ninated clothing. Rinse skin with	
2.1.1	Classification according to Flammable Liquids, Cata Serious Eye Damage/Eye Specific Target Organ T Label Elements: Labeling according to Re Construction of the Construction GHS Signal Word: GHS Hazard Phrases: H225: Highly flammable lit H319: Causes serious eye H336: May cause drowsin GHS Precaution Phrases: P210: Keep away from {h P280: Wear {protective gl P264: Wash {hands} thoro P261: Avoid breathing {du GHS Response Phrasess P303+361+353: IF ON Se water/shower.	tance or Mixture: to Regulation (EC) No 1272/2008 [CLP]: egory 2 re Irritation, Category 2 Toxicity (single exposure), Category 3 regulation (EC) No 1272/2008 [CLP]: Danger iquid and vapor. e irritation. hess or dizziness. s: leat/sparks/open flames/hot surfaces} No smoking. loves/protective clothing/eye protection/face protection oughly after handling. ust/fume/gas/mist/vapours/spray}. S: KIN (or hair): Remove/take off immediately all contarr	ninated clothing. Rinse skin with	
2.1 2.1.1 2.2 2.2.1	Classification according to Flammable Liquids, Cata Serious Eye Damage/Eye Specific Target Organ T Label Elements: Labeling according to Re GHS Signal Word: GHS Hazard Phrases: H225: Highly flammable li H319: Causes serious eye H336: May cause drowsin GHS Precaution Phrases P210: Keep away from {h P280: Wear {protective gl P264: Wash {hands} thord P261: Avoid breathing {du GHS Response Phrases P303+361+353: IF ON Se water/shower. P305+351+338: IF IN EYE to do. Continue rinsing. P337+313: If eye irritation	tance or Mixture: to Regulation (EC) No 1272/2008 [CLP]: egory 2 re Irritation, Category 2 Toxicity (single exposure), Category 3 regulation (EC) No 1272/2008 [CLP]: Danger iquid and vapor. e irritation. hess or dizziness. s: leat/sparks/open flames/hot surfaces} No smoking. loves/protective clothing/eye protection/face protection oughly after handling. ust/fume/gas/mist/vapours/spray}. S: KIN (or hair): Remove/take off immediately all contarr	ninated clothing. Rinse skin with Remove contact lenses, if present and easy	



Revision: 03/31/2015 Supersedes Revision: 07/24/2007

P312: Call a {POISON CENTER/doctor/...} if you feel unwell.

GHS Storage and Disposal Phrases:

Please refer to Section 7 for Storage and Section 13 for Disposal information.

2.3 Adverse Human Health Causes serious eye irritation.

Effects and Symptoms: Material may be irritating to the mucous membranes and upper respiratory tract.

May be harmful by inhalation, ingestion, or skin absorption.

May cause drowsiness or dizziness.

May cause skin or respiratory system irritation.

To the best of our knowledge, the toxicological properties have not been thoroughly investigated.

Section 3. Composition/Information on Ingredients

CAS # / RTECS #	Hazardous Components (Chemical Name)/ REACH Registration No.	Concentration	EC No./ EC Index No.	GHS Classification
41691-92-3 NA	16,16-dimethyl Prostaglandin A2	1.0 %	NA NA	No data available.
79-20-9 Al9100000	Methyl acetate	99.0 %	201-185-2 607-021-00-X	Flam. Liq. 2: H225 Eye Damage 2: H319 STOT (SE) 3: H335 H336

Section 4. First Aid Measures

4.1 Description of First Aid No data available.

Measures:

In Case of Inhalation:	Remove to fresh air. If not breathing, give artificial respiration or give oxygen by trained personnel.			
	Get immediate medical attention.			
In Case of Skin Contact:	Immediately wash skin with soap and plenty of water for at least 15 minutes. Remove contaminated			

clothing. Get medical attention if symptoms occur. Wash clothing before reuse.

- In Case of Eye Contact: Hold eyelids apart and flush eyes with plenty of water for at least 15 minutes. Have eyes examined and tested by medical personnel.
- In Case of Ingestion: Wash out mouth with water provided person is conscious. Never give anything by mouth to an unconscious person. Get medical attention. Do NOT induce vomiting unless directed to do so by medical personnel.
- Important Symptoms and Exposure may cause: coughing, dizziness, drowsiness, headache, narcosis, optic nerve atrophy,
 Effects, Both Acute and chest tightness.

Delayed:

Section 5. Fire Fighting Measures

5.1	Suitable Extinguishing	Jse alcohol-resistant foam, carbon dioxide, water, or dry chemical spray.						
	Media:	Use water spray to cool fire-exposed containers.						
	Unsuitable Extinguishing	A solid water stream may be inefficient.						
	Media:							
5.2	Flammable Properties an	dCan release vapors that form explosive mixtures at temperatures at or above the flash point.						
	Hazards:	Container explosion may occur under fire conditions.						
		Emits toxic fumes under fire conditions.						
		Sensitive to static discharge.						
		Vapors can travel to a source of ignition and flash back.						
	Flash Pt:	-10.00 C Method Used: Closed Cup						
	Explosive Limits:	LEL: 3.1% at 25.0 C UEL: 16.0% at 25.0 C						
	Autoignition Pt:	455.00 C						



Revision: 03/31/2015 Supersedes Revision: 07/24/2007

	CHEMICAL			Superseues Re	01/24/2001	
5.3	Fire Fighting Instruction	is: As in any fire, wear s	elf-contained breathing appara	atus pressure-demand (NIOS	SH approved or	
		equivalent), and full p	protective gear to prevent cont	act with skin and eyes.		
		Note: Flammable as	diluted in methyl acetate.			
		Section 6. Ac	cidental Release M	easures		
6.1	Protective Precautions,	Avoid breathing vap	ors and provide adequate vent	ilation.		
	Protective Equipment a	nd As conditions warrar	nt, wear a NIOSH approved se	lf-contained breathing appar	atus, or respirato	
	Emergency Procedures	and appropriate pers	sonal protection (rubber boots,	safety goggles, and heavy r	ubber gloves).	
6.2	Environmental	Take steps to avoid	release into the environment, i	f safe to do so.		
	Precautions:					
6.3	Methods and Material Fe	or Contain spill and col	lect, as appropriate.			
	Containment and Cleani	ingTransfer to a chemic	al waste container for disposa	I in accordance with local reg	gulations.	
	Up:					
		Section 7.	. Handling and Stor	age		
7.1	Precautions To Be Take	n Avoid breathing dust/	/fume/gas/mist/vapours/spray.			
	in Handling:	Avoid prolonged or re	epeated exposure.			
		Keep away from sour	rces of ignition.			
		Take precautionary n	neasures against static discha	rge.		
7.2	Precautions To Be Take	n Keep away from hea	t, sparks, and flame.			
	in Storing:	Keep container tightly	y closed.			
	-	Store in accordance	with information listed on the p	roduct insert.		
	Other Precautions:	Protect from moisture	9.			
	Sec	ction 8. Exposu	ire Controls/Person	al Protection		
8.1	Exposure Parameters:					
CAS	# Partial Chemica	al Name	Britain EH40	France VL	Europe	

CAS #	Partial Chemical Name	Britain EH40	France VL	Europe
41691-92-3	16,16-dimethyl Prostaglandin A2	No data.	No data.	No data.
79-20-9 Methyl acetate		TWA: 616 mg/m3 (200 ppm) STEL: 770 mg/m3 (250 ppm)		
CAS #	Partial Chemical Name	OSHA TWA	ACGIH TWA	Other Limits
41691-92-3	16,16-dimethyl Prostaglandin A2	No data.	No data.	No data.
79-20-9	Methyl acetate	PEL: 200 ppm	TLV: 200 ppm STEL: 250 ppm	No data.

8.2.1 Engineering Controls Use process enclosures, local exhaust ventilation, or other engineering controls to control airborne (Ventilation etc.): levels below recommended exposure limits.

8.2.2 Personal protection equipment:

i oloollai protootioli oqui	
Eye Protection:	Safety glasses
Protective Gloves:	Compatible chemical-resistant gloves
Other Protective Clothing	g:Lab coat
Respiratory Equipment	NIOSH approved respirator, as conditions warrant.
(Specify Type):	
Work/Hygienic/Maintenar	Do not take internally.
ce Practices:	Facilities storing or utilizing this material should be equipped with an eyewash and a safety shower.
	Wash thoroughly after handling.
	No data available.
	Protective Gloves: Other Protective Clothing Respiratory Equipment (Specify Type): Work/Hygienic/Maintenar

Multi-region format



Revision: 03/31/2015 Supersedes Revision: 07/24/2007

		Supersedes Revision: 07/24/2007
		Section 9. Physical and Chemical Properties
9.1	Information on Basic Phy	ysical and Chemical Properties
	Physical States:	[]Gas [X]Liquid []Solid
	Appearance and Odor:	A solution in methyl acetate
	Melting Point:	No data.
	Boiling Point:	No data.
	Flash Pt:	-10.00 C Method Used: Closed Cup
	Evaporation Rate:	No data.
	Explosive Limits:	LEL: 3.1% at 25.0 C UEL: 16.0% at 25.0 C
	Vapor Pressure (vs. Air	or mm 173 MM_HG at 20.0 C
	Hg):	
	Vapor Density (vs. Air =	1): No data.
	Specific Gravity (Water :	= 1): No data.
	Solubility in Water:	No data.
	Autoignition Pt:	455.00 C
9.2	Other Information	
	Percent Volatile:	No data.
	Molecular Formula & We	eight: C22H34O4 362.5
		Section 10. Stability and Reactivity
10.1	Reactivity:	No data available.
10.2	Stability:	Unstable [] Stable [X]
10.3	Stability Note(s):	Stable if stored in accordance with information listed on the product insert.
	Polymerization:	Will occur [] Will not occur [X]
10.4	Conditions To Avoid:	heat, flames and sparks
10.5	Incompatibility - Materia	
10.0	To Avoid:	alkalis
		nitrates
		strong oxidizing agents
10.6	Hazardous	carbon dioxide
	Decomposition Or	carbon monoxide
	Byproducts:	



	Revision:	03/31/2015
Supersedes	Revision:	07/24/2007

	lu (ogical Informa		and and	
11.1	Information		-	-	oduct have not been			0 707 //
	Toxicolog	gical Effects:	-	-	ral LD50 (rat): >5,000			3,705 mg/kg
				; Inhalation TCLO (h	-	-		
			Methyl Acetate - moderate;	Irritation Data: S	kin (rabbit): 500 mg (24h) mild; Ey	es (rabbit): 100) mg (24h)
	Chronic 1	Foxicological	Only select Regi	stry of Toxic Effe	cts of Chemical Subs	stances (RTE	CS) data is pre	sented here.
	Effects:		See actual entry	in RTECS for co	mplete information.			
			Methyl Acetate R	RTECS Number:	AI9100000			
Carci	nogenicity:	:	NTP? No IA	RC Monographs	? No OSHA Re	gulated? No		
CAS	#	Hazardous Com	ponents (Chemical Name) NTP		NTP	IARC	ACGIH	OSHA
416	91-92-3	16,16-dimethyl Pr	ostaglandin A2		n.a.	n.a.	n.a.	n.a.
79	9-20-9	Methyl acetate			n.a.	n.a.	n.a.	n.a.
			Section	12. Ecolog	gical Informati	on		
12.1	Toxicity:		Avoid release int	o the environme	nt.			
	-		Runoff from fire	control or dilution	water may cause po	ollution.		
12.2	Persisten	ice and	No data available	э.				
	Degradab	oility:						
12.3	Bioaccun	nulative	No data available.					
	Potential	:						
12.4	Mobility i	n Soil:	No data available	Э.				
12.5	Results o	of PBT and vPvB	No data available	е.				
	assessme	ent:						
12.6	Other adv	verse effects:	No data available	е.				
			Section 2	13. Disposa	al Considerati	ons		
13.1	Waste Dis	sposal Method:	Dispose in accor	dance with local,	state, and federal re	gulations.		
			Sectior	14. Trans	port Informati	on		
14.1		ANSPORT (US I	DOT):					
D	OT Proper	Shipping Name:	Methyl Aceta	ate Solution				
C	OT Hazard	Class:	3	FLAMMABLI	E LIQUID			
ι	JN/NA Num	ber:	1231		Packing Grou	o:	II	
			, the second sec					
			3					
14.1		ANSPORT (Euro	→ opean ADR/RID):					
	DR/RID Sh	ipping Name:	Methyl Aceta	ate Solution				
4	UN Number:		1231		Packing Grou	o:	Ш	
	IN NUMBER.							
ι	lazard Clas	s:	3 - FLAMMA					
ι		s:	3 - FLAMMA					
ι		s:	3 - FLAMMA					
ι		s:	3 - FLAMMA					
ι		s:	3 - FLAMMA					



Revision: 03/31/2015 Supersedes Revision: 07/24/2007

ICAO/IATA Shipping Name:	Methyl Acetate Solution					
UN Number:	1231	Packing Group:	II			
Hazard Class:	3 - FLAMMABLE LIQUID	IATA Classification:	3			
Additional Transport	Transport in accordance with local, state, and federal regulations.					
Information: When sold in quantities of less than or equal to 1 mL, or 1 g, with an Excepted Qu						
	E1, E2, E4, or E5, this item meets the De Minimis Quantities exemption, per IATA 2.6.10.					
	Therefore packaging does not have	ve to be labeled as Dangerous Go	oods/Excepted Quantity.			

Section 15. Regulatory Information

CAS #	Hazardous Components (Chemical Name)		S. 302 (EHS)	S. 304 RQ	S. 313 (TRI)
41691-92-3	16,16-dimethyl Prostaglandin A2		No	No	No
79-20-9	Methyl acetate		No	No	No
CAS #	Hazardous Components (Chemical Name)		Other US EPA or State Lists		
41691-92-3	16,16-dimethyl Prostaglandin A2		CAA HAP,ODC: No; CWA NPDES: No; TSCA: No; CA PROP.65: No		
79-20-9	Methyl acetate		CAA HAP,ODC: No; CWA NPDES: No; TSCA: Yes - Inventory, 4 Test, 8A PAIR; CA PROP.65: No		
Regulatory Information Statement:		This SDS was prepared in accordance with 29 CFR 1910.1200 and Regulation (EC) No.1272/2008.			
		Section 16. Ot	her Informatio	on	
Revision Date:		03/31/2015			
Additional Information About This Product:		No data available.			
Company Policy or Disclaimer:		DISCLAIMER: This information currently available to us. Howe express or implied, with respec- use. Users should make their their particular purposes.	ever, we make no wa ct to such informatior	rranty of merchanta n, and we assume r	ability or any other warranty no liability resulting from its