

	Revision:	04/22/2015
Supersedes	Revision:	01/16/2007

		ording to Regulation (EC) No. 1907/2006 as amended by	
	Section 1. I	dentification of the Substance/Mixture and of the	ne Company/Undertaking
I.1	Product Code:	10310	
	Product Name:	Prostaglandin A3	
	Synonyms:	9-oxo-15S-hydroxy-prosta-5Z,10,13E,17Z-tetra	aen-1-oic acid; PGA3;
.2	Relevant identified uses of	f the substance or mixture and uses advised ag	ainst:
	Relevant identified uses:	For research use only, not for human or vetering	nary use.
.3	Details of the Supplier of t	he Safety Data Sheet:	
	Company Name:	Cayman Chemical Company 1180 E. Ellsworth Rd. Ann Arbor, MI 48108	
	Web site address:	www.caymanchem.com	
	Information:	Cayman Chemical Company	+1 (734)971-3335
.4	Emergency telephone nun	nber:	
	Emergency Contact:	CHEMTREC Within USA and Canada:	+1 (800)424-9300
		CHEMTREC Outside USA and Canada:	+1 (703)527-3887
		Section 2. Hazards Identific	ation
	Classification according t Flammable Liquids, Cate		
2.1.1	Classification according to Flammable Liquids, Cate Serious Eye Damage/Eye Specific Target Organ To Label Elements:	o Regulation (EC) No 1272/2008 [CLP]: egory 2	
2.1.1	Classification according to Flammable Liquids, Cate Serious Eye Damage/Eye Specific Target Organ To Label Elements:	o Regulation (EC) No 1272/2008 [CLP]: egory 2 e Irritation, Category 2 oxicity (single exposure), Category 3	
2.1.1	Classification according to Flammable Liquids, Cate Serious Eye Damage/Eye Specific Target Organ To Label Elements: Labeling according to Reg	o Regulation (EC) No 1272/2008 [CLP]: egory 2 e Irritation, Category 2 oxicity (single exposure), Category 3 gulation (EC) No 1272/2008 [CLP]:	
2.1.1	Classification according to Flammable Liquids, Cate Serious Eye Damage/Eye Specific Target Organ To Label Elements: Labeling according to Reg GHS Signal Word: GHS Hazard Phrases:	o Regulation (EC) No 1272/2008 [CLP]: egory 2 e Irritation, Category 2 oxicity (single exposure), Category 3 gulation (EC) No 1272/2008 [CLP]:	
2.1.1	Classification according to Flammable Liquids, Cate Serious Eye Damage/Eye Specific Target Organ To Label Elements: Labeling according to Reg Office Target Organ To Label Elements: Labeling according to Reg GHS Signal Word: GHS Hazard Phrases: EUH066: Repeated expose H225: Highly flammable light	o Regulation (EC) No 1272/2008 [CLP]: egory 2 e Irritation, Category 2 oxicity (single exposure), Category 3 gulation (EC) No 1272/2008 [CLP]: Danger sure may cause skin dryness or cracking. quid and vapor.	
2.1.1 2.2	Classification according to Flammable Liquids, Cate Serious Eye Damage/Eye Specific Target Organ To Label Elements: Labeling according to Reg GHS Signal Word: GHS Hazard Phrases: EUH066: Repeated expose H225: Highly flammable line H319: Causes serious eye	o Regulation (EC) No 1272/2008 [CLP]: egory 2 e Irritation, Category 2 oxicity (single exposure), Category 3 gulation (EC) No 1272/2008 [CLP]: Danger sure may cause skin dryness or cracking. quid and vapor.	
2.1.1 2.2	Classification according to Flammable Liquids, Cate Serious Eye Damage/Eye Specific Target Organ To Label Elements: Labeling according to Reg GHS Signal Word: GHS Hazard Phrases: EUH066: Repeated expose H225: Highly flammable lie H319: Causes serious eye H336: May cause drowsin	o Regulation (EC) No 1272/2008 [CLP]: egory 2 e Irritation, Category 2 oxicity (single exposure), Category 3 gulation (EC) No 1272/2008 [CLP]: Danger bure may cause skin dryness or cracking. quid and vapor. e irritation. ess or dizziness.	
2.1.1 2.2	Classification according to Flammable Liquids, Cate Serious Eye Damage/Eye Specific Target Organ To Label Elements: Labeling according to Reg Office Control of the Control of the GHS Signal Word: GHS Hazard Phrases: EUH066: Repeated expose H225: Highly flammable lite H319: Causes serious eye H336: May cause drowsin GHS Precaution Phrases	o Regulation (EC) No 1272/2008 [CLP]: egory 2 e Irritation, Category 2 oxicity (single exposure), Category 3 gulation (EC) No 1272/2008 [CLP]: Danger sure may cause skin dryness or cracking. quid and vapor. e irritation. ess or dizziness.	
2.1.1 2.2	Classification according to Flammable Liquids, Cate Serious Eye Damage/Eye Specific Target Organ To Label Elements: Labeling according to Reg Office Content of the content GHS Signal Word: GHS Hazard Phrases: EUH066: Repeated expose H225: Highly flammable life H319: Causes serious eye H336: May cause drowsin GHS Precaution Phrases P210: Keep away from {here	o Regulation (EC) No 1272/2008 [CLP]: egory 2 e Irritation, Category 2 oxicity (single exposure), Category 3 gulation (EC) No 1272/2008 [CLP]: Danger Sure may cause skin dryness or cracking. quid and vapor. e irritation. ess or dizziness. :: eat/sparks/open flames/hot surfaces} No smoking	J.
2.1.1 2.2	Classification according to Flammable Liquids, Cate Serious Eye Damage/Eye Specific Target Organ To Label Elements: Labeling according to Reg Office Control of the Control of the GHS Signal Word: GHS Hazard Phrases: EUH066: Repeated expose H225: Highly flammable life H319: Causes serious eye H336: May cause drowsin GHS Precaution Phrases P210: Keep away from {he P261: Avoid breathing {du	o Regulation (EC) No 1272/2008 [CLP]: egory 2 e Irritation, Category 2 oxicity (single exposure), Category 3 gulation (EC) No 1272/2008 [CLP]: Danger Sure may cause skin dryness or cracking. quid and vapor. e irritation. ess or dizziness. 5: eat/sparks/open flames/hot surfaces} No smoking st/fume/gas/mist/vapors/spray}.	J.
2.1.1 2.2	Classification according to Flammable Liquids, Cate Serious Eye Damage/Eye Specific Target Organ To Label Elements: Labeling according to Reg GHS Signal Word: GHS Hazard Phrases: EUH066: Repeated expose H225: Highly flammable life H319: Causes serious eye H336: May cause drowsin GHS Precaution Phrases P210: Keep away from {he P261: Avoid breathing {du P264: Wash {hands} thore	o Regulation (EC) No 1272/2008 [CLP]: egory 2 e Irritation, Category 2 oxicity (single exposure), Category 3 gulation (EC) No 1272/2008 [CLP]: Danger sure may cause skin dryness or cracking. quid and vapor. e irritation. ess or dizziness. s: eat/sparks/open flames/hot surfaces} No smoking st/fume/gas/mist/vapors/spray}. oughly after handling.	
2.1.1 2.2	Classification according to Flammable Liquids, Cate Serious Eye Damage/Eye Specific Target Organ To Label Elements: Labeling according to Reg Office Control of the Control of the GHS Signal Word: GHS Hazard Phrases: EUH066: Repeated expose H225: Highly flammable life H319: Causes serious eye H336: May cause drowsin GHS Precaution Phrases P210: Keep away from {he P261: Avoid breathing {du P264: Wash {hands} thoro P280: Wear {protective glates}	o Regulation (EC) No 1272/2008 [CLP]: egory 2 e Irritation, Category 2 oxicity (single exposure), Category 3 gulation (EC) No 1272/2008 [CLP]: Danger Sure may cause skin dryness or cracking. quid and vapor. e irritation. ess or dizziness. S: eat/sparks/open flames/hot surfaces} No smoking st/fume/gas/mist/vapors/spray}. oughly after handling. poes/protective clothing/eye protection/face protecti	
2.1.1 2.2	Classification according to Flammable Liquids, Cate Serious Eye Damage/Eye Specific Target Organ To Label Elements: Labeling according to Reg Office Control of the Control GHS Signal Word: GHS Hazard Phrases: EUH066: Repeated expose H225: Highly flammable lite H319: Causes serious eye H336: May cause drowsin GHS Precaution Phrases P210: Keep away from {he P261: Avoid breathing {du P264: Wash {hands} thoro P280: Wear {protective glo	o Regulation (EC) No 1272/2008 [CLP]: egory 2 e Irritation, Category 2 oxicity (single exposure), Category 3 gulation (EC) No 1272/2008 [CLP]: Danger Sure may cause skin dryness or cracking. quid and vapor. e irritation. ess or dizziness. S: eat/sparks/open flames/hot surfaces} No smoking st/fume/gas/mist/vapors/spray}. oughly after handling. poes/protective clothing/eye protection/face protecti	ion}.
2.1.1 2.2	Classification according to Flammable Liquids, Cate Serious Eye Damage/Eye Specific Target Organ To Label Elements: Labeling according to Reg Office Control of the Control GHS Signal Word: GHS Hazard Phrases: EUH066: Repeated expose H225: Highly flammable lite H319: Causes serious eye H336: May cause drowsin GHS Precaution Phrases P210: Keep away from {he P261: Avoid breathing {du P264: Wash {hands} thoro P280: Wear {protective glo	o Regulation (EC) No 1272/2008 [CLP]: egory 2 e Irritation, Category 2 oxicity (single exposure), Category 3 gulation (EC) No 1272/2008 [CLP]: Danger sure may cause skin dryness or cracking. quid and vapor. e irritation. ess or dizziness. s: eat/sparks/open flames/hot surfaces} No smoking st/fume/gas/mist/vapors/spray}. oughly after handling. oves/protective clothing/eye protection/face protecti	ion}.
2.1.1 2.2	Classification according to Flammable Liquids, Cate Serious Eye Damage/Eye Specific Target Organ To Label Elements: Labeling according to Reg Office Control of the Control GHS Signal Word: GHS Hazard Phrases: EUH066: Repeated expose H225: Highly flammable lie H319: Causes serious eye H336: May cause drowsin GHS Precaution Phrases P210: Keep away from {he P261: Avoid breathing {du P264: Wash {hands} thoro P280: Wear {protective gle GHS Response Phrases P303+361+353: IF ON Sk water/shower.	o Regulation (EC) No 1272/2008 [CLP]: egory 2 e Irritation, Category 2 oxicity (single exposure), Category 3 gulation (EC) No 1272/2008 [CLP]: Danger sure may cause skin dryness or cracking. quid and vapor. e irritation. ess or dizziness. s: eat/sparks/open flames/hot surfaces} No smoking st/fume/gas/mist/vapors/spray}. oughly after handling. oves/protective clothing/eye protection/face protecti	on}. minated clothing. Rinse skin with
2.1 2.1.1 2.2 2.2.1	Classification according to Flammable Liquids, Cate Serious Eye Damage/Eye Specific Target Organ To Label Elements: Labeling according to Reg Office Control of the Control GHS Signal Word: GHS Hazard Phrases: EUH066: Repeated expose H225: Highly flammable life H319: Causes serious eye H336: May cause drowsin GHS Precaution Phrases P210: Keep away from the P261: Avoid breathing the P264: Wash thands thoro P280: Wear thands thands thoro P280: Wear thands thoro P280: Wear thands tha	o Regulation (EC) No 1272/2008 [CLP]: egory 2 e Irritation, Category 2 oxicity (single exposure), Category 3 gulation (EC) No 1272/2008 [CLP]: Danger sure may cause skin dryness or cracking. quid and vapor. e irritation. ess or dizziness. S: eat/sparks/open flames/hot surfaces} No smoking st/fume/gas/mist/vapors/spray}. oughly after handling. oves/protective clothing/eye protection/face protecti clin (or hair): Remove/take off immediately all contain	on}. minated clothing. Rinse skin with ition comfortable for breathing.



Revision: 04/22/2015 Supersedes Revision: 01/16/2007

P312: Call a POISON CENTER or doctor/physician if you feel unwell. P337+313: If eye irritation persists, get medical advice/attention.

GHS Storage and Disposal Phrases:

Please refer to Section 7 for Storage and Section 13 for Disposal information.

2.3 Adverse Human Health Causes serious eye irritation.

Effects and Symptoms: Material may be irritating to the mucous membranes and upper respiratory tract.

May be harmful by inhalation, ingestion, or skin absorption.

May cause drowsiness or dizziness.

May cause skin or respiratory system irritation.

Repeated exposure may cause skin dryness or cracking.

To the best of our knowledge, the toxicological properties have not been thoroughly investigated.

Section 3. Composition/Information on Ingredients

CAS # / RTECS #	Hazardous Components (Chemical Name)/ REACH Registration No.	Concentration	EC No./ EC Index No.	GHS Classification
36614-31-0 NA	Prostaglandin A3	0.01 %	NA NA	No data available.
79-20-9 Al9100000	Methyl acetate	99.99 %	201-185-2 607-021-00-X	Flam. Liq. 2: H225 Eye Damage 2: H319 STOT (SE) 3: H335 H336

Section 4. First Aid Measures

4.1 Description of First Aid No data available.

In Case of Inhalation:	Remove to fresh air. If not breathing, give artificial respiration or give oxygen by trained personnel. Get immediate medical attention.
	here a distant when a big with a second a law to of water for at least 45 minutes. Demons a sector single d

In Case of Skin Contact: Immediately wash skin with soap and plenty of water for at least 15 minutes. Remove contaminated clothing. Get medical attention if symptoms occur. Wash clothing before reuse.

In Case of Eye Contact: Hold eyelids apart and flush eyes with plenty of water for at least 15 minutes. Have eyes examined and tested by medical personnel.

In Case of Ingestion: Wash out mouth with water provided person is conscious. Never give anything by mouth to an unconscious person. Get medical attention. Do NOT induce vomiting unless directed to do so by medical personnel.

4.2 Important Symptoms and Exposure may cause: coughing, dizziness, drowsiness, headache, narcosis, optic nerve atrophy,Effects, Both Acute and chest tightness.

Delayed:

Measures:

Section 5. Fire Fighting Measures

5.1 Suitable Extinguishing Media: Use alcohol-resistant foam, carbon dioxide, water, or dry chemical spray. Use water spray to cool fire-exposed containers. Unsuitable Extinguishing A solid water stream may be inefficient. Media:
5.2 Flammable Properties and Can release vapors that form explosive mixtures at temperatures at or above the flash point. Hazards: Container explosion may occur under fire conditions. Emits toxic fumes under fire conditions. Sensitive to static discharge. Vapors can travel to a source of ignition and flash back.

Flash Pt: -10.00 C Method Used: Closed Cup



Cay	man				11050	agianu	maj		evision: 04/22/2015 evision: 01/16/2007
	Explosi	ve Limits:	LEL: 3.	1% at	25.0 C	UEL:	16.0%	at 25.0 C	
	Autoign	ition Pt:	455.00 C						
5.3	Fire Fig	hting Instructions	equivalen	it), and full		gear to pre	event cont	atus pressure-demand (NIO act with skin and eyes.	SH approved or
			Sectio	∩6. Ao	ccidenta	al Rele	ase M	easures	
6.1	Protecti	ive Precautions, ive Equipment and ency Procedures:	d As condi	tions warra		NIOSH ap	proved se	tilation. If-contained breathing appa , safety goggles, and heavy	
6.2	Environ Precaut		Take ste	os to avoid	I release int	o the envi	ironment, i	if safe to do so.	
6.3		s and Material Fo ment and Cleanir		-				al in accordance with local re	egulations.
			Se	ction 7	7. Hand	lling ar	nd Stor	rage	
7.1	Precaut	ions To Be Taken	Avoid bre	athing dus	st/fume/gas/	mist/vapo	urs/spray.		
	in Hand	lling:	Avoid pro	longed or i	repeated ex	posure.			
			Keep awa	ay from sou	urces of igni	ition.			
			Take pred	cautionary	measures a	against sta	atic discha	rge.	
7.2	Precaut	ions To Be Taken	-	-	-	and flame.			
	in Stori	ng:	-	tainer tight	-				
	Other P	recautions:		iccordance om moistui		ation liste	d on the p	product insert.	
		Sec	tion 8.	Expos	ure Cor	ntrols/F	Person	al Protection	
8.1	Exposur	e Parameters:							
CAS	#	Partial Chemical	Name		Britain I	EH40		France VL	Europe
366	14-31-0	Prostaglandin A3			No data.			No data.	No data.
79)-20-9	Methyl acetate				6 mg/m3 (2 0 mg/m3 (2		TWA: 610 mg/m3 (200 ppm) STEL: 760 mg/m3 (250 ppm)	No data.

		STEL: 770 mg/m3 (250 ppm)	STEL: 760 mg/m3 (250 ppm)	
CAS #	Partial Chemical Name	OSHA TWA	ACGIH TWA	Other Limits
36614-31-0	Prostaglandin A3	No data.	No data.	No data.
79-20-9	Methyl acetate	PEL: 200 ppm	TLV: 200 ppm STEL: 250 ppm	No data.
•	re Controls: ering Controls Use process enclosu	res, local exhaust ventilation, o	or other engineering controls	to control airborne

(Ventilation etc.):levels below recommended exposure limits.8.2.2Personal protection equi>ent:Eye Protection:Safety glassesProtective Gloves:Compatible chemical-resistant glovesOther Protective Clothing:Lab coatRespiratory EquipmentNIOSH approved respirator, as conditions warrant.(Specify Type):Do not take internally.ce Practices:Facilities storing or utilizing this material should be equipped with an eyewash and a safety shower.

Multi-region format



Supersedes Revision: 01/16/2007

		No data available.
	Se	ection 9. Physical and Chemical Properties
.1	Information on Basic Phys	ical and Chemical Properties
	Physical States:	[] Gas [X] Liquid [] Solid
	Appearance and Odor:	A solution in methyl acetate
	Melting Point:	No data.
	Boiling Point:	No data.
	Flash Pt:	-10.00 C Method Used: Closed Cup
	Evaporation Rate:	No data.
	Explosive Limits:	LEL: 3.1% at 25.0 C UEL: 16.0% at 25.0 C
	Vapor Pressure (vs. Air or	mm 173 MM_HG at 20.0 C
	Hg):	
	Vapor Density (vs. Air = 1)	
	Specific Gravity (Water = 1	
	Solubility in Water:	No data.
	Autoignition Pt:	455.00 C
9.2	Other Information	
	Percent Volatile:	No data.
	Molecular Formula & Weig	Jht: C20H28O4 332.4
		Section 10. Stability and Reactivity
0.1	Reactivity:	No data available.
0.2		Unstable [] Stable [X]
0.3	-	Stable if stored in accordance with information listed on the product insert.
		Will occur [] Will not occur [X]
0.4	Conditions To Avoid:	heat, flames and sparks
10.5	Incompatibility - Materials	
		alkalis
		nitrates
		strong oxidizing agents
10.6	Hazardous	carbon dioxide
	Decomposition Or	carbon monoxide
	Byproducts:	



Revision: 04/22/2015 Supersedes Revision: 01/16/2007

			Section	11. Toxicolog	lical Informa	ation		
1.1 Information on Toxicological Effects: Chronic Toxicological			Methyl Acetate Skin LD50 (rat Methyl Acetate moderate;	cal effects of this prod e - Toxicity Data: Oral obit): >5,000 mg/kg; In e - Irritation Data: Skin	LD50 (rat): >5,00 halation TCLO (h n (rabbit): 500 mg	0 mg/kg; Oral numan): 15,000 (24h) mild; Ey	LD50 (rabbit): 0 mg/m3; es (rabbit): 100) mg (24h)
	Effects:	TOXICOlOgical	Only select Registry of Toxic Effects of Chemical Substances (RTECS) data is presented here. See actual entry in RTECS for complete information. Methyl Acetate RTECS Number: Al9100000					
Carci	nogenicity	<i>ı</i> :	NTP? No	IARC Monographs?	No OSHA Re	egulated? No		
CAS	#	Hazardous Com	ponents (Chen	nical Name)	NTP	IARC	ACGIH	OSHA
366	14-31-0	Prostaglandin A3			n.a.	n.a.	n.a.	n.a.
79	-20-9	Methyl acetate			n.a.	n.a.	n.a.	n.a.
		•	Sectio	n 12. Ecologic	cal Informat	ion	·	·
2.1	Toxicity:	:		into the environment.				
			Runoff from fir	e control or dilution wa	ater may cause p	ollution.		
12.2	Persiste Degrada		No data availa	ble.				
12.3	Bioaccu Potentia		No data available.					
12.4	Mobility	in Soil:	No data availa	ble.				
12.5	Results	of PBT and vPvB	No data availa	ble.				
	assessm	nent:						
12.6	Other ad	verse effects:	No data availa	ble.				
			Section	13. Disposal	Considerat	ions		
13.1	Waste D	isposal Method:	Dispose in acc	cordance with local, st	ate and federal w	egulations.		
13.1					ate, and rederal re	galationer		
			Sectio	on 14. Transpo				
14.1	LAND T	RANSPORT (US I		on 14. Transpo				
14.1		RANSPORT (US I r Shipping Name:	DOT):	on 14. Transpo				
14.1 D		r Shipping Name:	DOT):	•	ort Informat			
14.1 D	OT Prope	r Shipping Name: d Class:	D OT): Methyl Ac	etate Solution	ort Informat	ion	11	
14.1 D	OT Prope OT Hazaro	r Shipping Name: d Class:	DOT): Methyl Ac 3	etate Solution	ort Informat	ion	II	
14.1 D U 14.1	OT Prope OT Hazard N/NA Nun LAND T	r Shipping Name: d Class: nber: RANSPORT (Euro	DOT): Methyl Ac 3 1231	etate Solution FLAMMABLE L	ort Informat	ion	II	
14.1 D U 14.1	OT Prope OT Hazard N/NA Nun LAND T DR/RID SI	r Shipping Name: d Class: nber: RANSPORT (Euro hipping Name:	DOT): Methyl Ac 3 1231	etate Solution FLAMMABLE L	ort Informat	ion ıp:		
14.1 D U 14.1 A U	OT Prope OT Hazard N/NA Nun LAND T	r Shipping Name: d Class: nber: RANSPORT (Euro hipping Name: r:	DOT): Methyl Ac 3 1231 Methyl Ac 1231	etate Solution FLAMMABLE L	ort Informat	ion ıp:	11	



Revision: 04/22/2015 Supersedes Revision: 01/16/2007

14.3 AIR TRANSPORT (ICAO/IATA): ICAO/IATA Shipping Name: Methyl Acetate Solution **UN Number:** Packing Group: Ш 1231 3 - FLAMMABLE LIQUID Hazard Class: IATA Classification: 3 Transport in accordance with local, state, and federal regulations. Additional Transport Information: When sold in quantities of less than or equal to 1 mL, or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minimis Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled as Dangerous Goods/Excepted Quantity. Section 15. Regulatory Information EPA SARA (Superfund Amendments and Reauthorization Act of 1986) Lists CAS # Hazardous Components (Chemical Name) S. 302 (EHS) S. 304 RQ S. 313 (TRI) 36614-31-0 Prostaglandin A3 No No No 79-20-9 Methyl acetate No No No CAS # Hazardous Components (Chemical Name) Other US EPA or State Lists CAA HAP.ODC: No: CWA NPDES: No: TSCA: No: CA 36614-31-0 Prostaglandin A3 PROP.65: No 79-20-9 Methyl acetate CAA HAP, ODC: No; CWA NPDES: No; TSCA: Yes -Inventory, 4 Test, 8A PAIR; CA PROP.65: No This SDS was prepared in accordance with 29 CFR 1910.1200 and Regulation (EC) **Regulatory Information** No.1272/2008. Statement: Section 16. Other Information **Revision Date:** 04/22/2015 Additional Information About No data available. This Product: Company Policy or Disclaimer: DISCLAIMER: This information is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes.

Multi-region format