

KQ6300000

01-2119457610-43

SAFETY DATA SHEET Eicosapentaenoyl Ethanolamide

Revision: 11/26/2018 Supersedes Revision: 05/17/2013

						•			
		according	to Regulation (EC) No. 1907/2006 as	amended by (EC) No. 2015/8	330 and US OSHA HCS	2015			
		Section 1. Ic	dentification of the Substa	nce/Mixture and of	the Company/Ur	ndertaking			
1.1	Produc	t Code:	10964						
	Produc	t Name:	Eicosapentaenoyl Ethan	olamide					
	Synony	/ms:	N-(2-hydroxyethyl)-5Z,8		apentaenamide; E	EPEA;			
.2						,			
.2			the substance or mixture		-				
Relevant identified uses: For research use only, not for human or veterinary use.									
.3			e Safety Data Sheet:						
	Comp	oany Name:	Cayman Chemical Com	pany					
			1180 E. Ellsworth Rd.						
	Wah	site address:	Ann Arbor, MI 48108						
			www.caymanchem.com		.4 (70	4)074 0005			
		nation:	Cayman Chemical Com	pany	+1 (734	4)971-3335			
1.4	-	ency telephone num							
	Emer	gency Contact:	CHEMTREC Within USA			0)424-9300			
			CHEMTREC Outside US	SA and Canada:	+1 (70	3)527-3887			
			Section 2. Ha	zards Identific	cation				
2.1	Classif	ication of the Substa	ance or Mixture:						
	Flammable Liquids, Category 2								
2.2									
	GHS Signal Word: Danger								
	GHS Hazard Phrases:								
	H225: Highly flammable liquid and vapor.								
	GHS Precaution Phrases:								
	P210: Keep away from {heat/sparks/open flames/hot surfaces} No smoking.								
	P280: Wear {protective gloves/protective clothing/eye protection/face protection}.								
	GHS Response Phrases:								
	P303+361+353: IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with water/shower.								
	GHS Storage and Disposal Phrases:								
	Please refer to Section 7 for Storage and Section 13 for Disposal information.								
2.3	Advers	se Human Health	Material may be irritating to	the mucous membrar	nes and upper res	spiratory tract.			
	Effects and Symptoms: May be harmful by inhalation, ingestion, or skin absorption.								
			May cause eye, skin, or resp	piratory system irritati	ion.				
			To the best of our knowledg	e, the toxicological pr	roperties have not	been thoroughly investigated.			
		Section	on 3. Compositior	n/Information	on Ingredie	nts			
CAS	#/	Hazardous Compo	onents (Chemical Name)/	Concentration	EC No./	GHS Classification			
RTEC		REACH Registration			EC Index No.				
10900 NA	01-03-8	Eicosapentaenoyl Eth	anolamide	5.0 %	NA NA	No data available.			
	-17-5	Ethyl alcohol		05.0.%		Flom Lig 2: H225			
04·	- 17-0			95.0 %	200-578-6	Flam. Liq. 2: H225			

Multi-region format

603-002-00-5



Revision: 11/26/2018 Supersedes Revision: 05/17/2013

Case of Eye Contact: Case of Ingestion: portant Symptoms and fects, Both Acute and elayed: itable Extinguishing edia: isuitable Extinguishing edia:	Remove to fresh air. If not breathing, give artificial respiration or give oxygen by trained personnel. Get immediate medical attention. Immediately wash skin with soap and plenty of water for at least 20 minutes. Remove contaminated clothing. Get medical attention if symptoms occur. Wash clothing before reuse. Hold eyelids apart and flush eyes with plenty of water for at least 20 minutes. Have eyes examined and tested by medical personnel. Wash out mouth with water provided person is conscious. Never give anything by mouth to an unconscious person. Get medical attention. Do NOT induce vomiting unless directed to do so by medical personnel. May cause anemia, cough, CNS depression, drowsiness, headache, heart damage, lassitude (weakness, exhaustion), liver damage, narcosis, reproductive effects, teratogenic effects. Section 5. Fire Fighting Measures Use alcohol-resistant foam, carbon dioxide, water, or dry chemical spray. Use water spray to cool fire-exposed containers. A solid water stream may be inefficient. d Can release vapors that form explosive mixtures at temperatures at or above the flashpoint. Container explosion may occur under fire conditions. Emits toxic fumes under fire conditions. Sensitive to static discharge. Vapors can travel to a source of ignition and flash back.				
Case of Inhalation: Case of Skin Contact: Case of Eye Contact: Case of Ingestion: portant Symptoms and fects, Both Acute and elayed: itable Extinguishing edia: asuitable Extinguishing edia: ammable Properties an	personnel. Get immediate medical attention. Immediately wash skin with soap and plenty of water for at least 20 minutes. Remove contaminated clothing. Get medical attention if symptoms occur. Wash clothing before reuse. Hold eyelids apart and flush eyes with plenty of water for at least 20 minutes. Have eyes examined and tested by medical personnel. Wash out mouth with water provided person is conscious. Never give anything by mouth to an unconscious person. Get medical attention. Do NOT induce vomiting unless directed to do so by medical personnel. May cause anemia, cough, CNS depression, drowsiness, headache, heart damage, lassitude (weakness, exhaustion), liver damage, narcosis, reproductive effects, teratogenic effects. Section 5. Fire Fighting Measures Use alcohol-resistant foam, carbon dioxide, water, or dry chemical spray. Use water spray to cool fire-exposed containers. A solid water stream may be inefficient. dCan release vapors that form explosive mixtures at temperatures at or above the flashpoint. Container explosion may occur under fire conditions. Emits toxic fumes under fire conditions. Sensitive to static discharge.				
Case of Skin Contact: Case of Eye Contact: Case of Ingestion: portant Symptoms and fects, Both Acute and elayed: itable Extinguishing edia: asuitable Extinguishing edia: ammable Properties an	personnel. Get immediate medical attention. Immediately wash skin with soap and plenty of water for at least 20 minutes. Remove contaminated clothing. Get medical attention if symptoms occur. Wash clothing before reuse. Hold eyelids apart and flush eyes with plenty of water for at least 20 minutes. Have eyes examined and tested by medical personnel. Wash out mouth with water provided person is conscious. Never give anything by mouth to an unconscious person. Get medical attention. Do NOT induce vomiting unless directed to do so by medical personnel. May cause anemia, cough, CNS depression, drowsiness, headache, heart damage, lassitude (weakness, exhaustion), liver damage, narcosis, reproductive effects, teratogenic effects. Section 5. Fire Fighting Measures Use alcohol-resistant foam, carbon dioxide, water, or dry chemical spray. Use water spray to cool fire-exposed containers. A solid water stream may be inefficient. dCan release vapors that form explosive mixtures at temperatures at or above the flashpoint. Container explosion may occur under fire conditions. Emits toxic fumes under fire conditions. Sensitive to static discharge.				
Case of Eye Contact: Case of Ingestion: portant Symptoms and fects, Both Acute and elayed: itable Extinguishing edia: isuitable Extinguishing edia: ammable Properties an	contaminated clothing. Get medical attention if symptoms occur. Wash clothing before reuse. Hold eyelids apart and flush eyes with plenty of water for at least 20 minutes. Have eyes examined and tested by medical personnel. Wash out mouth with water provided person is conscious. Never give anything by mouth to an unconscious person. Get medical attention. Do NOT induce vomiting unless directed to do so by medical personnel. May cause anemia, cough, CNS depression, drowsiness, headache, heart damage, lassitude (weakness, exhaustion), liver damage, narcosis, reproductive effects, teratogenic effects. Section 5. Fire Fighting Measures Use alcohol-resistant foam, carbon dioxide, water, or dry chemical spray. Use water spray to cool fire-exposed containers. A solid water stream may be inefficient. dCan release vapors that form explosive mixtures at temperatures at or above the flashpoint. Container explosion may occur under fire conditions. Emits toxic fumes under fire conditions. Sensitive to static discharge.				
Case of Ingestion: portant Symptoms and fects, Both Acute and layed: itable Extinguishing edia: isuitable Extinguishing edia: ammable Properties an	examined and tested by medical personnel. Wash out mouth with water provided person is conscious. Never give anything by mouth to an unconscious person. Get medical attention. Do NOT induce vomiting unless directed to do so by medical personnel. May cause anemia, cough, CNS depression, drowsiness, headache, heart damage, lassitude (weakness, exhaustion), liver damage, narcosis, reproductive effects, teratogenic effects. Section 5. Fire Fighting Measures Use alcohol-resistant foam, carbon dioxide, water, or dry chemical spray. Use water spray to cool fire-exposed containers. A solid water stream may be inefficient. dCan release vapors that form explosive mixtures at temperatures at or above the flashpoint. Container explosion may occur under fire conditions. Emits toxic fumes under fire conditions. Sensitive to static discharge.				
portant Symptoms and fects, Both Acute and elayed: itable Extinguishing edia: isuitable Extinguishing edia: ammable Properties an	unconscious person. Get medical attention. Do NOT induce vomiting unless directed to do so by medical personnel. May cause anemia, cough, CNS depression, drowsiness, headache, heart damage, lassitude (weakness, exhaustion), liver damage, narcosis, reproductive effects, teratogenic effects. <u>Section 5. Fire Fighting Measures</u> Use alcohol-resistant foam, carbon dioxide, water, or dry chemical spray. Use water spray to cool fire-exposed containers. A solid water stream may be inefficient. dCan release vapors that form explosive mixtures at temperatures at or above the flashpoint. Container explosion may occur under fire conditions. Emits toxic fumes under fire conditions. Sensitive to static discharge.				
fects, Both Acute and elayed: itable Extinguishing edia: isuitable Extinguishing edia: ammable Properties an	 (weakness, exhaustion), liver damage, narcosis, reproductive effects, teratogenic effects. Section 5. Fire Fighting Measures Use alcohol-resistant foam, carbon dioxide, water, or dry chemical spray. Use water spray to cool fire-exposed containers. A solid water stream may be inefficient. dCan release vapors that form explosive mixtures at temperatures at or above the flashpoint. Container explosion may occur under fire conditions. Emits toxic fumes under fire conditions. Sensitive to static discharge. 				
edia: asuitable Extinguishing edia: ammable Properties an	Use alcohol-resistant foam, carbon dioxide, water, or dry chemical spray. Use water spray to cool fire-exposed containers. A solid water stream may be inefficient. dCan release vapors that form explosive mixtures at temperatures at or above the flashpoint. Container explosion may occur under fire conditions. Emits toxic fumes under fire conditions. Sensitive to static discharge.				
edia: asuitable Extinguishing edia: ammable Properties an	Use water spray to cool fire-exposed containers. A solid water stream may be inefficient. dCan release vapors that form explosive mixtures at temperatures at or above the flashpoint. Container explosion may occur under fire conditions. Emits toxic fumes under fire conditions. Sensitive to static discharge.				
edia: ammable Properties an	dCan release vapors that form explosive mixtures at temperatures at or above the flashpoint. Container explosion may occur under fire conditions. Emits toxic fumes under fire conditions. Sensitive to static discharge.				
-	Container explosion may occur under fire conditions. Emits toxic fumes under fire conditions. Sensitive to static discharge.				
zards:	Emits toxic fumes under fire conditions. Sensitive to static discharge.				
	Sensitive to static discharge.				
	-				
	Vapors can travel to a source of ignition and flash back.				
	No data available.				
ash Pt:	14.00 C Method Used: Closed Cup				
plosive Limits:	LEL: 3.3% at 25.0 C UEL: 19.0% at 25.0 C				
toignition Pt:	363.00 C				
e Fighting Instructions	: As in any fire, wear self-contained breathing apparatus pressure-demand (NIOSH approved or equivalent), and full protective gear to prevent contact with skin and eyes. Note: Flammable as diluted in ethanol.				
	Section 6. Accidental Release Measures				
otective Precautions,	Avoid breathing vapors and provide adequate ventilation.				
otective Equipment and	d As conditions warrant, wear a NIOSH approved self-contained breathing apparatus, or respirate				
nergency Procedures:	and appropriate personal protection (rubber boots, safety goggles, and heavy rubber gloves).				
vironmental ecautions:	Take steps to avoid release into the environment, if safe to do so.				
Methods and Material For Contain spill and collect, as appropriate.					
ontainment and Cleanin o:	ng Transfer to a chemical waste container for disposal in accordance with local regulations.				
o n iv e et	tective Equipment an ergency Procedures: rironmental cautions: hods and Material Fo ntainment and Cleanir				



Page: 3 of 6

Revision: 11/26/2018 Supersedes Revision: 05/17/2013

			Supersede	es Revision: 05/17/2013				
		Section 7. Ha	ndling and Storage					
7.1	Precautions To Be Taken	Avoid breathing dust/fume/g	jas/mist/vapours/spray.					
	in Handling:	Avoid prolonged or repeated	d exposure.					
	l	Keep away from sources of	ignition.					
	-	Take precautionary measure	es against static discharge.					
7.2	Precautions To Be Taken Keep away from heat, sparks, and flame.							
	U	Keep container tightly closed.						
		Store in accordance with information listed on the product insert.						
	Other Precautions:	Hygroscopic						
	Secti	on 8. Exposure C	ontrols/Personal Protection					
8.1	Exposure Parameters:							
CAS	# Chemical Name	Jurisdiction	Recommended Exposure Limits	Notations				
64-17	7-5 Ethyl alcohol	ACGIH TLV	TLV: 1000 ppm					
		France VL	TWA: 1900 mg/m3 (1000 ppm)					
			STEL: 9500 mg/m3 (5000 ppm)					
		OSHA PELs	PEL: 1000 ppm					
		Britain EH40	TWA: 1920 mg/m3 (1000 ppm) STEL: ()					
8.2	Exposure Controls:		, v					
8.2.1	-	Use process enclosures, loc	cal exhaust ventilation, or other engineering con	trols to control airborne				
	(Ventilation etc.): levels below recommended exposure limits.							
8.2.2	Personal protection equip	ment:						
		Safety glasses						
	Protective Gloves: Compatible chemical-resistant gloves							
	Other Protective Clothing:Lab coat							
	-	NIOSH approved respirator,	as conditions warrant.					
	Work/Hygienic/Maintenan Do not take internally.							
		-	this material should be equipped with an eyewa	sh and a safety showe				
	,	Wash thoroughly after hand	ling.	-				
	l	No data available.						
	Se	ction 9. Physical	and Chemical Properties					
9.1	Information on Basic Physi	2	•					
	Physical States:	[]Gas [X]Liqi						
	Appearance and Odor:	A solution in ethanol						
	pH:	No data.						
	Melting Point:	No data.						
	Boiling Point:	No data.						
	Flash Pt:	14.00 C Method U	sed: Closed Cup					
	Evaporation Rate:	No data.						
	Flammability (solid, gas):	No data available.						
	Explosive Limits:	LEL: 3.3% at	25.0 C UEL: 19.0% at 25.0 C					
	Vapor Pressure (vs. Air or Hg):	mm 43 MM_HG at 20	0.0 C					
1	Vapor Density (vs. Air = 1):	No data.						
1	,							

Multi-region format



Page: 4 of 6

	Specific Gravity (Water = Solubility in Water:		,	data.						
				data.						
	Octanol/Water Partition			data.						
	Coefficie									
	Autoignition Pt:			.00 C						
Decomposition Temperate				data.						
	Viscosity	y :	No	data.						
9.2	Other Info	ormation								
	Percent Volatile:			data.						
Molecular Formula & Wei			ight: C22	2H35NO2 345.5						
			Sect	ion 10. Stabilit	ty and Reac	tivity				
10.1	Reactivit	iy:	No data ava	ailable.						
10.2	Stability	:	Unstable [] Stable [X]						
10.3	Stability	Note(s):	Stable if sto	ored in accordance wit	h information liste	d on the product	insert.			
	Polymer	ization:	Will occur [] Will not occur	[X]					
10.4	Conditio	ns To Avoid:	heat, flame	s, and sparks						
10.5	Incompa	tibility - Material	s alkali metal	s						
	To Avoid	1:								
			peroxides	roxides						
	-			rong oxidizing agents						
10.6	Hazardo	us	carbon diox	bon dioxide						
	Decomposition or		carbon monoxide							
	Byprodu	cts:								
	Section 11. Toxicological Information									
11.1	Informat	ion on	The toxicol	ogical effects of this p	roduct have not be	en thoroughly s	tudied.			
	Toxicological Effects:		Ethanol - Toxicity Data: Oral TDLO (man): 1.14 ml/kg; Oral TDLO (man): 650 mg/kg; Oral							
			LD50 (rat): 7,060 mg/kg; Oral LD50 (mouse): 3,450 mg/kg; Oral LD50 (mouse): 10.5 ml/kg; Oral							
			LD50 (rabbit): 6,300 mg/kg; Inhalation LC50 (rat): 20,000 ppm (10h); Inhalation TCLO (human):							
			1,800 ppm (30m); Inhalation TCLO (human): 2,500 mg/m3 (20m); Inhalation LC50 (rat): 5,900							
			mg/m3 (6h); Inhalation LCLO (mouse): 29,300 ppm (7h);							
			Ethanol - Irritation Data: Eyes (rabbit): 500 mg (24h) mild; Skin (rabbit): 20 mg (24h) moderate;							
		Toxicological	Ethanol - Investigated as a drug, mutagen, natural product, primary irritant, reproductive effector,							
	Effects:		and tumorigen.							
			Only select Registry of Toxic Effects of Chemical Substances (RTECS) data is presented here.							
			See actual entry in RTECS for complete information.							
O-main a maniaitan		Ethanol RTECS Number: KQ6300000 NTP? No IARC Monographs? No OSHA Regulated? No								
	nogenicity	I	NTP? No			-				
	CAS # Hazardous Co				NTP	IARC	ACGIH	OSHA		
		Eicosapentaeno	yi Ethanolami	de	n.a.	n.a.	n.a.	n.a.		
		64-17-5 Ethyl alcohol			n.a.	1	A4	n.a.		

Multi-region format



Revision: 11/26/2018 Supersedes Revision: 05/17/2013

Section 12. Ecological Information								
12.1 Toxicity: Avoid release into the environment.								
			Runoff from fire control or dilution water may cause pollution.					
12.2	Persiste	nce and	No data available.					
	Degrada	ıbility:						
12.3	Bioaccu	mulative	No data available.					
	Potentia							
12.4	Mobility		No data available.					
12.5			No data available.					
	assessn		NI 17 11					
12.6	Other ac	lverse effects:	No data available.					
			Section 13. Dispo	osal Considera	ations			
13.1	Waste D	isposal Method:	Dispose in accordance with lo	ocal, state, and federa	regulations.			
			Section 14. Tra	nsport Informa	ation			
14.1	LAND T	RANSPORT (US I	DOT):					
D	OT Prope	r Shipping Name:	Ethyl Alcohol Solution					
D	OT Hazar	d Class:	3 FLAMMABLE LIQUID					
U	N/NA Nur	nber:	UN1170	Packing Group:				
14.1	14.1 LAND TRANSPORT (European ADR/RID):							
	DR/RID S	hipping Name:	Ethyl Alcohol Solution					
UN Number:			1170	Packing Gro	oup:	II		
Ha	azard Cla	ss:	3 - FLAMMABLE LIQUID					
	14.3 AIR TRANSPORT (ICAO/IATA):							
ICAO/IATA Shipping Name:			Ethyl Alcohol Solution					
UN Number:				Packing Group:		11		
Hazard Class: 3 - FLAMMABLE LIQUID IATA Classification: 3								
	Additional Transport Transport in accordance with local, state, and federal regulations. Information: When sold in quantities of less than or equal to 1 mL, or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minimis Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled as Dangerous Goods/Excepted Quantity.							
			Section 15. Reg	ulatory Informa	ation			
EPA SARA (Superfund Amendments and Reauthorization Act of 1986) Lists								
CAS #	#	Hazardous Com	ponents (Chemical Name)	S. 302 (EHS)	S. 304 RQ	S. 313 (TRI)		
1090	01-03-8	Eicosapentaenoy	I Ethanolamide	No	No	No		
64	-17-5	Ethyl alcohol		No	No	No		
CAS #	¥	Hazardous Com	ponents (Chemical Name)	Other US EPA or	State Lists			
1090	01-03-8	Eicosapentaenoy	I Ethanolamide	CAA HAP,ODC: PROP.65: No	No; CWA NPDES: No	; TSCA: No; CA		
64	-17-5	Ethyl alcohol		CAA HAP,ODC:	No; CWA NPDES: No	; TSCA: Yes -		
						Multi-region format		



Page: 6 of 6

Revision: 11/26/2018 Supersedes Revision: 05/17/2013

CHEMICAL	Supersedes Revision: 05/17/2013				
	Inventory; CA PROP.65: No				
Regulatory Information Statement:	ationThis SDS was prepared in accordance with 29 CFR 1910.1200 and Regulation (EC)No.1272/2008.				
	Section 16. Other Information				
Revision Date:	11/26/2018				
Additional Information About	No data available.				
This Product:					
Company Policy or Disclaimer	: DISCLAIMER: This information is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes.				