

Page 1/11

# Safety Data Sheet acc. to OSHA HCS

Printing date 04/27/2020


Revision date 04/27/2020

	tion		
Product ide			
Synonym		prostenol isopropyl ester	-
phenoxy)eth	yl)oxiran-2-yl)cyclopentyl	hept-5-enoate; Epoxy Deriv	((S)-1-hydroxy-2-ÿ(3-(trifluorometh vative 1;
Article num CAS Numb	ber: 11169, 007801 er:		
79-20-9			
<b>EC number</b> 201-185-2			
Index numb			
607-021-00- Application		nixture For research use c	only - not for human or veterinary use
	ne supplier of the safety		
	er/Supplier:		
1180 E. Ells			
Ann Arbor, I USA	<i>I</i> I 48108		
	department: Product sa	fety department	
Emergency	telephone number:		
	al opening times: +1 (734 \: 800-424-9300	) 971-3335	
	CANADA: 703-741-5970		
Hazard(s)	identification		
Classificati	on of the substance or	nixture	
	IS02 Flame		
CT GI			
$\checkmark$	H225 Highly flammable	liquid and vapor.	
$\checkmark$		liquid and vapor.	
Flam. Liq. 2		liquid and vapor.	
Flam. Liq. 2	H225 Highly flammable		
Flam. Liq. 2 Flam. Liq. 2 GH Repr. 1B	H225 Highly flammable		
Flam. Liq. 2 Flam. Liq. 2 GH Repr. 1B	H225 Highly flammable IS08 Health hazard H360 May damage ferti IS07	ity or the unborn child.	
Flam. Liq. 2 Flam. Liq. 2 Gł Repr. 1B Gł Eye Irrit. 2A	H225 Highly flammable IS08 Health hazard H360 May damage ferti IS07 H319 Causes serious e	ity or the unborn child. ye irritation.	
Flam. Liq. 2 Flam. Liq. 2 GH Repr. 1B GH Eye Irrit. 2A	H225 Highly flammable IS08 Health hazard H360 May damage ferti IS07 H319 Causes serious e H336 May cause drows	ity or the unborn child. ye irritation.	

Printing date 04/27/2020

Revision date 04/27/2020

### Trade name: 13(R),14(R)-epoxy Fluprostenol isopropyl ester



• Other hazards

Results of PBT and vPvB assessment

• **PBT:** Not applicable.

(Contd. on page 3)

Printing date 04/27/2020

Revision date 04/27/2020

(Contd. from page 2)

#### Trade name: 13(R),14(R)-epoxy Fluprostenol isopropyl ester

· **vPvB:** Not applicable.

### **3** Composition/information on ingredients

- · Chemical characterization: Substances
- CAS No. Description
- 79-20-9 Methyl acetate
- · Identification number(s)
- EC number: 201-185-2
- · Index number: 607-021-00-X

### **4 First-aid measures**

- Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact: Immediately rinse with water.
- After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- After swallowing: If symptoms persist consult doctor.
- · Information for doctor:
- Most important symptoms and effects, both acute and delayed May cause anemia, cough, CNS depression, drowsiness, headache, heart damage, lassitude (weakness, exhaustion), liver damage, narcosis, reproductive effects, teratogenic effects. No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed** No further relevant information available.

## **5 Fire-fighting measures**

- Extinguishing media
- Suitable extinguishing agents:
- CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- For safety reasons unsuitable extinguishing agents: Water with full jet
   Special hazards arising from the substance or mixture

Can release vapors that form explosive mixtures at temperatures at or above the flashpoint.

Container explosion may occur under fire conditions.

Emits toxic fumes under fire conditions.

Sensitive to static discharge.

Vapors can travel to a source of ignition and flash back.

- Advice for firefighters
- · Protective equipment: No special measures required.

## 6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures** Wear protective equipment. Keep unprotected persons away.
- Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

(Contd. on page 4)

US

(Contd. on page 5)

US

## Safety Data Sheet acc. to OSHA HCS

79-20-9 Methyl acetate

PEL Long-term value: 610 mg/m<sup>3</sup>, 200 ppm REL Short-term value: 760 mg/m<sup>3</sup>, 250 ppm Long-term value: 610 mg/m<sup>3</sup>, 200 ppm

TLV Short-term value: 757 mg/m<sup>3</sup>, 250 ppm Long-term value: 606 mg/m<sup>3</sup>, 200 ppm

Printing date 04/27/2020	Revision date 04/27/2020
Trade name: 13(R),14(R)-epoxy Fluprostenol isopropyl ester	
<ul> <li>Dispose contaminated material as waste according to item 13.</li> <li>Ensure adequate ventilation.</li> <li>Reference to other sections</li> <li>See Section 7 for information on safe handling.</li> <li>See Section 8 for information on personal protection equipment.</li> <li>See Section 13 for disposal information.</li> <li>Protective Action Criteria for Chemicals</li> </ul>	(Contd. from page 3)
· PAC-1:	
· PAC-2:	250 ppm
	1,700 ppm
· PAC-3:	10000* ppm
7 Handling and storage	
<ul> <li>Precautions for safe handling         <ul> <li>Ensure good ventilation/exhaustion at the workplace.</li> <li>Open and handle receptacle with care.</li> <li>Prevent formation of aerosols.</li> </ul> </li> <li>Information about protection against explosions and fires:         <ul> <li>Keep ignition sources away - Do not smoke.</li> <li>Protect against electrostatic charges.</li> <li>Keep respiratory protective device available.</li> </ul> </li> </ul>	
<ul> <li>Conditions for safe storage, including any incompatibilities Keep away from heat, sparks and flame. Keep container tightly closed. Store in accordance with information listed on the product insert.</li> <li>Storage:</li> <li>Requirements to be met by storerooms and receptacles: Store in Information about storage in one common storage facility: Not r</li> <li>Further information about storage conditions: Keep receptacle tightly sealed. Store in cool, dry conditions in well sealed receptacles.</li> <li>Specific end use(s) No further relevant information available.</li> </ul>	
8 Exposure controls/personal protection	
Additional information about design of technical systems: No fu	urther data; see item 7.
<ul> <li>Control parameters</li> <li>Components with limit values that require monitoring at the wo</li> </ul>	rkalaco
70 20 0 Methyl costete	ι κρίασε.

Printing date 04/27/2020

Revision date 04/27/2020

### Trade name: 13(R),14(R)-epoxy Fluprostenol isopropyl ester

(Contd. from page 4) • Additional information: The lists that were valid during the creation were used as basis.

- · Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Store protective clothing separately. Avoid contact with the eyes. Avoid contact with the eyes and skin.

#### Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

• Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

#### • Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

#### · Eye protection:



Tightly sealed goggles

## 9 Physical and chemical properties

· Information on basic physical and chemical properties

- General Information
- · Appearance:

Form:	A solution in methyl acetate	
Color:	Colorless	
· Odor:	Characteristic	
• Structural Formula	C H3 - C O O - C H3	
	C26H35F3O7	
· Molecular Weight	310.3	
-	516.6	
· Odor threshold:	Not determined.	
· pH-value:	Not determined.	
		(Contd

(Contd. on page 6)

US

Printing date 04/27/2020

Revision date 04/27/2020

#### Trade name: 13(R),14(R)-epoxy Fluprostenol isopropyl ester

	(Contd. from page §
<ul> <li>Change in condition Melting point/Melting range: Boiling point/Boiling range:</li> </ul>	-98.05 °C (-144.5 °F) 57 °C (134.6 °F)
· Flash point:	-13 °C (8.6 °F)
· Flammability (solid, gaseous):	Not applicable.
· Ignition temperature:	455 °C (851 °F)
· Decomposition temperature:	Not determined.
· Auto igniting:	Not determined.
· Danger of explosion:	Product is not explosive. However, formation of explosive air vapor mixtures are possible.
<ul> <li>Explosion limits: Lower: Upper:</li> </ul>	3.1 Vol % 16 Vol %
· Vapor pressure at 20 °C (68 °F):	220 hPa (165 mm Hg)
· Density at 20 °C (68 °F):	0.93 g/cm³ (7.76085 lbs/gal)
<ul> <li>Bulk density:</li> <li>Relative density</li> <li>Vapor density</li> <li>Evaporation rate</li> </ul>	1 kg/m <sup>3</sup> Not determined. Not determined. Not determined.
<ul> <li>Solubility in / Miscibility with</li> <li>Water at 20 °C (68 °F):</li> </ul>	330 g/l
· Partition coefficient (n-octanol/wat	er): Not determined.
<ul> <li>Viscosity:</li> <li>Dynamic:</li> <li>Kinematic:</li> <li>Organic solvents:</li> <li>VOC content:</li> </ul>	Not determined. Not determined. 99.0 % 0.00 % 0.0 g/l / 0.00 lb/gal
Solids content: • Other information	0.0 % No further relevant information available.

## **10 Stability and reactivity**

· Reactivity No further relevant information available.

- · Chemical stability
- Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- Possibility of hazardous reactions No dangerous reactions known.
- Conditions to avoid No further relevant information available.
- · Incompatible materials: acid, alkali, nitrates, strong oxidizing agents

· Hazardous decomposition products: carbon oxides

(Contd. on page 7)

US

Printing date 04/27/2020

## Revision date 04/27/2020

## Trade name: 13(R),14(R)-epoxy Fluprostenol isopropyl ester

(Contd. from page 6)

LD/LC50 values	that are relevant for	r classification:
ATE (Acute Tox	cicity Estimate)	
Oral	LD50	3,742 mg/kg (rabbit)
79-20-9 Methyl	acetate	
Oral	LD50	>5,000 mg/kg (rat)
		3,705 mg/kg (rabbit)
Dermal	LD50	>5,000 mg/kg (rabbit)
Inhalative	TCLO	15,000 mg/m³ (hmn)
Irritation of skin	Irritation	500 mg/24h (rabbit)
	Irritation	40 mg/kg/24h (rabbit)
Irritation of eyes	Irritation	100 mg/24h (rabbit)
	Intraperitoneal LD50	70 mg/kg (mouse)
	irritant effect.	
Carcinogenic c	•	
	onal Agency for Rese	earch on Cancer)
None of the ingr	edients is listed.	
· NTP (National Toxicology Program)		
NTP (National 1	oxioology i logiality	

# **12 Ecological information**

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:
- Water hazard class 1 (Assessment by list): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · **vPvB:** Not applicable.

(Contd. on page 8)

<sup>–</sup> ÚS

Printing date 04/27/2020

Revision date 04/27/2020

(Contd. from page 7)

Trade name: 13(R),14(R)-epoxy Fluprostenol isopropyl ester

• Other adverse effects No further relevant information available.

## **13 Disposal considerations**

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

· Uncleaned packagings:

• Recommendation: Disposal must be made according to official regulations.

UN-Number DOT, IMDG, IATA	UN1231
UN proper shipping name DOT, IATA IMDG	Methyl acetate solution METHYL ACETATE solution
Transport hazard class(es)	
DOT	
FLAMMARE LOUD	
3	
Class	3 Flammable liquids
Label	3
IMDG, IATA	
Class	3 Flammable liquids
Label	3
Packing group	
DOT, IMDG, IATA	II
Environmental hazards:	Not applicable.
Special precautions for user	Warning: Flammable liquids
Hazard identification number (Kemler code):	
EMS Number:	F-E,S-D
Stowage Category	В
Transport in bulk according to Annex II of	Net and Parks
MARPOL73/78 and the IBC Code	Not applicable.

Printing date 04/27/2020

Revision date 04/27/2020

Trade name: 13(R),14(R)-epoxy Fluprostenol isopropyl ester

	(Contd. from page 8)
· Transport/Additional information:	
DOT	
· Quantity limitations	On passenger aircraft/rail: 5 L On cargo aircraft only: 60 L
<ul> <li>IMDG</li> <li>Limited quantities (LQ)</li> <li>Excepted quantities (EQ)</li> </ul>	1L Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
· IATA · Remarks:	When sold in quantities of less than or equal to 1 mL, or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minimis Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled as Dangerous Goods/Excepted Quantity.
· UN "Model Regulation":	UN 1231 METHYL ACETATE SOLUTION, 3, II

## **15 Regulatory information**

 $^{\rm \cdot}$  Safety, health and environmental regulations/legislation specific for the substance or mixture  $^{\rm \cdot}$  Sara

Section 355 (extremely hazardous substances):

None of the ingredients is listed.

• Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

• TSCA (Toxic Substances Control Act):

ACTIVE

### · Hazardous Air Pollutants

None of the ingredients is listed.

· Proposition 65

· Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

### · Carcinogenic categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

(Contd. on page 10)

Printing date 04/27/2020

Revision date 04/27/2020

## Trade name: 13(R),14(R)-epoxy Fluprostenol isopropyl ester

(Contd. from page 9) • TLV (Threshold Limit Value established by ACGIH) None of the ingredients is listed. · NIOSH-Ca (National Institute for Occupational Safety and Health) None of the ingredients is listed. · GHS label elements The substance is classified and labeled according to the Globally Harmonized System (GHS). · Hazard pictograms GHS02 GHS07 GHS08 · Signal word Danger · Hazard-determining components of labeling: Methyl acetate · Hazard statements Highly flammable liquid and vapor. Causes serious eye irritation. May damage fertility or the unborn child. May cause drowsiness or dizziness. Precautionary statements Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Avoid breathing dust/fume/gas/mist/vapors/spray Wash thoroughly after handling. Use only outdoors or in a well-ventilated area. Wear protective gloves/protective clothing/eve protection/face protection. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. IF INHALED: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. IF exposed or concerned: Get medical advice/attention. Call a poison center/doctor if you feel unwell. If eye irritation persists: Get medical advice/attention. In case of fire: Use for extinction: CO2, powder or water spray. Store in a well-ventilated place. Keep container tightly closed. Store in a well-ventilated place. Keep cool. Store locked up. Dispose of contents/container in accordance with local/regional/national/international regulations. · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### **16 Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

• **Department issuing SDS:** Environment protection department.

(Contd. on page 11)

US

Printing date 04/27/2020

Revision date 04/27/2020

## Trade name: 13(R),14(R)-epoxy Fluprostenol isopropyl ester

	(Contd. from page 10)
· Contact: -	
<ul> <li>Date of preparation / last revision 04/27/2020 / -</li> </ul>	
Abbreviations and acronyms:	
IMDG: International Maritime Code for Dangerous Goods	
DOT: US Department of Transportation	
IATA: International Air Transport Association	
ACGIH: American Conference of Governmental Industrial Hygienists	
EINECS: European Inventory of Existing Commercial Chemical Substances	
CAS: Chemical Abstracts Service (division of the American Chemical Society)	
NFPA: National Fire Protection Association (USA)	
HMIS: Hazardous Materials Identification System (USA)	
VOC: Volatile Organic Compounds (USA, EU)	
LC50: Lethal concentration, 50 percent	
LD50: Lethal dose, 50 percent	
PBT: Persistent, Bioaccumulative and Toxic	
vPvB: very Persistent and very Bioaccumulative	
NIOSH: National Institute for Occupational Safety	
OSHA: Occupational Safety & Health	
TLV: Threshold Limit Value	
PEL: Permissible Exposure Limit	
REL: Recommended Exposure Limit	
Flam. Liq. 2: Flammable liquids – Category 2	
Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A	
Repr. 1B: Reproductive toxicity – Category 1B	
STOT SE 3: Specific target organ toxicity (single exposure) – Category 3	
** Data compared to the previous version altered.	
	US