

Printing date 07/12/2021

Revision date 07/12/2021

Page 1/10

1 Identification

- · Product identifier
- Trade name: Butaprost
- · Synonym

9-oxo-11α,16S-dihydroxy-17-cyclobutyl-prost-13E-en-1-oic acid, methyl ester; 15-deoxy-16S-hydroxy-17-cyclobutyl PGE1 methyl ester; TR 4979

- · Article number: 13740, 006404
- Application of the substance / the mixture This product is for research use - Not for human or veterinary diagnostic or therapeutic use. It is the responsibility of the purchaser to determine suitability for other applications.
- Details of the supplier of the safety data sheet
 Manufacturer/Supplier: Cayman Chemical Co.
 1180 E. Ellsworth Rd.
 Ann Arbor, MI 48108
 USA
- · Information department: Product safety department

• Emergency telephone number: During normal opening times: +1 (734) 971-3335 US/CANADA: 800-424-9300 Outside US/CANADA: 703-741-5970

2 Hazard(s) identification

· Classification of the substance or mixture



GHS02 Flame

Flam. Liq. 2 H225 Highly flammable liquid and vapor.

GHS07

Eye Irrit. 2A H319 Causes serious eye irritation.

STOT SE 3 H336 May cause drowsiness or dizziness.

- · Label elements
- · GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

(Contd. on page 2)

Printing date 07/12/2021

Revision date 07/12/2021

Trade name: Butaprost

Hade hame. Dutap	
	(Contd. from page 1)
 Hazard pictogra 	ams
GHS02 GHS0	7
· Signal word Da	-
Methyl acetate	ning components of labeling:
• Hazard stateme	ints
	nmable liquid and vapor.
	erious eye irritation.
	e drowsiness or dizziness.
[•] Precautionary s	
P210	Keep away from heat/sparks/open flames/hot surfaces No smoking.
P240	Ground/bond container and receiving equipment.
P241	Use explosion-proof electrical/ventilating/lighting/equipment.
P242	Use only non-sparking tools.
P243	Take precautionary measures against static discharge.
P261	Avoid breathing dust/fume/gas/mist/vapors/spray
P264	Wash thoroughly after handling.
P271	Use only outdoors or in a well-ventilated area.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P303+P361+P35	53 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305+P351+P33	38 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if
	present and easy to do. Continue rinsing.
P312	Call a poison center/doctor if you feel unwell.
P337+P313	If eye irritation persists: Get medical advice/attention.
P370+P378	In case of fire: Use CO2, powder or water spray to extinguish.
P403+P233	Store in a well-ventilated place. Keep container tightly closed.
P403+P235	Store in a well-ventilated place. Keep cool.
P405	Store locked up.
P501	Dispose of contents/container in accordance with local/regional/national/international
	regulations.
 Classification s 	
 NFPA ratings (s 	scale 0 - 4)
	alth = 2 e = 3
	a = 3 activity = 0
	activity = 0
· HMIS-ratings (s	cale 0 - 4)
- · ·	
HEALTH 2 He	ealth = 2
FIRE 3 Fir	re = 3
	eactivity = 0

· Other hazards

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.

(Contd. on page 3)

US

Printing date 07/12/2021

Revision date 07/12/2021

(Contd. from page 2)

99.5%

0.5%

Trade name: Butaprost

· vPvB: Not applicable.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

· Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:

CAS: 79-20-9 Methyl acetate RTECS: Al9100000

Other ingredients

69685-22-9 Butaprost

4 First-aid measures

- · Description of first aid measures
- General information: Immediately remove any clothing soiled by the product.
- After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact: Immediately rinse with water.
- After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

• After swallowing: If symptoms persist consult doctor.

- Information for doctor:
- Most important symptoms and effects, both acute and delayed May cause anemia, cough, CNS depression, drowsiness, headache, heart damage, lassitude (weakness, exhaustion), liver damage, narcosis, reproductive effects, teratogenic effects. No further relevant information available.
- Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- For safety reasons unsuitable extinguishing agents: Water with full jet
- Special hazards arising from the substance or mixture

Can release vapors that form explosive mixtures at temperatures at or above the flashpoint. Container explosion may occur under fire conditions.

Emits toxic fumes under fire conditions.

Sensitive to static discharge.

Vapors can travel to a source of ignition and flash back.

- Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures** Wear protective equipment. Keep unprotected persons away.
- Environmental precautions: Do not allow to enter sewers/ surface or ground water.

(Contd. on page 4)

US

Printing date 07/12/2021

Revision date 07/12/2021

Trade name: Butaprost

	Contd. from page 3)
• Methods and material for containment and cleaning up:	
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, saw	dust).
Dispose contaminated material as waste according to item 13.	
Ensure adequate ventilation.	
· Reference to other sections	
See Section 7 for information on safe handling.	
See Section 8 for information on personal protection equipment.	
See Section 13 for disposal information.	
· Protective Action Criteria for Chemicals	
· PAC-1:	
79-20-9 Methyl acetate	250 ppm
· PAC-2:	
79-20-9 Methyl acetate	1,700 ppm
· PAC-3:	
79-20-9 Methyl acetate	10000* ppm

7 Handling and storage

· Handling:

- **Precautions for safe handling** Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.
- Information about protection against explosions and fires: Keep ignition sources away - Do not smoke. Protect against electrostatic charges.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see item 7.

· Control parameters

· Components with limit values that require monitoring at the workplace:

79-20-9 Methyl acetate

- PEL Long-term value: 610 mg/m³, 200 ppm
- REL Short-term value: 760 mg/m³, 250 ppm
- Long-term value: 610 mg/m³, 200 ppm
- TLV Short-term value: 250 ppm Long-term value: 200 ppm

• Additional information: The lists that were valid during the creation were used as basis.

(Contd. on page 5)

US

Printing date 07/12/2021

Revision date 07/12/2021

Trade name: Butaprost

(Contd. from page 4)

US

- Exposure controls
- Personal protective equipment:
- General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Avoid contact with the eyes. Avoid contact with the eyes and skin.
- · Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

Eye protection:



Tightly sealed goggles

9 Physical and chemical properties

 Information on basic physical and chemical properties · General Information · Appearance: Form: Liquid Color: According to product specification · Odor: Characteristic C24H40O5 · Structural Formula · Molecular Weight 408.6 · Odor threshold: Not determined. · Formulation A solution in methyl acetate · pH-value: Not determined. · Change in condition Melting point/Melting range: -98.05 °C (-144.5 °F) (Contd. on page 6)

Printing date 07/12/2021

Revision date 07/12/2021

Trade name: Butaprost

	(Contd. from page s
Boiling point/Boiling range:	57 °C (134.6 °F)
Flash point:	-13 °C (8.6 °F)
Flammability (solid, gaseous):	Not applicable.
Ignition temperature:	455 °C (851 °F)
Decomposition temperature:	Not determined.
Auto igniting:	Product is not selfigniting.
Danger of explosion:	Product is not explosive. However, formation of explosive air vapor mixtures are possible.
Explosion limits: Lower: Upper:	3.1 Vol % 16 Vol %
Vapor pressure at 20 °C (68 °F):	220 hPa (165 mm Hg)
Density at 20 °C (68 °F):	0.93 g/cm³ (7.76085 lbs/gal)
Bulk density: Relative density Vapor density Evaporation rate	1 kg/m ³ Not determined. Not determined. Not determined.
Solubility in / Miscibility with Water at 20 °C (68 °F):	330 g/l
Partition coefficient (n-octanol/wate	er): Not determined.
Viscosity: Dynamic: Kinematic:	Not determined. Not determined.
Solvent content: Organic solvents: VOC content:	99.5 % 0.00 % 0.0 g/l / 0.00 lb/gal
Solids content:	0.0 %
Other information	No further relevant information available.

10 Stability and reactivity

· Reactivity No further relevant information available.

- · Chemical stability
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- Possibility of hazardous reactions No dangerous reactions known.
- Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.

· Hazardous decomposition products: No dangerous decomposition products known.

(Contd. on page 7)

US

Printing date 07/12/2021

Revision date 07/12/2021

Trade name: Butaprost

(Contd. from page 6)

	LD/LC50 values that are relevant for classification:					
79-20-9 Methyl a						
Oral	LD50	>5,000 mg/kg (rat)				
_		3,705 mg/kg (rabbit)				
Dermal	LD50	>5,000 mg/kg (rabbit)				
Inhalative	TCLO	15,000 mg/m ³ (hmn)				
Irritation of skin	Irritation	500 mg/24h (rabbit)				
	Irritation	40 mg/kg/24h (rabbit)				
Irritation of eyes		100 mg/24h (rabbit)				
	Intraperitoneal LD50	70 mg/kg (mouse)				
on the skin: No on the eye: Irrita Sensitization: N Additional toxic	effect: irritant effect. ating effect. lo sensitizing effects k cological information	nown.				
Additional toxic	effect: irritant effect. ating effect. lo sensitizing effects k cological information	nown.				
on the skin: No on the eye: Irrita Sensitization: N Additional toxic The product sho preparations: Irritant Carcinogenic ca	effect: irritant effect. ating effect. lo sensitizing effects k cological information ows the following dar ategories	nown. :: ngers according to internally approved calculation methods				
on the skin: No on the eye: Irrita Sensitization: N Additional toxic The product sho preparations: Irritant Carcinogenic ca IARC (Internatio	effect: irritant effect. ating effect. lo sensitizing effects k cological information ows the following dar ategories onal Agency for Rese	nown. :: ngers according to internally approved calculation methods				
on the skin: No on the eye: Irrita Sensitization: N Additional toxic The product sho preparations: Irritant Carcinogenic ca IARC (Internatic None of the ingre	effect: irritant effect. ating effect. Io sensitizing effects k cological information ows the following dar ategories onal Agency for Rese edients is listed.	nown. :: ngers according to internally approved calculation methods earch on Cancer)				
on the skin: No on the eye: Irrita Sensitization: N Additional toxic The product sho preparations: Irritant Carcinogenic ca IARC (Internatio None of the ingre	effect: irritant effect. ating effect. lo sensitizing effects k cological information ows the following dar ategories onal Agency for Rese edients is listed. Toxicology Program)	nown. :: ngers according to internally approved calculation methods - earch on Cancer)				
on the skin: No on the eye: Irrita Sensitization: N Additional toxic The product sho preparations: Irritant Carcinogenic ca IARC (Internatic None of the ingre	effect: irritant effect. ating effect. lo sensitizing effects k cological information ows the following dar ategories onal Agency for Rese edients is listed. Toxicology Program)	nown. :: ngers according to internally approved calculation methods earch on Cancer)				
on the skin: No on the eye: Irrita Sensitization: N Additional toxic The product sho preparations: Irritant Carcinogenic ca IARC (Internatic None of the ingre NTP (National T None of the ingre	effect: irritant effect. ating effect. Io sensitizing effects k cological information ows the following dar ategories onal Agency for Rese edients is listed. Toxicology Program) edients is listed.	nown. :: ngers according to internally approved calculation methods earch on Cancer)				

- Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes:
- Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- **vPvB:** Not applicable.

(Contd. on page 8)

⁻ US

Printing date 07/12/2021

Revision date 07/12/2021

Trade name: Butaprost

· Other adverse effects No further relevant information available.

13 Disposal considerations

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

· Uncleaned packagings:

• **Recommendation:** Disposal must be made according to official regulations.

UN-Number	
DOT, IMDG, IATA	UN1231
UN proper shipping name	
DOT, IATA	Methyl acetate solution
IMDG	METHYL ACETATE solution
Transport hazard class(es)	
DOT	
RAMIABLE LIQUO	
Class	3 Flammable liquids
Label	3
IMDG, IATA	
Class	3 Flammable liquids
Label	3
Packing group	
DOT, IMDG, IATA	II
Environmental hazards:	Not applicable.
Special precautions for user	Warning: Flammable liquids
Hazard identification number (Kemler code):	
EMS Number:	F-E,S-D
Stowage Category	В
Transport in bulk according to Annex II of	N. 7. 17. 11
MARPOL73/78 and the IBC Code	Not applicable.

(Contd. from page 7)

Printing date 07/12/2021

Revision date 07/12/2021

Trade name: Butaprost

	(Contd. from page 8
· Transport/Additional information:	
DOT	
· Quantity limitations	On passenger aircraft/rail: 5 L On cargo aircraft only: 60 L
· IMDG	
 Limited quantities (LQ) Excepted quantities (EQ) 	1L Code: E2
	Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
Remarks:	When sold in quantities of less than or equal to 1 mL or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minimi Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled a Dangerous Goods/Excepted Quantity.
UN "Model Regulation":	UN 1231 METHYL ACETATE SOLUTION, 3, II

15 Regulatory information

• Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

· Sara

· Section 355 (extremely hazardous substances):

None of the ingredients is listed.

• Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

• TSCA (Toxic Substances Control Act):

79-20-9 Methyl acetate

· Hazardous Air Pollutants

None of the ingredients is listed.

· Proposition 65

· Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· Carcinogenic categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

(Contd. on page 10)

ACTIVE

US

Printing date 07/12/2021

Revision date 07/12/2021

Trade name: Butaprost

(Contd. from page 9)

TLV (Threshold Limit Value)

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

• Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

All chemicals may pose unknown hazards and should be used with caution. This SDS applies only to the material as packaged. If this product is combined with other materials, deteriorates, or becomes contaminated, it may pose hazards not mentioned in this SDS. Cayman Chemical Company assumes no responsibility for incidental or consequential damages, including lost profits, arising from the use of these data. It shall be the user's responsibility to develop proper methods of handling and personal protection based on the actual conditions of use. While this SDS is based on technical data judged to be reliable, Cayman Chemical Company assumes no responsibility for the completeness or accuracy of the information contained herein.

- · Department issuing SDS: Environment protection department.
- · Contact: -
- Date of preparation / last revision 07/12/2021 / -

 Abbreviations and acronyms: IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit **REL: Recommended Exposure Limit** Flam. Lig. 2: Flammable liquids - Category 2 Eye Irrit. 2A: Serious eye damage/eye irritation - Category 2A STOT SE 3: Specific target organ toxicity (single exposure) - Category 3