

		ing to Regulation (EC) No. 1907/2006 as amended by (EC) No. 2015/83							
	Section 1.	Identification of the Substance/Mixture and of th	e Company/Undertaking						
1.1	Product Code: 13910								
	Product Name:	19(R)-hydroxy Prostaglandin E1							
	Synonyms:	9-oxo-11.alpha.,15S,19R-trihydroxy-prost-13E-	en-1-oic acid; 19(R)-hydroxy PGE1;						
1.2		of the substance or mixture and uses advised aga	inst:						
	Relevant identified uses								
1.3	Details of the Supplier of the Safety Data Sheet:								
	Company Name:	Cayman Chemical Company							
		1180 E. Ellsworth Rd.							
		Ann Arbor, MI 48108							
	Web site address:	www.caymanchem.com							
	Information:	Cayman Chemical Company	+1 (734)971-3335						
1.4	Emergency telephone nu	mber:							
	Emergency Contact:	CHEMTREC Within USA and Canada:	+1 (800)424-9300						
		CHEMTREC Outside USA and Canada:	+1 (703)527-3887						
		Section 2. Hazards Identifica	ation						
2.1	Classification of the Subs	stance or Mixture:							
	-	Flammable Liquids, Category 2							
2.2	Label Elements:								
2.2	GHS Signal Word: GHS Hazard Phrases:	Danger							
2.2	GHS Signal Word: GHS Hazard Phrases:	-							
2.2	GHS Signal Word: GHS Hazard Phrases: H225: Highly flammable I	liquid and vapor.							
2.2	GHS Signal Word: GHS Hazard Phrases: H225: Highly flammable I GHS Precaution Phrase	liquid and vapor.							
2.2	GHS Signal Word: GHS Hazard Phrases: H225: Highly flammable I GHS Precaution Phrase P210: Keep away from {h	liquid and vapor.	ın}.						
2.2	GHS Signal Word: GHS Hazard Phrases: H225: Highly flammable I GHS Precaution Phrase P210: Keep away from {H P280: Wear {protective g	liquid and vapor. es: neat/sparks/open flames/hot surfaces} No smoking loves/protective clothing/eye protection/face protectio	m}.						
2.2	GHS Signal Word: GHS Signal Word: GHS Hazard Phrases: H225: Highly flammable I GHS Precaution Phrases P210: Keep away from {h P280: Wear {protective g GHS Response Phrases	liquid and vapor. es: neat/sparks/open flames/hot surfaces} No smoking loves/protective clothing/eye protection/face protectio s:							
2.2	GHS Signal Word: GHS Signal Word: GHS Hazard Phrases: H225: Highly flammable I GHS Precaution Phrases P210: Keep away from {h P280: Wear {protective g GHS Response Phrases	liquid and vapor. es: neat/sparks/open flames/hot surfaces} No smoking loves/protective clothing/eye protection/face protectio							
2.2	GHS Signal Word: GHS Hazard Phrases: H225: Highly flammable I GHS Precaution Phrase P210: Keep away from {H P280: Wear {protective g GHS Response Phrases P303+361+353: IF ON S	liquid and vapor. es: heat/sparks/open flames/hot surfaces} No smoking loves/protective clothing/eye protection/face protectio s: KIN (or hair): Remove/take off immediately all contar							
2.2	GHS Signal Word: GHS Hazard Phrases: H225: Highly flammable I GHS Precaution Phrases P210: Keep away from {h P280: Wear {protective g GHS Response Phrases P303+361+353: IF ON S water/shower. GHS Storage and Dispo	liquid and vapor. es: heat/sparks/open flames/hot surfaces} No smoking loves/protective clothing/eye protection/face protectio s: KIN (or hair): Remove/take off immediately all contar							
	GHS Signal Word: GHS Hazard Phrases: H225: Highly flammable I GHS Precaution Phrases P210: Keep away from {h P280: Wear {protective g GHS Response Phrases P303+361+353: IF ON S water/shower. GHS Storage and Dispo	liquid and vapor. es: heat/sparks/open flames/hot surfaces} No smoking loves/protective clothing/eye protection/face protectio s: KIN (or hair): Remove/take off immediately all contar osal Phrases:							
	GHS Signal Word: GHS Hazard Phrases: H225: Highly flammable I GHS Precaution Phrases P210: Keep away from {H P280: Wear {protective g GHS Response Phrases P303+361+353: IF ON S water/shower. GHS Storage and Dispon Please refer to Section 7	liquid and vapor. es: heat/sparks/open flames/hot surfaces} No smoking loves/protective clothing/eye protection/face protectio s: KIN (or hair): Remove/take off immediately all contar osal Phrases: for Storage and Section 13 for Disposal information.	ninated clothing. Rinse skin with						
	GHS Signal Word: GHS Hazard Phrases: H225: Highly flammable I GHS Precaution Phrases P210: Keep away from {H P280: Wear {protective g GHS Response Phrases P303+361+353: IF ON S water/shower. GHS Storage and Dispon Please refer to Section 7 Adverse Human Health	liquid and vapor. es: heat/sparks/open flames/hot surfaces} No smoking loves/protective clothing/eye protection/face protection s: KIN (or hair): Remove/take off immediately all contar osal Phrases: for Storage and Section 13 for Disposal information. Exposure may cause sensitization.	ninated clothing. Rinse skin with of platelet aggregation.						
	GHS Signal Word: GHS Hazard Phrases: H225: Highly flammable I GHS Precaution Phrases P210: Keep away from {H P280: Wear {protective g GHS Response Phrases P303+361+353: IF ON S water/shower. GHS Storage and Dispon Please refer to Section 7 Adverse Human Health	liquid and vapor. es: heat/sparks/open flames/hot surfaces} No smoking loves/protective clothing/eye protection/face protection s: KIN (or hair): Remove/take off immediately all contar bsal Phrases: for Storage and Section 13 for Disposal information. Exposure may cause sensitization. Exposure may cause vasodilation and an inhibition	ninated clothing. Rinse skin with of platelet aggregation. s and upper respiratory tract.						
	GHS Signal Word: GHS Hazard Phrases: H225: Highly flammable I GHS Precaution Phrases P210: Keep away from {H P280: Wear {protective g GHS Response Phrases P303+361+353: IF ON S water/shower. GHS Storage and Dispon Please refer to Section 7 Adverse Human Health	liquid and vapor. es: heat/sparks/open flames/hot surfaces} No smoking loves/protective clothing/eye protection/face protection s: KIN (or hair): Remove/take off immediately all contar osal Phrases: for Storage and Section 13 for Disposal information. Exposure may cause sensitization. Exposure may cause vasodilation and an inhibition Material may be irritating to the mucous membrane	ninated clothing. Rinse skin with of platelet aggregation. s and upper respiratory tract. corption.						
2.2	GHS Signal Word: GHS Hazard Phrases: H225: Highly flammable I GHS Precaution Phrases P210: Keep away from {H P280: Wear {protective g GHS Response Phrases P303+361+353: IF ON S water/shower. GHS Storage and Dispon Please refer to Section 7 Adverse Human Health	liquid and vapor. es: heat/sparks/open flames/hot surfaces} No smoking loves/protective clothing/eye protection/face protection s: KIN (or hair): Remove/take off immediately all contar osal Phrases: for Storage and Section 13 for Disposal information. Exposure may cause sensitization. Exposure may cause vasodilation and an inhibition Material may be irritating to the mucous membrane May be harmful by inhalation, ingestion, or skin abs	ninated clothing. Rinse skin with of platelet aggregation. s and upper respiratory tract. corption.						



Section 3. Composition/Information on Ingredients							
CAS # / RTECS #		Hazardous Components (Chemical Name)/ REACH Registration No.		Concentration	EC No./ EC Index No.	GHS Classification	
6462 NA	64625-55-4 19(R)-hydroxy Pros NA		taglandin E1	0.05 %	NA NA	Acute Tox.(O) 3: H301 Toxic Repro. 2: H361	
64-17-5 Ethyl alcohol KQ6300000 01-2119457610-43				99.95 %	200-578-6 603-002-00-5	Flam. Liq. 2: H225	
			Section 4. Fi	rst Aid Meas	ures	·	
4.1 Descri Measu		ption of First Aid res:					
	In Case	e of Inhalation:	Remove to fresh air. If not br Get immediate medical atten		al respiration or giv	ve oxygen by trained personnel.	
	In Case	e of Skin Contact:	Immediately wash skin with s clothing. Get medical attention			5 minutes. Remove contaminate efore reuse.	
	In Case	e of Eye Contact:	Hold eyelids apart and flush and tested by medical person		water for at least 1	5 minutes. Have eyes examined	
	In Case	e of Ingestion:	Wash out mouth with water p unconscious person. Get me medical personnel.	-	-	ive anything by mouth to an ng unless directed to do so by	
4.2	Important Symptoms and Exposure may cause: Nausea, diarrhea, headache, vomiting, flushing, shivering, hypotension,						
	Effects, Both Acute and dizziness.						
	Delaye	d:	May cause anemia, cough, C	-		-	
			(weakness, exhaustion), live	r damage, narcosis,	reproductive effec	cts, teratogenic effects.	
			Section 5. Fire	Fighting Me	asures		
5.1	Suitabl	le Extinguishing	Use alcohol-resistant foam,		-	spray.	
	Media:		Use water spray to cool fire-	exposed containers			
	Unsuita Media:		g A solid water stream may be	e inefficient.			
5.2		-	dCan release vapors that form	-	-	at or above the flashpoint.	
	Hazard	ls:	Container explosion may oc		ions.		
			Emits toxic fumes under fire				
			Sensitive to static discharge Vapors can travel to a sourc		sh hack		
	No data available.				bir back.		
			14.00 C Method Used: C	Closed Cup			
		vive Limits:	LEL: 3.3% at 25.0 C	•	at 25.0 C		
	-	nition Pt:	363.00 C	JEL. 1370	ut 20.0 0		
5.3	-			ained breathing apr	paratus pressure-d	emand (NIOSH approved or	
5.5	Fire Fighting Instructions: As in any fire, wear self-con equivalent), and full protecti Note: Flammable as diluted		ve gear to prevent c	-			



SAFETY DATA SHEET 19(R)-hydroxy Prostaglandin E1

		Section 6.	Accidenta	al Release Measures			
6.1	Protective Precautions,	Avoid breathing	vapors and pr	ovide adequate ventilation.			
	Protective Equipment and As conditions warrant, wear a NIOSH approved self-contained breathing apparatus, or respirator,						
	Emergency Procedures:	and appropriate	personal prote	ection (rubber boots, safety goggles, and hea	vy rubber gloves).		
6.2	Environmental	Take steps to av	void release int	to the environment, if safe to do so.			
	Precautions:						
6.3	Methods and Material Fo	•	•				
	Containment and Cleaning Transfer to a chemical waste container for disposal in accordance with local regulations.						
	Up:						
		Sectior	זי 7. Hanc	lling and Storage			
7.1	Precautions To Be Taken	Avoid breathing	dust/fume/gas/	/mist/vapours/spray.			
	in Handling:	Avoid prolonged	-	-			
		Keep away from	-				
		-	-	against static discharge.			
7.2	Precautions To Be Taken		-	and flame.			
	in Storing:	Keep container tightly closed. Store in accordance with information listed on the product insert					
	Other Precautions:	Store in accordance with information listed on the product insert.					
	Other Frecautions.	Hygroscopic Light sensitive					
		-					
		tion 8. Expo	osure Cor	ntrols/Personal Protection			
8.1 CAS	Exposure Parameters: # Chemical Name	Jurisdict		Decommonded Experies Limits	Notations		
				Recommended Exposure Limits	Notations		
64-17	7-5 Ethyl alcohol	ACGIH T France V		TLV: 1000 ppm TWA: 1900 mg/m3 (1000 ppm)			
			L	STEL: 9500 mg/m3 (5000 ppm)			
		OSHA PE	ELs	PEL: 1000 ppm			
		Britain El	-140	TWA: 1920 mg/m3 (1000 ppm)			
				STEL: ()			
8.2		I					
	Exposure Controls:						
	Engineering Controls			exhaust ventilation, or other engineering con	trols to control airborn		
8.2.1	Engineering Controls (Ventilation etc.):	levels below reco			trols to control airborn		
8.2.1	Engineering Controls (Ventilation etc.): Personal protection equi	levels below reco pment:			trols to control airborn		
8.2.1	Engineering Controls (Ventilation etc.): Personal protection equi Eye Protection:	levels below reco pment: Safety glasses	ommended exp	posure limits.	trols to control airborn		
8.2.1	Engineering Controls (Ventilation etc.): Personal protection equi Eye Protection: Protective Gloves:	levels below reco pment: Safety glasses Compatible cher	ommended exp	posure limits.	trols to control airborn		
8.2.1	Engineering Controls (Ventilation etc.): Personal protection equi Eye Protection: Protective Gloves: Other Protective Clothing	levels below reco pment: Safety glasses Compatible cher g:Lab coat	ommended exp nical-resistant	posure limits. gloves	trols to control airborn		
8.2.1	Engineering Controls (Ventilation etc.): Personal protection equi Eye Protection: Protective Gloves: Other Protective Clothing Respiratory Equipment	levels below reco pment: Safety glasses Compatible cher g:Lab coat	ommended exp nical-resistant	posure limits.	trols to control airborn		
8.2.1	Engineering Controls (Ventilation etc.): Personal protection equi Eye Protection: Protective Gloves: Other Protective Clothing Respiratory Equipment (Specify Type):	levels below reco pment: Safety glasses Compatible cher g:Lab coat NIOSH approved	ommended exp nical-resistant d respirator, as	posure limits. gloves	trols to control airborn		
8.2.1	Engineering Controls (Ventilation etc.): Personal protection equi Eye Protection: Protective Gloves: Other Protective Clothing Respiratory Equipment (Specify Type): Work/Hygienic/Maintenar	levels below reco pment: Safety glasses Compatible cher g:Lab coat NIOSH approved	ommended exp nical-resistant d respirator, as mally.	posure limits. gloves conditions warrant.			
8.2.1	Engineering Controls (Ventilation etc.): Personal protection equi Eye Protection: Protective Gloves: Other Protective Clothing Respiratory Equipment (Specify Type):	levels below reco pment: Safety glasses Compatible cher g:Lab coat NIOSH approved Do not take inter Facilities storing	ommended exp nical-resistant d respirator, as mally.	posure limits. gloves			
8.2.1	Engineering Controls (Ventilation etc.): Personal protection equi Eye Protection: Protective Gloves: Other Protective Clothing Respiratory Equipment (Specify Type): Work/Hygienic/Maintenar	levels below reco pment: Safety glasses Compatible cher g:Lab coat NIOSH approved Do not take inter Facilities storing shower.	ommended exp nical-resistant d respirator, as nally. or utilizing this	posure limits. gloves conditions warrant. material should be equipped with an eyewa			
8.2.1	Engineering Controls (Ventilation etc.): Personal protection equi Eye Protection: Protective Gloves: Other Protective Clothing Respiratory Equipment (Specify Type): Work/Hygienic/Maintenar	levels below reco pment: Safety glasses Compatible cher g:Lab coat NIOSH approved Do not take inter Facilities storing shower. Wash thoroughly	ommended exp mical-resistant d respirator, as mally. or utilizing this y after handling	posure limits. gloves conditions warrant. material should be equipped with an eyewa			
8.2.1	Engineering Controls (Ventilation etc.): Personal protection equi Eye Protection: Protective Gloves: Other Protective Clothing Respiratory Equipment (Specify Type): Work/Hygienic/Maintenar	levels below reco pment: Safety glasses Compatible cher g:Lab coat NIOSH approved Do not take inter Facilities storing shower.	ommended exp mical-resistant d respirator, as mally. or utilizing this y after handling	posure limits. gloves conditions warrant. material should be equipped with an eyewa			
8.2.1	Engineering Controls (Ventilation etc.): Personal protection equi Eye Protection: Protective Gloves: Other Protective Clothing Respiratory Equipment (Specify Type): Work/Hygienic/Maintenar	levels below reco pment: Safety glasses Compatible cher g:Lab coat NIOSH approved Do not take inter Facilities storing shower. Wash thoroughly	ommended exp mical-resistant d respirator, as mally. or utilizing this y after handling	posure limits. gloves conditions warrant. material should be equipped with an eyewa			
8.2.1	Engineering Controls (Ventilation etc.): Personal protection equi Eye Protection: Protective Gloves: Other Protective Clothing Respiratory Equipment (Specify Type): Work/Hygienic/Maintenar	levels below reco pment: Safety glasses Compatible cher g:Lab coat NIOSH approved Do not take inter Facilities storing shower. Wash thoroughly	ommended exp mical-resistant d respirator, as mally. or utilizing this y after handling	posure limits. gloves conditions warrant. material should be equipped with an eyewa			
8.2.1	Engineering Controls (Ventilation etc.): Personal protection equi Eye Protection: Protective Gloves: Other Protective Clothing Respiratory Equipment (Specify Type): Work/Hygienic/Maintenar	levels below reco pment: Safety glasses Compatible cher g:Lab coat NIOSH approved Do not take inter Facilities storing shower. Wash thoroughly	ommended exp mical-resistant d respirator, as mally. or utilizing this y after handling	posure limits. gloves conditions warrant. material should be equipped with an eyewa			



Revision: 06/06/2019 Supersedes Revision: 03/27/2015

	CHEMICAL	Supersedes Revision: 03/27/2015
	S	ection 9. Physical and Chemical Properties
9.1	Information on Basic Phys	sical and Chemical Properties
	Physical States:	[]Gas [X]Liquid []Solid
	Appearance and Odor:	A solution in ethanol
	pH:	No data.
	Melting Point:	No data.
	Boiling Point:	No data.
	Flash Pt:	14.00 C Method Used: Closed Cup
	Evaporation Rate:	No data.
	Flammability (solid, gas):	No data available.
	Explosive Limits:	LEL: 3.3% at 25.0 C UEL: 19% at 25.0 C
	Vapor Pressure (vs. Air o	or mm 43 MM_HG at 20.0 C
	Hg):	
	Vapor Density (vs. Air = 1	I): No data.
	Specific Gravity (Water =	1): No data.
	Solubility in Water:	No data.
	Octanol/Water Partition	No data.
	Coefficient:	
	Autoignition Pt:	363.00 C
	Decomposition Temperat	ture: No data.
	Viscosity:	No data.
9.2	Other Information	
	Percent Volatile:	No data.
	Molecular Formula & Wei	
		Section 10. Stability and Reactivity
10.1	Reactivity:	No data available.
10.2	Stability:	Unstable [] Stable [X]
10.3	Stability Note(s):	No data available.
10.5	Polymerization:	Will occur [] Will not occur [X]
10.4	Conditions To Avoid:	
		heat, flames, and sparks
10.5	Incompatibility - Materials	ammonia
	To Avoid:	peroxides
		strong oxidizing agents
10.6	Hazardous	carbon dioxide
10.0	Decomposition or	carbon monoxide
	Byproducts:	
	Byproducts.	

Multi-region format



Multi-region format

CAS # 64625 64-1 12.1	Chronic T Effects:	gical Effects: Foxicological Hazardous Com 19(R)-hydroxy Pro Ethyl alcohol		effects of this pr Data: Oral TDL ; Oral LD50 (mo /kg; Inhalation I ation TCLO (hur CLO (mouse): 2 Data: Eyes (ral ated as a drug, try of Toxic Effe n RTECS for co Jumber: KQ630 al Name) 12. Ecolog	roduct have no -O (man): 1.14 ouse): 3,450 m LC50 (rat): 20, man): 2,500 m 29,300 ppm (71 bbit): 500 mg mutagen, nature ects of Chemic omplete inform 00000 NT n.a n.a	ot been th I ml/kg; Or ng/kg; Ora 000 ppm ng/m3 (20r h); (24h) mild ural produ cal Substa nation.	oroughly st ral TDLO (n al LD50 (mo (10h); Inha m); Inhalatio I; Skin (rabb ct, primary	nan): 650 mg/k puse): 10.5 ml/l lation TCLO (h on LC50 (rat): { pit): 20 mg (24l irritant, reprodu	kg; Oral LD50 numan): 1,800 5,900 mg/m3 h) moderate; uctive effector; esented here.
CAS # 64625 64-1 12.1	Toxicolog Chronic T Effects: 5-55-4 17-5 Toxicity: Persisten Degradat	gical Effects: Foxicological Hazardous Com 19(R)-hydroxy Pro Ethyl alcohol	Ethanol - Toxicity (rat): 7,060 mg/kg (rabbit): 6,300 mg ppm (30m); Inhala (6h); Inhalation LG Ethanol - Irritation Ethanol - Investiga and tumorigen. Only select Regist See actual entry in Ethanol RTECS N ponents (Chemica ostaglandin E1	Data: Oral TDL ; Oral LD50 (mo /kg; Inhalation I ation TCLO (hur CLO (mouse): 2 Data: Eyes (ral ated as a drug, try of Toxic Effe n RTECS for co lumber: KQ630 al Name) 12. Ecolog	-O (man): 1.14 ouse): 3,450 n LC50 (rat): 20, man): 2,500 m 29,300 ppm (7h bbit): 500 mg mutagen, natu ects of Chemic pmplete inform 00000 NT n.a n.a	I ml/kg; Or ng/kg; Ora ,000 ppm ng/m3 (20r h); (24h) milc ural produ cal Substa nation.	ral TDLO (n al LD50 (mc (10h); Inha m); Inhalatio I; Skin (rabb ct, primary nces (RTEC IARC n.a.	nan): 650 mg/k puse): 10.5 ml/l lation TCLO (h on LC50 (rat): 9 pit): 20 mg (24 irritant, reproduction CS) data is pre	kg; Oral LD50 numan): 1,800 5,900 mg/m3 h) moderate; uctive effector; esented here.
64625 64-1 2.1 7 2.2 F	5-55-4 17-5 Toxicity: Persisten Degradat	19(R)-hydroxy Pro Ethyl alcohol	Section Avoid release into	12. Ecolog	n.a n.a	ì.	n.a.	n.a.	n.a.
64-1	Toxicity: Persisten Degradat	Ethyl alcohol	Section Avoid release into		n.a				
12.1 T	Toxicity: Persisten Degradak	nce and	Avoid release into			a.	1	Δ4	
2.2 2.3	Persisten Degradat		Avoid release into		nical Info			7.1	n.a.
2.2 2.3	Persisten Degradat		Avoid release into		yiuu iiiiUl	rmatio			
	Bioaccun	-	No data available.		n water may ca	ause pollu	tion.		
	Potential		No data available.						
2.4	Mobility i	n Soil:	No data available.						
-	Results o assessmo		No data available						
2.6	Other adv	verse effects:	No data available						
			Section 1	3. Disposa	al Consid	leration	าร		
I3.1 \	Waste Di	sposal Method:	Dispose in accord	ance with local	, state, and fe	deral regu	lations.		
			Section	14. Trans	sport Infoi	rmatio	า		
14.1		RANSPORT (US E	DOT):						
DO	T Proper	Shipping Name:	Ethyl Alcohol	Solution					
DOT Hazard Class:		3	FLAMMABL		_				
UN	I/NA Num	per:	1170		Packing	g Group:		II	
14.1	LAND TR	RANSPORT (Euro	pean ADR/RID):						
		ipping Name:	Ethyl Alcohol	Solution		-			
-	l Number: zard Clas		1170 3 - FLAMMAE	מיי וא בו	Packing	g Group:		II	



Revision: 06/06/2019 Supersedes Revision: 03/27/2015

14.3 AIR TRANSPORT (ICAO/IATA):

ICAO/IATA Shipping Name:	Ethyl Alcohol Solution						
UN Number:	1170	Packing Group:	II				
Hazard Class:	3 - FLAMMABLE LIQUID	IATA Classification:	3				
Additional Transport	Transport in accordance with loca	I, state, and federal regulations.					
Information:	When sold in quantities of less than or equal to 1 mL, or 1 g, with an Excepted Quantity Code of						
	E1, E2, E4, or E5, this item meets the De Minimis Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled as Dangerous Goods/Excepted Quantity.						

Section 15. Regulatory Information

•	-	nents and Reauthorization Act	,		··	
CAS #		ponents (Chemical Name)	S. 302 (EHS)	S. 304 RQ	S. 313 (TRI)	
64625-55-4	19(R)-hydroxy Prostaglandin E1		No	No	No	
64-17-5	64-17-5 Ethyl alcohol		No	No	No	
CAS #	Hazardous Com	ponents (Chemical Name)	Other US EPA o	r State Lists		
64625-55-4 19(R)-hydroxy Prostag		rostaglandin E1	CAA HAP,ODC: PROP.65: No	CAA HAP,ODC: No; CWA NPDES: No; TSCA: No; CA PROP.65: No		
64-17-5	Ethyl alcohol		CAA HAP,ODC: No; CWA NPDES: No; TSCA: Yes - Inventory; CA PROP.65: No			
Regulatory Inf Statement:	formation	This SDS was prepared in acc No.1272/2008.	cordance with 29 CFF	R 1910.1200 and R	egulation (EC)	
		Section 16. Ot	her Informatio	on		
Revision Date	:	06/06/2019				
Additional Info	ormation About	No data available.				
This Product:						
Company Poli	cy or Disclaimer:	DISCLAIMER: This information currently available to us. Howe express or implied, with respec- use. Users should make their their particular purposes.	ever, we make no wa ct to such informatior	rranty of merchanta n, and we assume n	bility or any other warrant to liability resulting from its	