

	Revision:	07/03/2019
Supersedes	Revision:	10/04/2012

	according					
	Section 1. Id	entification of the Substance/Mixture and of the	he Company/Undertaking			
	Product Code:	14510				
	Product Name:	11.betaProstaglandin E2				
	Synonyms:	9-oxo-11.beta.,15S-dihydroxy-prosta-5Z,13E-	dien-1-oic acid; 11.betaPGE2; 11-epi PGE2			
	Relevant identified uses of	the substance or mixture and uses advised ag	ainst:			
	Relevant identified uses:	For research use only, not for human or veteri	nary use.			
1.3	Details of the Supplier of th	e Safety Data Sheet:				
	Company Name:	Cayman Chemical Company				
		1180 E. Ellsworth Rd.				
		Ann Arbor, MI 48108				
	Web site address:	www.caymanchem.com				
	Information:	Cayman Chemical Company	+1 (734)971-3335			
ŀ	Emergency telephone num					
	Emergency Contact:	CHEMTREC Within USA and Canada:	+1 (800)424-9300			
		CHEMTREC Outside USA and Canada:	+1 (703)527-3887			
		Section 2. Hazards Identific	ation			
	Classification of the Substa	nce or Mixture:				
	Flammable Liquids, Categ	lory 2				
	Serious Eye Damage/Eye Irritation, Category 2					
	Toxic To Reproduction C					
	Toxic To Reproduction, C	ategory 1B				
2	-					
2	Specific Target Organ Too Label Elements:	ategory 1B				
2	Specific Target Organ To	ategory 1B				
2	Specific Target Organ Too Label Elements:	ategory 1B kicity (single exposure), Category 3				
2	Specific Target Organ Tox Label Elements: GHS Signal Word: GHS Hazard Phrases:	ategory 1B kicity (single exposure), Category 3				
2	Specific Target Organ Tox Label Elements: GHS Signal Word: GHS Hazard Phrases:	ategory 1B kicity (single exposure), Category 3 Danger re may cause skin dryness or cracking.				
2	Specific Target Organ Too Label Elements: GHS Signal Word: GHS Hazard Phrases: EUH066: Repeated exposu	ategory 1B kicity (single exposure), Category 3 Danger re may cause skin dryness or cracking. uid and vapor.				
2	Specific Target Organ Too Label Elements: GHS Signal Word: GHS Hazard Phrases: EUH066: Repeated exposu H225: Highly flammable liqu	ategory 1B kicity (single exposure), Category 3 Danger re may cause skin dryness or cracking. uid and vapor. irritation.				
2	Specific Target Organ Tox Label Elements:	ategory 1B kicity (single exposure), Category 3 Danger re may cause skin dryness or cracking. uid and vapor. irritation. ss or dizziness.				
2	Specific Target Organ Tox Label Elements: GHS Signal Word: GHS Hazard Phrases: EUH066: Repeated exposu H225: Highly flammable liqu H319: Causes serious eye f H336: May cause drowsine	ategory 1B kicity (single exposure), Category 3 Danger re may cause skin dryness or cracking. uid and vapor. irritation. ss or dizziness. or the unborn child				
2	Specific Target Organ Tox Label Elements:	ategory 1B cicity (single exposure), Category 3 Danger re may cause skin dryness or cracking. uid and vapor. rritation. ss or dizziness. or the unborn child				
2	Specific Target Organ Too Label Elements: GHS Signal Word: GHS Hazard Phrases: EUH066: Repeated exposu H225: Highly flammable liqu H319: Causes serious eye H336: May cause drowsine H360: May damage fertility GHS Precaution Phrases: P201: Obtain special instruct	ategory 1B cicity (single exposure), Category 3 Danger re may cause skin dryness or cracking. uid and vapor. rritation. ss or dizziness. or the unborn child	pod.			
2	Specific Target Organ Tox Label Elements:	ategory 1B kicity (single exposure), Category 3 Danger re may cause skin dryness or cracking. uid and vapor. irritation. ss or dizziness. or the unborn child ctions before use.				
2	Specific Target Organ Tox Label Elements:	ategory 1B cicity (single exposure), Category 3 Danger re may cause skin dryness or cracking. uid and vapor. irritation. ss or dizziness. or the unborn child ctions before use. Il safety precautions have been read and understo				
2	Specific Target Organ Tox Label Elements:	ategory 1B kicity (single exposure), Category 3 Danger re may cause skin dryness or cracking. uid and vapor. irritation. ss or dizziness. or the unborn child ctions before use. Il safety precautions have been read and understo at/sparks/open flames/hot surfaces} No smoking	j .			
2	Specific Target Organ Tox Label Elements:	ategory 1B kicity (single exposure), Category 3	g.			
2	Specific Target Organ Tox Label Elements:	ategory 1B cicity (single exposure), Category 3	g.			
2	Specific Target Organ Tox Label Elements:	ategory 1B cicity (single exposure), Category 3	g. ion}.			
2	Specific Target Organ Tox Label Elements:	ategory 1B cicity (single exposure), Category 3	g. ion}.			
22	Specific Target Organ Tox Label Elements:	ategory 1B cicity (single exposure), Category 3	g. ion}. minated clothing. Rinse skin with			
2	Specific Target Organ Tox Label Elements:	ategory 1B cicity (single exposure), Category 3	g. ion}. minated clothing. Rinse skin with ition comfortable for breathing.			



Revision: 07/03/2019 Supersedes Revision: 10/04/2012

P308+313: IF exposed or concerned: Get medical attention/advice. P312: Call a POISON CENTER or doctor/physician if you feel unwell.

P337+313: If eye irritation persists, get medical advice/attention.

GHS Storage and Disposal Phrases:

Please refer to Section 7 for Storage and Section 13 for Disposal information.

2.3 Adverse Human Health Causes serious eye irritation.

Effects and Symptoms: Material may be irritating to the mucous membranes and upper respiratory tract.

May be harmful by inhalation, ingestion, or skin absorption.

May cause adverse reproductive effects in males and/or females.

May cause drowsiness or dizziness.

May cause gastrointestinal disturbances.

May cause skin or respiratory system irritation.

May damage fertility or the unborn child.

May stimulate contraction of intestinal and reproductive smooth muscle.

Repeated exposure may cause skin dryness or cracking.

This chemical has the potential to induce premature labor or abortion.

To the best of our knowledge, the toxicological properties have not been thoroughly investigated.

Section 3. Composition/Information on Ingredients

CAS # / RTECS #	Hazardous Components (Chemical Name)/ REACH Registration No.	Concentration	EC No./ EC Index No.	GHS Classification
38310-90-6 NA	11.betaProstaglandin E2	0.5 %	NA NA	No data available.
79-20-9 Al9100000	Methyl acetate 01-2119459211-47	99.5 %	201-185-2 607-021-00-X	Flam. Liq. 2: H225 Eye Damage 2: H319 STOT (SE) 3: H335 H336 EUH066

Section 4. First Aid Measures

4.1	Description of First Aid	
	Measures:	
	In Case of Inhalation:	Remove to fresh air. If not breathing, give artificial respiration or give oxygen by trained personnel. Get immediate medical attention.
	In Case of Skin Contact:	Immediately wash skin with soap and plenty of water for at least 20 minutes. Remove contaminated clothing. Get medical attention if symptoms occur. Wash clothing before reuse.
	In Case of Eye Contact:	Hold eyelids apart and flush eyes with plenty of water for at least 20 minutes. Have eyes examined and tested by medical personnel.
	In Case of Ingestion:	Wash out mouth with water provided person is conscious. Never give anything by mouth to an unconscious person. Get medical attention. Do NOT induce vomiting unless directed to do so by medical personnel.
4.2	Important Symptoms and	Exposure can cause: diarrhea, dizziness, fever, flushing, headache, hypotension, nausea,
	Effects, Both Acute and	shivering, vomiting.
	Delayed:	Exposure may cause: coughing, drowsiness, narcosis, optic nerve atrophy, chest tightness.

Multi-region format



Revision: 07/03/2019 Supersedes Revision: 10/04/2012

		Section 5. Fire	Fighting Measures	
5.1	Suitable Extinguishing	Use alcohol-resistant foam, c	carbon dioxide, water, or dry chemical spray.	
	Media:	Use water spray to cool fire-e	exposed containers.	
	Unsuitable Extinguishing	g A solid water stream may be	inefficient.	
	Media:			
5.2	Flammable Properties ar	-	explosive mixtures at temperatures at or above	the flash point.
	Hazards:	Container explosion may occ		
		Emits toxic fumes under fire	conditions.	
		Sensitive to static discharge. Vapors can travel to a source	e of ignition and flash back	
		No data available.	o ingilition and liabil baok.	
	Flash Pt:	-10.00 C Method Used: C	losed Cup	
	Explosive Limits:	LEL: 3.1% at 25.0 C		
	Autoignition Pt:	455.00 C		
5.3	-	s: As in any fire, wear self-cont	ained breathing apparatus pressure-demand (NIC	OSH approved or
		-	e gear to prevent contact with skin and eyes.	
		Note: Flammable as diluted i	n methyl acetate.	
		Section 6. Accider	tal Release Measures	
6.1	Protective Precautions,	Avoid breathing vapors and	provide adequate ventilation.	
			a NIOSH approved self-contained breathing appr	aratus, or respirator,
	Emergency Procedures:	and appropriate personal pro	otection (rubber boots, safety goggles, and heavy	rubber gloves).
6.2	Environmental	Take steps to avoid release	into the environment, if safe to do so.	
	Precautions:			
6.3		r Contain spill and collect, as		
	Containment and Cleaning	ngTransfer to a chemical waste	e container for disposal in accordance with local r	egulations.
	Up:			
		Section 7. Har	ndling and Storage	
7.1	Precautions To Be Taker	n Avoid breathing dust/fume/ga	as/mist/vapours/spray.	
	in Handling:	Avoid exposure.		
		Keep away from sources of i	•	
		Take precautionary measure		
7.2		n Keep away from heat, sparks		
	in Storing:	Keep container tightly closed		
	Other Precautions:	Protect from moisture.	ormation listed on the product insert.	
	Other Precautions.			
	Sec	tion 8. Exposure Co	ontrols/Personal Protection	
8.1	Exposure Parameters:			
CAS	# Chemical Name	Jurisdiction	Recommended Exposure Limits	Notations
79-20	9-9 Methyl acetate	ACGIH TLV	TLV: 200 ppm	
			STEL: 250 ppm	
		France VL	TWA: 610 mg/m3 (200 ppm) STEL: 760 mg/m3 (250 ppm)	
		OSHA PELs	PEL: 200 ppm	
		Britain EH40	TWA: 616 mg/m3 (200 ppm)	
			STEL: 770 mg/m3 (250 ppm)	

Multi-region format



Revis	sion: (07/03/201	19
Supersedes Revis	sion: [·]	10/04/201	12

	HEMICAL	Supersedes Revision: 10/04/2012
8.2	Exposure Controls:	
8.2.1	Engineering Controls	se process enclosures, local exhaust ventilation, or other engineering controls to control airborne
	(Ventilation etc.): le	vels below recommended exposure limits.
8.2.2	Personal protection equipm	ent:
	Eye Protection: Sa	afety glasses
	-	ompatible chemical-resistant gloves
	Other Protective Clothing:La	
	-	IOSH approved respirator, as conditions warrant.
	(Specify Type):	
	Work/Hygienic/Maintenan D	o not take internally
		acilities storing or utilizing this material should be equipped with an eyewash and a safety shower
		/ash thoroughly after handling.
		o data available.
	Sec	ction 9. Physical and Chemical Properties
9.1	Information on Basic Physica	al and Chemical Properties
	Physical States:	[]Gas [X]Liquid []Solid
	Appearance and Odor:	A solution in methyl acetate
	pH:	No data.
	Melting Point:	No data.
	Boiling Point:	No data.
	Flash Pt:	-10.00 C Method Used: Closed Cup
	Evaporation Rate:	No data.
	Flammability (solid, gas):	No data available.
	Explosive Limits:	LEL: 3.1% at 25.0 C UEL: 16.0% at 25.0 C
	Vapor Pressure (vs. Air or m	173 MM_HG at 20.0 C
	Hg):	
	Vapor Density (vs. Air = 1):	No data.
	Specific Gravity (Water = 1):	No data.
	Solubility in Water:	No data.
	Octanol/Water Partition	No data.
	Coefficient:	
	Autoignition Pt:	455.00 C
	Decomposition Temperature	e: No data.
	Viscosity:	No data.
9.2	Other Information	
	Percent Volatile:	No data.
	Molecular Formula & Weight	



Revision: 07/03/2019 Supersedes Revision: 10/04/2012

			Section 10. Stability and	Reactiv	/ity		
10.1	Reactivit	y:	No data available.				
10.2	Stability:	:	Unstable [] Stable [X]				
10.3	Stability	Note(s):	Stable if stored in accordance with information	ation listed c	n the product	insert.	
	Polymeri	ization:	Will occur [] Will not occur [X]				
10.4	Conditio	ns To Avoid:	heat, flames, and sparks				
10.5	Incompa	tibility - Materials	acids				
	To Avoid	l:	bases				
			nitrates				
			strong oxidizing agents				
10.6	Hazardo		carbon dioxide carbon monoxide				
	Byprodu	osition or	carbon monoxide				
	Бургоци	cis.					
			Section 11. Toxicological				
11.1	Informat		The toxicological effects of this product ha				0.705 "
	Toxicolo	gical Effects:	Methyl Acetate - Toxicity Data: Oral LD50 Skin LD50 (rabbit): >5,000 mg/kg; Inhalati		0 0	. ,	
			Methyl Acetate - Irritation Data: Skin (rabbi			0 0 0	
			moderate;	ny. 500 mg	(2-+11) miliu, Ey	55 (Tabbit). 100	, ing (2411)
	Chronic	Toxicological	Methyl Acetate - Investigated as a mutage	n and prima	arv irritant.		
	Effects:			nly select Registry of Toxic Effects of Chemical Substances (RTECS) data is presented here.			
			See actual entry in RTECS for complete information. Methyl Acetate RTECS Number: Al9100000				
Carcinogenicity:		:	NTP? No IARC Monographs? No	OSHA Re	gulated? No		
CAS	#	Hazardous Com	ponents (Chemical Name)	NTP	IARC	ACGIH	OSHA
CAS	# 10-90-6	Hazardous Com 11.betaProstagla		NTP n.a.	n.a.	ACGIH n.a.	n.a.
CAS							
CAS	10-90-6	11.betaProstagla		n.a. n.a.	n.a. n.a.	n.a.	n.a.
CAS 383 ⁻ 79	10-90-6	11.betaProstagla Methyl acetate	andin E2	n.a. n.a.	n.a. n.a.	n.a.	n.a.
CAS 383 ⁻ 79	10-90-6 -20-9	11.betaProstagla Methyl acetate	Section 12. Ecological I	n.a. n.a.	n.a. n.a. ON	n.a.	n.a.
CAS 383 ⁻⁷⁹	10-90-6 -20-9	11.betaProstagla	Avoid release into the environment.	n.a. n.a.	n.a. n.a. ON	n.a.	n.a.
CAS 383 ⁻⁷⁹	10-90-6 -20-9 Toxicity:	11.betaProstagla Methyl acetate	Avoid release into the environment. Runoff from fire control or dilution water m	n.a. n.a.	n.a. n.a. ON	n.a.	n.a.
CAS 383 ⁻⁷⁹ 12.1 12.2	10-90-6 -20-9 Toxicity: Persister	11.betaProstagla Methyl acetate nce and bility:	Avoid release into the environment. Runoff from fire control or dilution water m	n.a. n.a.	n.a. n.a. ON	n.a.	n.a.
CAS 383 ⁻⁷⁹ 12.1 12.2	10-90-6 -20-9 Toxicity: Persister Degrada	11.betaProstagla Methyl acetate nce and bility: mulative	Avoid release into the environment. Runoff from fire control or dilution water m No data available.	n.a. n.a.	n.a. n.a. ON	n.a.	n.a.
CAS 383 ⁷ 79 12.1 12.2 12.3	10-90-6 -20-9 Toxicity: Persister Degrada Bioaccu	11.betaProstagla Methyl acetate nce and bility: mulative	Avoid release into the environment. Runoff from fire control or dilution water m No data available.	n.a. n.a.	n.a. n.a. ON	n.a.	n.a.
CAS 383 ⁷ 79 12.1 12.2 12.3 12.4	10-90-6 -20-9 Toxicity: Persister Degrada Bioaccur Potential Mobility	11.betaProstagla Methyl acetate nce and bility: mulative I: in Soil:	Avoid release into the environment. Runoff from fire control or dilution water m No data available. No data available.	n.a. n.a.	n.a. n.a. ON	n.a.	n.a.
CAS	10-90-6 -20-9 Toxicity: Persister Degrada Bioaccur Potential Mobility	11.betaProstagla Methyl acetate nce and bility: mulative l: in Soil: of PBT and vPvB	Avoid release into the environment. Runoff from fire control or dilution water m No data available. No data available.	n.a. n.a.	n.a. n.a. ON	n.a.	n.a.

Multi-region format



Revision: 07/03/2019 Supersedes Revision: 10/04/2012

CHEMICAL		Section 13. Dispo	sal Consider:	•	ersedes Revision: 10/04/2012
13.1 Waste [Disposal Method:	Dispose in accordance with lo			
		Section 14. Tra		-	
14.1 LAND 1	RANSPORT (US D				
	er Shipping Name:	Methyl Acetate Solution			
DOT Hazaı	d Class:	3 FLAMMA	BLE LIQUID		
UN/NA Nu	mber:	UN1231	Packing Gr	oup:	II
	RANSPORT (Euro	-			
UN Numbe	hipping Name:	Methyl Acetate Solution 1231	Packing Gr	000.	Ш
Hazard Cla		3 - FLAMMABLE LIQUID		~~ b .	
	ANSPORT (ICAO/IA				
	Shipping Name:	Methyl Acetate Solution			
UN Numbe		1231	Packing Gr	oup:	II
Hazard Cla	ISS:	3 - FLAMMABLE LIQUID	IATA Class	ification:	3
Additional Tra	nsport	Transport in accordance with	local, state, and fede	ral regulations.	
Information:		When sold in quantities of les E1, E2, E4, or E5, this item m Therefore packaging does no Section 15. Reg	eets the De Minimis (t have to be labeled a	Quantities exemptions Dangerous Good	on, per IATA 2.6.10.
EPA SARA (Si	uperfund Amendme	ents and Reauthorization Ac	t of 1986) Lists		
CAS #	Hazardous Comp	onents (Chemical Name)	S. 302 (EHS)	S. 304 RQ	S. 313 (TRI)
38310-90-6	11.betaProstagla	ndin E2	No	No	No
79-20-9	Methyl acetate		No	No	No
CAS #	Hazardous Comp	onents (Chemical Name)	Other US EPA o	r State Lists	
38310-90-6	11.betaProstagla	ndin E2	CAA HAP,ODC: PROP.65: No	No; CWA NPDES	: No; TSCA: No; CA
79-20-9	Methyl acetate			No; CWA NPDES IR; CA PROP.65:	
Regulatory Infe		This SDS was prepared in ac	cordance with 29 CFF	R 1910.1200 and R	egulation (EC)
					Multi-region for



Revision: 07/03/2019 upersedes Revision: 10/04/2012

	Revision: (
	Supersedes Revision: 1
Section 16. Other Information	

Revision Date:	07/03/2019		
Additional Information About	No data available.		
This Product:			
Company Policy or Disclaimer:	DISCLAIMER: This information is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes.		