

Printing date 09/14/2021

Revision date 09/14/2021

Page 1/10

### **1** Identification

- · Product identifier
- · Trade name: 11-deoxy-16,16-dimethyl Prostaglandin E2
- · Article number: 14570
- Application of the substance / the mixture This product is for research use - Not for human or veterinary diagnostic or therapeutic use. It is the responsibility of the purchaser to determine suitability for other applications.
- · Details of the supplier of the safety data sheet Manufacturer/Supplier: Cayman Chemical Co. 1180 E. Ellsworth Rd. Ann Arbor, MI 48108 USA
- · Information department: Product safety department
- Emergency telephone number: During normal opening times: +1 (734) 971-3335 US/CĂNADA: 800-424-9300 Outside US/CANADA: 703-741-5970

2 Hazard(s) identification
Classification of the substance or mixture
GHS02 Flame
Flam. Liq. 2 H225 Highly flammable liquid and vapor.
GHS08 Health hazard
GISUO Health hazard
Repr. 1A H360 May damage fertility or the unborn child.
GHS07
Eye Irrit. 2A H319 Causes serious eye irritation.
STOT SE 3 H336 May cause drowsiness or dizziness.
Label elements
<ul> <li>GHS label elements</li> <li>The product is classified and labeled according to the Globally Harmonized System (GHS).</li> </ul>
(Contd. on page 2)

US

Printing date 09/14/2021

Revision date 09/14/2021

# Trade name: 11-deoxy-16,16-dimethyl Prostaglandin E2

Hazard pictogr	rams (Contd. from pag
<u>&lt; 🕸 &gt; &lt; !</u>	
GHS02 GHS	07 GHS08
Signal word Da	anger
	ining components of labeling:
Methyl acetate	dimethyd Dreste glandin 50
	-dimethyl Prostaglandin E2
Hazard statem	
	mmable liquid and vapor. erious eye irritation.
	age fertility or the unborn child.
	e drowsiness or dizziness.
Precautionary	
P201	Obtain special instructions before use.
P202	Do not handle until all safety precautions have been read and understood.
P210	Keep away from heat/sparks/open flames/hot surfaces No smoking.
P240	Ground/bond container and receiving equipment.
P241	Use explosion-proof electrical/ventilating/lighting/equipment.
P242	Use only non-sparking tools.
P243	Take precautionary measures against static discharge.
P261	Avoid breathing dust/fume/gas/mist/vapors/spray
P264	Wash thoroughly after handling.
P271	Use only outdoors or in a well-ventilated area.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P303+P361+P3	53 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin w
D004 - D040	water/shower.
P304+P340 P305+P351+P3	IF INHALED: Remove person to fresh air and keep comfortable for breathing. 38 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses
P308+P313	present and easy to do. Continue rinsing. IF exposed or concerned: Get medical advice/attention.
P312	Call a poison center/doctor if you feel unwell.
P337+P313	If eye irritation persists: Get medical advice/attention.
P370+P378	In case of fire: Use CO2, powder or water spray to extinguish.
P403+P233	Store in a well-ventilated place. Keep container tightly closed.
P403+P235	Store in a well-ventilated place. Keep cool.
P405	Store locked up.
P501	Dispose of contents/container in accordance with local/regional/national/internation
	regulations.
<b>Classification</b>	
NFPA ratings (	scale 0 - 4)
	ealth = 2
	re = 3
Z U Re	eactivity = 0

HEALTH <sup>\*2</sup> Health = \*2

FIRE3REACTIVITY0

(Contd. on page 3)

US

Printing date 09/14/2021

Revision date 09/14/2021

(Contd. from page 2)

99.0%

1.0%

### Trade name: 11-deoxy-16,16-dimethyl Prostaglandin E2

- · Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.

#### **3** Composition/information on ingredients

· Chemical characterization: Mixtures

• **Description:** Mixture of the substances listed below with nonhazardous additions.

### Dangerous components:

CAS: 79-20-9 Methyl acetate

RTECS: AI9100000

CAS: 53658-98-3 11-deoxy-16,16-dimethyl Prostaglandin E2

### **4 First-aid measures**

#### Description of first aid measures

- · General information: Immediately remove any clothing soiled by the product.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact: Immediately rinse with water.
- · After eve contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- · After swallowing: If symptoms persist consult doctor.
- Information for doctor:
- · Most important symptoms and effects, both acute and delayed May cause anemia, cough, CNS depression, drowsiness, headache, heart damage, lassitude (weakness, exhaustion), liver damage, narcosis, reproductive effects, teratogenic effects. No further relevant information available.
- Indication of any immediate medical attention and special treatment needed No further relevant information available.

# **5 Fire-fighting measures**

- · Extinguishing media
- Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam. • For safety reasons unsuitable extinguishing agents: Water with full jet

- Special hazards arising from the substance or mixture No further relevant information available.
- Advice for firefighters
- · Protective equipment: No special measures required.

### 6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.
- Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to item 13.

(Contd. on page 4)

Printing date 09/14/2021

Revision date 09/14/2021

#### Trade name: 11-deoxy-16,16-dimethyl Prostaglandin E2

Ensure adequate ventilation.	(Contd. from page 3)
· Reference to other sections	
See Section 7 for information on safe handling.	
See Section 8 for information on personal protection equipment.	
See Section 13 for disposal information.	
<ul> <li>Protective Action Criteria for Chemicals</li> </ul>	
· PAC-1:	
79-20-9 Methyl acetate	250 ppm
· PAC-2:	
79-20-9 Methyl acetate	1,700 ppm
· PAC-3:	
79-20-9 Methyl acetate	10000* ppm

# 7 Handling and storage

#### · Handling:

- **Precautions for safe handling** Ensure good ventilation/exhaustion at the workplace. Open and handle receptacle with care. Prevent formation of aerosols.
- Information about protection against explosions and fires: Keep ignition sources away - Do not smoke.
   Protect against electrostatic charges.
   Keep respiratory protective device available.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed. Store in cool, dry conditions in well sealed receptacles.
- Specific end use(s) No further relevant information available.

# 8 Exposure controls/personal protection

· Additional information about design of technical systems: No further data; see item 7.

· Control parameters

Components with limit values that require monitoring at the workplace:

The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit.

At this time, the remaining constituent has no known exposure limits.

### 79-20-9 Methyl acetate

PEL Long-term value: 610 mg/m<sup>3</sup>, 200 ppm

- REL Short-term value: 760 mg/m<sup>3</sup>, 250 ppm
- Long-term value: 610 mg/m<sup>3</sup>, 200 ppm TLV Short-term value: 250 ppm
  - Long-term value: 200 ppm

• Additional information: The lists that were valid during the creation were used as basis.

(Contd. on page 5)

US

Printing date 09/14/2021

Revision date 09/14/2021

#### Trade name: 11-deoxy-16,16-dimethyl Prostaglandin E2

(Contd. from page 4)

- Exposure controls
- Personal protective equipment:
- General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Store protective clothing separately. Avoid contact with the eyes. Avoid contact with the eyes and skin.
- · Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air. • Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

#### · Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection:



Tightly sealed goggles

Information on basic physical and General Information Appearance:	chemical properties	
Form:	Liquid	
Color:	Colorless	
Odor:	Pleasant	
Structural Formula	C22H36O4	
Molecular Weight	364.5 g/mol	
Odor threshold:	Not determined.	
pH-value:	Not determined.	
Change in condition		
Melting point/Melting range:	-98.05 °C (-144.5 °F)	
		(Contd. on page

Printing date 09/14/2021

Revision date 09/14/2021

### Trade name: 11-deoxy-16,16-dimethyl Prostaglandin E2

	(Contd. from page s
Boiling point/Boiling range:	57 °C (134.6 °F)
· Flash point:	-13 °C (8.6 °F)
· Flammability (solid, gaseous):	Not applicable.
· Ignition temperature:	455 °C (851 °F)
Decomposition temperature:	Not determined.
· Auto igniting:	Product is not selfigniting.
Danger of explosion:	Product is not explosive. However, formation of explosive air vapor mixtures are possible.
Explosion limits: Lower: Upper:	3.1 Vol % 16 Vol %
Vapor pressure at 20 °C (68 °F):	220 hPa (165 mm Hg)
Density at 20 °C (68 °F):	0.93 g/cm³ (7.76085 lbs/gal)
Bulk density: Relative density Vapor density Evaporation rate	1 kg/m <sup>3</sup> Not determined. Not determined. Not determined.
· Solubility in / Miscibility with Water at 20 °C (68 °F):	330 g/l
Partition coefficient (n-octanol/water):	Not determined.
Viscosity: Dynamic: Kinematic:	Not determined. Not determined.
Solvent content: Organic solvents: VOC content:	99.0 % 0.00 % 0.0 g/l / 0.00 lb/gal
Solids content:	0.0 %
• Other information	No further relevant information available.

# **10 Stability and reactivity**

· Reactivity No further relevant information available.

- · Chemical stability
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: strong oxidizing agents
- · Hazardous decomposition products: carbon dioxide, carbon monoxide

(Contd. on page 7)

US

Printing date 09/14/2021

#### Revision date 09/14/2021

#### Trade name: 11-deoxy-16,16-dimethyl Prostaglandin E2

(Contd. from page 6)

	cicity Estimate)	r classification:
Oral	LD50	50,000 mg/kg
79-20-9 Methyl a	acotato	
Oral	LD50	>5,000 mg/kg (rat)
ora	2000	3,705 mg/kg (rabbit)
Dermal	LD50	>5,000 mg/kg (rabbit)
Inhalative	TCLO	15,000 mg/m <sup>3</sup> (hmn)
Irritation of skin	Irritation	500 mg/24h (rabbit)
	Irritation	40 mg/kg/24h (rabbit)
Irritation of eyes	Irritation	100 mg/24h (rabbit)
	Intraperitoneal LD50	,
Additional toxic	irritant effect. ating effect. lo sensitizing effects k cological information	I:
on the skin: No on the eye: Irrita Sensitization: N Additional toxic	irritant effect. ating effect. lo sensitizing effects k cological information	I:
on the skin: No on the eye: Irrita Sensitization: N Additional toxic The product sho preparations: Irritant	irritant effect. ating effect. Io sensitizing effects k cological information ows the following dar	I:
on the skin: No on the eye: Irrita Sensitization: N Additional toxic The product sho preparations: Irritant Carcinogenic ca	irritant effect. ating effect. Io sensitizing effects k cological information ows the following dar	ners according to internally approved calculation methods
on the skin: No on the eye: Irrita Sensitization: N Additional toxic The product sho preparations: Irritant Carcinogenic ca	irritant effect. ating effect. Io sensitizing effects k cological information ows the following dar ategories onal Agency for Rese	ners according to internally approved calculation methods
on the skin: No on the eye: Irrita Sensitization: N Additional toxic The product sho preparations: Irritant Carcinogenic ca IARC (Internatic None of the ingre	irritant effect. ating effect. Io sensitizing effects k cological information ows the following dar ategories onal Agency for Rese	ngers according to internally approved calculation methods earch on Cancer)
on the skin: No on the eye: Irrita Sensitization: N Additional toxic The product sho preparations: Irritant Carcinogenic ca IARC (Internatic None of the ingre	irritant effect. ating effect. Io sensitizing effects k cological information ows the following dar ategories onal Agency for Rese edients is listed.	ngers according to internally approved calculation methods earch on Cancer)
on the skin: No on the eye: Irrita Sensitization: N Additional toxic The product sho preparations: Irritant Carcinogenic ca IARC (Internatic None of the ingre NTP (National T None of the ingre	irritant effect. ating effect. Io sensitizing effects k cological information ows the following dar ategories onal Agency for Rese edients is listed. Toxicology Program) edients is listed.	ngers according to internally approved calculation methods earch on Cancer)
on the skin: No on the eye: Irrita Sensitization: N Additional toxic The product sho preparations: Irritant Carcinogenic ca IARC (Internatic None of the ingre NTP (National T None of the ingre	irritant effect. ating effect. Io sensitizing effects k cological information ows the following dar ategories onal Agency for Rese edients is listed. Toxicology Program) edients is listed.	ngers according to internally approved calculation methods

· Persistence and degradability No further relevant information available.

- Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.

(Contd. on page 8)

Printing date 09/14/2021

Revision date 09/14/2021

### Trade name: 11-deoxy-16,16-dimethyl Prostaglandin E2

- · **vPvB:** Not applicable.
- Other adverse effects No further relevant information available.

# **13 Disposal considerations**

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

· Uncleaned packagings:

• **Recommendation:** Disposal must be made according to official regulations.

· UN-Number	
	UN1231
	Methyl acetate solution METHYL ACETATE solution
· Transport hazard class(es)	
DOT	
RAMARE LOUD	
	3 Flammable liquids
· Label	3
Class	3 Flammable liquids
	3
<ul> <li>Packing group</li> <li>DOT, IMDG, IATA</li> </ul>	II
· Environmental hazards:	Not applicable.
Hazard identification number (Kemler code):	Warning: Flammable liquids 33 F-E,S-D
	B
<ul> <li>Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code</li> </ul>	Not applicable.

(Contd. from page 7)

Printing date 09/14/2021

Revision date 09/14/2021

# Trade name: 11-deoxy-16,16-dimethyl Prostaglandin E2

	(Contd. from page 8
· Transport/Additional information:	
· DOT	
· Quantity limitations	On passenger aircraft/rail: 5 L On cargo aircraft only: 60 L
· IMDG	
Limited quantities (LQ)	1L
Excepted quantities (EQ)	Code: E2
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 500 ml
IATA	
Remarks:	When sold in quantities of less than or equal to 1 mL or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minimi- Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled as Dangerous Goods/Excepted Quantity.
UN "Model Regulation":	UN 1231 METHYL ACETATE SOLUTION, 3, II

# 15 Regulatory information

• Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

· Sara

· Section 355 (extremely hazardous substances):

None of the ingredients is listed.

· Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

• TSCA (Toxic Substances Control Act):

79-20-9 Methyl acetate

· Hazardous Air Pollutants

None of the ingredients is listed.

· Proposition 65

· Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

### · Carcinogenic categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

(Contd. on page 10)

ACTIVE

US

Printing date 09/14/2021

Revision date 09/14/2021

#### Trade name: 11-deoxy-16,16-dimethyl Prostaglandin E2

(Contd. from page 9)

TLV (Threshold Limit Value)

None of the ingredients is listed.

#### · NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### **16 Other information**

All chemicals may pose unknown hazards and should be used with caution. This SDS applies only to the material as packaged. If this product is combined with other materials, deteriorates, or becomes contaminated, it may pose hazards not mentioned in this SDS. Cayman Chemical Company assumes no responsibility for incidental or consequential damages, including lost profits, arising from the use of these data. It shall be the user's responsibility to develop proper methods of handling and personal protection based on the actual conditions of use. While this SDS is based on technical data judged to be reliable, Cayman Chemical Company assumes no responsibility for the completeness or accuracy of the information contained herein.

- · Department issuing SDS: Environment protection department.
- · Contact: -
- · Date of preparation / last revision 09/14/2021 / -

 Abbreviations and acronyms: IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit **REL: Recommended Exposure Limit** Flam. Liq. 2: Flammable liquids - Category 2 Eye Irrit. 2A: Serious eye damage/eye irritation - Category 2A Repr. 1A: Reproductive toxicity - Category 1A STOT SE 3: Specific target organ toxicity (single exposure) - Category 3