

	Supersedes Revision: 08/29/2014						
	according to Regulation (EC) No. 1907/2006 as amended by (EC) No. 1272/2008						
	Section 1.	Identification of the Substance/Mixture and of the	e Company/Undertaking				
.1	Product Code:	15301					
	Product Name:	trans-Vaccenic Acid					
	Synonyms:	11E-octadecenoic acid; trans-11-Octadecenoic	acid;				
2	Relevant identified uses of	of the substance or mixture and uses advised agai	inst:				
	Relevant identified uses: For research use only, not for human or veterinary use.						
.3	Details of the Supplier of the Safety Data Sheet:						
	Company Name: Cayman Chemical Company						
		1180 E. Ellsworth Rd.					
	Web site address:	Ann Arbor, MI 48108					
	Information:	www.caymanchem.com	1 (724)071 2225				
		Cayman Chemical Company	+1 (734)971-3335				
.4	Emergency telephone nu		. 4. (000) 404 0000				
	Emergency Contact:	CHEMTREC Within USA and Canada:	+1 (800)424-9300				
		CHEMTREC Outside USA and Canada:	+1 (703)527-3887				
		Section 2. Hazards Identifica	ition				
1	Classification of the Subs	stance or mixture:					
2	Skin Corrosion/Irritation Serious Eye Damage/Ey Label Elements:						
2	Serious Eye Damage/E	n, Category 2					
2	Serious Eye Damage/E	n, Category 2					
2	Serious Eye Damage/Ey Label Elements:	n, Category 2 ye Irritation, Category 2					
2	Serious Eye Damage/Ey Label Elements:	n, Category 2 ye Irritation, Category 2 Danger					
2	Serious Eye Damage/Ey Label Elements: GHS Signal Word: GHS Hazard Phrases: H225: Highly flammable H H315: Causes skin irritati	n, Category 2 ye Irritation, Category 2 Danger liquid and vapor.					
2	Serious Eye Damage/Ey Label Elements: GHS Signal Word: GHS Hazard Phrases: H225: Highly flammable H H315: Causes skin irritati H319: Causes serious ey	n, Category 2 ye Irritation, Category 2 Danger liquid and vapor. ion. re irritation.					
2	Serious Eye Damage/Ey Label Elements: GHS Signal Word: GHS Hazard Phrases: H225: Highly flammable H H315: Causes skin irritati H319: Causes serious ey GHS Precaution Phrase	n, Category 2 ye Irritation, Category 2 Danger liquid and vapor. ion. re irritation.					
2	Serious Eye Damage/Ey Label Elements: GHS Signal Word: GHS Hazard Phrases: H225: Highly flammable I H315: Causes skin irritati H319: Causes serious ey GHS Precaution Phrases P210: Keep away from {h	n, Category 2 ye Irritation, Category 2 Danger liquid and vapor. ion. re irritation. es: heat/sparks/open flames/hot surfaces} No smoking.					
2	Serious Eye Damage/Ey Label Elements: GHS Signal Word: GHS Hazard Phrases: H225: Highly flammable H H315: Causes skin irritati H319: Causes serious ey GHS Precaution Phrase P210: Keep away from {h P264: Wash {hands} thor	n, Category 2 ye Irritation, Category 2 Danger liquid and vapor. ion. re irritation. es: heat/sparks/open flames/hot surfaces} No smoking. roughly after handling.					
2	Serious Eye Damage/Ey Label Elements:	n, Category 2 ye Irritation, Category 2 Danger liquid and vapor. ion. re irritation. es: heat/sparks/open flames/hot surfaces} No smoking. roughly after handling. loves/protective clothing/eye protection/face protection	n}.				
.2	Serious Eye Damage/Ey Label Elements:	n, Category 2 ye Irritation, Category 2 Danger liquid and vapor. ion. re irritation. es: heat/sparks/open flames/hot surfaces} No smoking. roughly after handling. loves/protective clothing/eye protection/face protection s:	n}.				
2	Serious Eye Damage/Ey Label Elements:	n, Category 2 ye Irritation, Category 2 Danger liquid and vapor. ion. re irritation. es: heat/sparks/open flames/hot surfaces} No smoking. roughly after handling. loves/protective clothing/eye protection/face protection s: Wash with plenty of soap and water.					
.2	Serious Eye Damage/Ey Label Elements:	n, Category 2 ye Irritation, Category 2 Danger liquid and vapor. ion. re irritation. es: heat/sparks/open flames/hot surfaces} No smoking. roughly after handling. loves/protective clothing/eye protection/face protection s:					
.2	Serious Eye Damage/Ey Label Elements:	n, Category 2 ye Irritation, Category 2 Danger liquid and vapor. ion. re irritation. es: heat/sparks/open flames/hot surfaces} No smoking. roughly after handling. loves/protective clothing/eye protection/face protection s: Wash with plenty of soap and water. KIN (or hair): Remove/take off immediately all contam	inated clothing. Rinse skin with				
.2	Serious Eye Damage/Ey Label Elements:	n, Category 2 ye Irritation, Category 2 Danger liquid and vapor. ion. re irritation. es: heat/sparks/open flames/hot surfaces} No smoking. roughly after handling. loves/protective clothing/eye protection/face protection s: Wash with plenty of soap and water.	inated clothing. Rinse skin with				
.2	Serious Eye Damage/Ey Label Elements:	n, Category 2 ye Irritation, Category 2 Danger liquid and vapor. ion. re irritation. PS: heat/sparks/open flames/hot surfaces} No smoking. roughly after handling. loves/protective clothing/eye protection/face protection s: Wash with plenty of soap and water. KIN (or hair): Remove/take off immediately all contam 'ES: Rinse cautiously with water for several minutes. F	inated clothing. Rinse skin with				
.2	Serious Eye Damage/Ey Label Elements:	n, Category 2 ye Irritation, Category 2 Danger liquid and vapor. ion. re irritation. es: heat/sparks/open flames/hot surfaces} No smoking. roughly after handling. loves/protective clothing/eye protection/face protection s: Wash with plenty of soap and water. KIN (or hair): Remove/take off immediately all contam	inated clothing. Rinse skin with				
.2	Serious Eye Damage/Ey Label Elements:	n, Category 2 ye Irritation, Category 2 Danger liquid and vapor. ion. re irritation. es: heat/sparks/open flames/hot surfaces} No smoking. roughly after handling. loves/protective clothing/eye protection/face protection s: Wash with plenty of soap and water. KIN (or hair): Remove/take off immediately all contam 'ES: Rinse cautiously with water for several minutes. F	inated clothing. Rinse skin with				
.2	Serious Eye Damage/Ey Label Elements:	n, Category 2 ye Irritation, Category 2 Danger liquid and vapor. ion. re irritation. es: heat/sparks/open flames/hot surfaces} No smoking. roughly after handling. loves/protective clothing/eye protection/face protection s: Wash with plenty of soap and water. KIN (or hair): Remove/take off immediately all contam 'ES: Rinse cautiously with water for several minutes. F n occurs, get medical advice/attention. n persists, get medical advice/attention. aminated clothing and wash it before reuse.	inated clothing. Rinse skin with				



Revision: 05/15/2018 Supersedes Revision: 08/29/2014

	CHEMICAL	a Human Haalth				Supersedes Revision: 08/29/2014		
2.3		e Human Health	Causes serious eye irritation					
	Effects	and Symptoms:	Causes skin irritation. Material may be irritating to the mucous membranes and upper respiratory tract.					
			May be harmful by inhalation			spiratory tract.		
			May cause respiratory system	-				
					properties have no	t been thoroughly investigated.		
		Sect	tion 3. Composition	-				
1		1	oonents (Chemical Name)/	Concentration	EC No./	GHS Classification		
	CS #	REACH Registra	• • •		EC Index No.			
	3-72-1	(E)-octadec-11-enoi	c acid	10.0 %	211-758-9	Skin Corr. 2: H315		
NA					NA	Eye Damage 2A: H319 STOT (SE) 3: H335 H336		
64-17-5 KQ6300000		Ethyl alcohol		90.0 %	200-578-6 603-002-00-5	Flam. Liq. 2: H225		
		ł	Section 4. Fi	rst Aid Meas	sures	ł		
l.1	Descri	ption of First Aid						
	Measu	Measures:						
	In Case	e of Inhalation:	Remove to fresh air. If not br	eathing, give artific	ial respiration or gi	ve oxygen by trained personne		
			Get immediate medical atten	tion.				
	In Case	e of Skin Contact:	Immediately wash skin with s	soap and plenty of	water for at least 15	5 minutes. Remove contaminat		
			clothing. Get medical attentic	on if symptoms occ	ur. Wash clothing b	pefore reuse.		
	In Case	e of Eye Contact:	Hold eyelids apart and flush	Hold eyelids apart and flush eyes with plenty of water for at least 15 minutes. Have eyes examined				
			and tested by medical persor	d tested by medical personnel.				
	In Case	e of Ingestion:	Wash out mouth with water p	provided person is a	conscious. Never g	ive anything by mouth to an		
			unconscious person. Get me medical personnel.	dical attention. Do	NOT induce vomiti	ng unless directed to do so by		
4.2	Import	ant Symptoms and	May cause anemia, cough, C	NS depression. dr	owsiness, headach	ne, heart damage, lassitude		
	-	, Both Acute and	(weakness, exhaustion), liver	-		-		
	Delaye			0 /	/ I			
			Section 5. Fire	Fighting Me	easures			
5.1	Suitabl	le Extinguishing	Use alcohol-resistant foam,			l spray.		
	Media:		Use water spray to cool fire-					
	Unsuit	able Extinguishind	A solid water stream may be	inefficient.				
	Media:		, ,					
5.2			dCan release vapors that form	n explosive mixture	es at temperatures a	at or above the flashpoint.		
	Hazard	•	Container explosion may occ	•	•	·		
			Emits toxic fumes under fire conditions.					
			Sensitive to static discharge.					
			Vapors can travel to a source of ignition and flash back.					
			No data available.					
	Flash F	Pt:	14.00 C Method Used: Cl	osed Cup				
	Explos	ive Limits:	LEL: 3.3% at 25.0 C	UEL: 19.09	% at 25.0 C			
	Autoig	nition Pt:	363.00 C					
5.3	Fire Fig	ghting Instructions	:As in any fire, wear self-cont	ained breathing ap	paratus pressure-d	lemand (NIOSH approved or		
			equivalent), and full protectiv					
			Note: Flammable as diluted i	in ethanol.				
								
						Multi-rogion form		

Multi-region format



	HTMICAL		Supers	edes Revision: 08/29/2014			
		Section 6. Acc	idental Release Measures				
.1	Protective Precautions,	Avoid breathing vapors	s and provide adequate ventilation.				
	Protective Equipment and	As conditions warrant,	wear a NIOSH approved self-contained breathing	apparatus, or respirato			
	Emergency Procedures:	and appropriate persor	nal protection (rubber boots, safety goggles, and I	neavy rubber gloves).			
6.2	Environmental	Take steps to avoid re	lease into the environment, if safe to do so.				
	Precautions:						
5.3	Methods and Material For	Contain spill and colled	ct. as appropriate.				
	Methods and Material For Contain spill and collect, as appropriate. Containment and Cleaning Transfer to a chemical waste container for disposal in accordance with local regulations.						
	Up:	-					
		Section 7.	Handling and Storage				
7.1	Precautions To Be Taken	Avoid breathing dust/fu	me/gas/mist/vapours/spray.				
	in Handling:	Avoid prolonged or rep	eated exposure.				
		Keep away from source	es of ignition.				
	Take precautionary measures against static discharge.						
7.2	Precautions To Be Taken	Keep away from heat, s	sparks, and flame.				
	in Storing:	Keep container tightly of					
			th information listed on the product insert.				
	Other Precautions:	Hygroscopic					
	Sect	tion 8. Exposure	e Controls/Personal Protection				
3.1	Exposure Parameters:						
CAS #	# Chemical Name	Jurisdiction	Recommended Exposure Limits	Notations			
64-17	-5 Ethyl alcohol	ACGIH TLV	TLV: 1000 ppm				
		France VL	TWA: 1900 mg/m3 (1000 ppm)				
		OSHA PELs	STEL: 9500 mg/m3 (5000 ppm)				
		Britain EH40	PEL: 1000 ppm TWA: 1920 mg/m3 (1000 ppm)				
		Billain Ei 140	STEL: ()				
8.2	Exposure Controls:						
8.2.1	Engineering Controls	Use process enclosure	s, local exhaust ventilation, or other engineering o	controls to control airborn			
	(Ventilation etc.):	levels below recommer					
8.2.2	Personal protection equi	oment:					
	Eye Protection: Safety glasses						
	Protective Gloves: Compatible chemical-resistant gloves						
	Other Protective Clothing:Lab coat						
	Respiratory Equipment		rator, as conditions warrant.				
	(Specify Type):						
	Work/Hygienic/Maintenan	Do not take internally.					
	ce Practices:	-	zing this material should be equipped with an eye	wash and a safety show			
		Wash thoroughly after handling.					
		No data available.	-				



Multi-region format

		Supersedes Revision: 08/29/201			
	S	Section 9. Physical and Chemical Properties			
).1	Information on Basic Physical and Chemical Properties				
	Physical States:	[]Gas [X]Liquid []Solid			
	Appearance and Odor:	A solution in ethanol			
	pH:	No data.			
	Melting Point:	No data.			
	Boiling Point:	No data.			
	Flash Pt:	14.00 C Method Used: Closed Cup			
	Evaporation Rate:	No data.			
	Flammability (solid, gas):				
	Explosive Limits:	LEL: 3.3% at 25.0 C UEL: 19.0% at 25.0 C			
	Vapor Pressure (vs. Air o	or mm 43 MM_HG at 20.0 C			
	Hg):				
	Vapor Density (vs. Air = 1				
	Specific Gravity (Water =	-			
	Solubility in Water:	No data.			
	Octanol/Water Partition	No data.			
	Coefficient:				
	Autoignition Pt:	363.00 C			
	Decomposition Temperat	No data.			
	Viscosity:	No data.			
).2	Other Information				
	Percent Volatile:	No data.			
	Molecular Formula & Wei	ight: C18H34O2 282.5			
		Section 10. Stability and Reactivity			
10.1	Reactivity:	No data available.			
0.2	Stability:	Unstable [] Stable [X]			
0.3	Stability Note(s):	Stable if stored in accordance with information listed on the product insert.			
	Polymerization:	Will occur [] Will not occur [X]			
0.4	Conditions To Avoid:	heat, flames, and sparks			
0.5	Incompatibility - Materials alkali metals				
	To Avoid:	ammonia			
		peroxides			
		strong oxidizing agents			
10.6	Hazardous	carbon dioxide			
10.6		carbon monoxide			
0.6	Decomposition or				



CHEMICAL				S	upersedes Revis	ion: 08/29/201	
		Section 11. Toxicolo	gical Informa	tion			
Toxicolo	Information on The toxicological effects of this product have not been thoroughly studied. Toxicological Effects: Ethanol - Toxicity Data: Oral TDLO (man): 1.14 ml/kg; Oral TDLO (man): 650 mg/kg; Oral I (rat): 7,060 mg/kg; Oral LD50 (mouse): 3,450 mg/kg; Oral LD50 (mouse): 10.5 ml/kg; Oral (rabbit): 6,300 mg/kg; Inhalation LC50 (rat): 20,000 ppm (10h); Inhalation TCLO (human): ppm (30m); Inhalation TCLO (human): 2,500 mg/m3 (20m); Inhalation LC50 (rat): 5,900 mg/ (6h); Inhalation LCLO (mouse): 29,300 ppm (7h); Ethanol - Irritation Data: Eyes (rabbit): 500 mg (24h) mild; Skin (rabbit): 20 mg (24h) model Effects: Only select Registry of Toxic Effects of Chemical Substances (RTECS) data is presented h See actual entry in RTECS for complete information. Ethanol RTECS Number: KQ6300000				kg; Oral LD50 human): 1,800 5,900 mg/m3 h) moderate;		
CAS #	- i	NTP? No IARC Monographs?	NTP	gulated? No	ACGIH	OSHA	
693-72-1	(E)-octadec-11-e			n.a.	n.a.	n.a.	
64-17-5	Ethyl alcohol		n.a.	1	A4	n.a.	
	Į	Section 12. Ecologi	cal Informati	 on	 		
2.1 Toxicity		Avoid release into the environment		~			
		Runoff from fire control or dilution		llution.			
12.2 Persiste	ence and	No data available.	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,				
Degrada	ability:						
-	imulative	No data available.					
Potentia	al:						
12.4 Mobility	in Soil:	No data available.					
12.5 Results	of PBT and vPvE	No data available.					
assessm	nent:						
12.6 Other ad	dverse effects:	No data available.					
		Section 13. Disposa	l Considerati	ons			
13.1 Waste D	isposal Method:	Dispose in accordance with local, s	state, and federal re	gulations.			
		Section 14. Transp	ort Informati	on			
14.1 LAND T	RANSPORT (US	DOT):					
DOT Prope	er Shipping Name	Ethyl Alcohol Solution					
DOT Hazar	d Class:	3 FLAMMABLE	LIQUID				
UN/NA Nur	mber:	UN1170	Packing Group):	II		
14.1 LAND T	RANSPORT (Eu	ropean ADR/RID):					
	hipping Name:	Ethyl Alcohol Solution					
UN Numbe		1170	Packing Group) :	II		
Hazard Cla	ISS:	3 - FLAMMABLE LIQUID					
					Ν	Iulti-region fo	



Revision: 05/15/2018 Supersedes Revision: 08/29/2014

14.3 AIR TRANSPORT (ICAO/IATA): **ICAO/IATA Shipping Name: Ethyl Alcohol Solution UN Number:** 1170 Packing Group: Ш Hazard Class: 3 - FLAMMABLE LIQUID IATA Classification: 3 **Additional Transport** Transport in accordance with local, state, and federal regulations. When sold in quantities of less than or equal to 1 mL, or 1 g, with an Excepted Quantity Code of Information: E1, E2, E4, or E5, this item meets the De Minimis Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled as Dangerous Goods/Excepted Quantity. Section 15. Regulatory Information EPA SARA (Superfund Amondments and Resultherization Act of 1986) Lists

CAS #	Hazardous Com	ponents (Chemical Name)	S. 302 (EHS)	S. 304 RQ	S. 313 (TRI)	
693-72-1	(E)-octadec-11-e	noic acid	No	No	No	
64-17-5	Ethyl alcohol		No	No	No	
CAS #	AS # Hazardous Components (Chemical Name)			r State Lists		
693-72-1 (E)-octadec-11-enoic acid			CAA HAP,ODC: No; CWA NPDES: No; TSCA: No; CA PROP.65: No			
64-17-5	4-17-5 Ethyl alcohol			CAA HAP,ODC: No; CWA NPDES: No; TSCA: Yes - Inventory; CA PROP.65: No		
Regulatory In Statement:	formation	This SDS was prepared in acco No.1272/2008. Section 16. Oth			egulation (EC)	
Revision Date	<u>):</u>	05/15/2018		Л Г		
		No data available.				
Company Policy or Disclaimer:		DISCLAIMER: This information currently available to us. However express or implied, with respect use. Users should make their of their particular purposes.	ver, we make no was t to such information	rranty of merchanta , and we assume r	ability or any other warranty, no liability resulting from its	