

SAFETY DATA SHEET (R) 19(R)-hydroxy Prostaglandin F1 s

Page: 1 of 6

15(R),19(R)-hydroxy Prostaglandin F1.alpha.

	Identification of the Cyclestenes (Mixture and of th				
	Identification of the Substance/Mixture and of the	ne Company/Undertaking			
Product Code:	15920				
Product Name:	15(R),19(R)-hydroxy Prostaglandin F1.alpha.				
Synonyms:	9.alpha.,11.alpha.,15R,19R-tetrahydroxy-pros	t-13E-en-1-oic acid; 15(R),19(R)-hydroxy			
PGF1.alpha.;					
Relevant identified uses of the substance or mixture and uses advised against:					
Relevant identified uses: For research use only, not for human or veterinary use.					
Details of the Supplier of the Safety Data Sheet:					
Company Name:	Cayman Chemical Company				
	1180 E. Ellsworth Rd.				
Web site address:	-				
Information:	Cayman Chemical Company	+1 (734)971-3335			
Emergency Contact:		+1 (800)424-9300			
		+1 (703)527-3887			
	Section 2. Hazards Identific	ation			
Classification of the Subs	tance or Mixture:				
Flammable Liquids, Cat	egory 2				
Label Elements:					
GHS Signal Word:	Danger				
GHS Hazard Phrases:					
LIQQE, Llighty flower able li					
H225: Highly flammable li					
GHS Precautionary Phra	ases:				
GHS Precautionary Phra P210: Keep away from {h	ases: eat/sparks/open flames/hot surfaces} No smoking				
GHS Precautionary Phra P210: Keep away from {h P280: Wear {protective gl	ases: eat/sparks/open flames/hot surfaces} No smoking oves/protective clothing/eye protection/face protecti				
GHS Precautionary Phra P210: Keep away from {h P280: Wear {protective gl GHS Response Phrases P303+361+353: IF ON Sk	ases: eat/sparks/open flames/hot surfaces} No smoking oves/protective clothing/eye protection/face protecti	ion}.			
GHS Precautionary Phra P210: Keep away from {h P280: Wear {protective gl GHS Response Phrases P303+361+353: IF ON Sk water/shower.	ases: eat/sparks/open flames/hot surfaces} No smoking oves/protective clothing/eye protection/face protecti : KIN (or hair): Remove/take off immediately all conta	ion}.			
GHS Precautionary Phra P210: Keep away from {h P280: Wear {protective gl GHS Response Phrases P303+361+353: IF ON Sh water/shower. GHS Storage and Dispo	ases: eat/sparks/open flames/hot surfaces} No smoking oves/protective clothing/eye protection/face protecti : KIN (or hair): Remove/take off immediately all conta sal Phrases:	ion}. minated clothing. Rinse skin with			
GHS Precautionary Phra P210: Keep away from {h P280: Wear {protective gl GHS Response Phrases P303+361+353: IF ON Sk water/shower. GHS Storage and Dispo Please refer to Section 7 to	ases: eat/sparks/open flames/hot surfaces} No smoking oves/protective clothing/eye protection/face protecti : KIN (or hair): Remove/take off immediately all conta sal Phrases: for Storage and Section 13 for Disposal information	ion}. minated clothing. Rinse skin with			
GHS Precautionary Phra P210: Keep away from {h P280: Wear {protective gl GHS Response Phrases P303+361+353: IF ON Sk water/shower. GHS Storage and Dispo Please refer to Section 7 t Adverse Human Health	ases: eat/sparks/open flames/hot surfaces} No smoking oves/protective clothing/eye protection/face protecti : KIN (or hair): Remove/take off immediately all conta sal Phrases: for Storage and Section 13 for Disposal information Material may be irritating to the mucous membrane	ion}. minated clothing. Rinse skin with es and upper respiratory tract.			
GHS Precautionary Phra P210: Keep away from {h P280: Wear {protective gl GHS Response Phrases P303+361+353: IF ON Sk water/shower. GHS Storage and Dispo Please refer to Section 7 to	ases: eat/sparks/open flames/hot surfaces} No smoking oves/protective clothing/eye protection/face protecti : KIN (or hair): Remove/take off immediately all conta sal Phrases: for Storage and Section 13 for Disposal information Material may be irritating to the mucous membrane May be harmful by inhalation, ingestion, or skin ab	ion}. minated clothing. Rinse skin with es and upper respiratory tract. psorption.			
GHS Precautionary Phra P210: Keep away from {h P280: Wear {protective gl GHS Response Phrases P303+361+353: IF ON Sk water/shower. GHS Storage and Dispo Please refer to Section 7 t Adverse Human Health	ases: eat/sparks/open flames/hot surfaces} No smoking oves/protective clothing/eye protection/face protecti : KIN (or hair): Remove/take off immediately all conta sal Phrases: for Storage and Section 13 for Disposal information Material may be irritating to the mucous membrane	ion}. minated clothing. Rinse skin with es and upper respiratory tract. psorption. m.			
	Relevant identified uses Details of the Supplier of the Company Name: Web site address: Information: Emergency telephone num Emergency Contact: Classification of the Subs Flammable Liquids, Cate Label Elements: GHS Signal Word:	Relevant identified uses of the substance or mixture and uses advised ag Relevant identified uses: For research use only, not for human or veteri Details of the Supplier of the Safety Data Sheet: Cayman Chemical Company Company Name: Cayman Chemical Company 180 E. Ellsworth Rd. Ann Arbor, MI 48108 Web site address: www.caymanchem.com Information: Cayman Chemical Company Emergency telephone number: Cayman Chemical Company Emergency Contact: CHEMTREC Within USA and Canada: CHEMTREC Outside USA and Canada: Section 2. Hazards Identific Classification of the Substance or Mixture: Flammable Liquids, Category 2 Label Elements: Label Elements:			



SAFETY DATA SHEET

Page: 2 of 6

15(R),19(R)-hydroxy Prostaglandin F1.alpha.

CAS # / RTECS		oonents (Chemical Name)/ tion No.	Concentration	EC No./ EC Index No.	GHS Classification		
NA NA	15(R),19(R)-hydroxy	15(R),19(R)-hydroxy Prostaglandin F1.alpha.		NA NA	No data available.		
64-17-5 Ethyl alcohol KQ6300000 01-2119457610-43-0		0000	99.95 %	200-578-6 603-002-00-5	Flam. Liq. 2: H225		
		Section 4. Fi	rst Aid Meas	ures	•		
4.1 C	Description of First Aid						
Ν	Measures:						
l	In Case of Inhalation:	Remove to fresh air. If not broken	eathing, give artificia	al respiration or giv	ve oxygen by trained personnel.		
		Get immediate medical atten					
l	In Case of Skin Contact:	-			minutes. Remove contaminate		
		clothing. Get medical attentio		-			
l	In Case of Eye Contact:	Hold eyelids apart and flush of and tested by medical persor		vater for at least 1	5 minutes. Have eyes examined		
I	In Case of Ingestion:	Wash out mouth with water p		onscious. Never di	ve anything by mouth to an		
•	n ouse of ingestion.	•	•	0	ng unless directed to do so by		
4.2 l	mportant Symptoms and	May cause anemia, cough, C	NS depression dro	wsiness headach	e heart damage lassitude		
	Effects, Both Acute and	(weakness, exhaustion), liver	-		-		
	Delayed:						
	-	Section 5. Fire	Fighting Me	2011/00			
5.1 S	Suitable Extinguishing	Use alcohol-resistant foam, o	<u> </u>		spray		
	Media:	Use water spray to cool fire-		-	opray.		
		A solid water stream may be	-				
	Media:	,					
5.2 F	Flammable Properties an	dCan release vapors that form	n explosive mixtures	at temperatures a	at or above the flashpoint.		
ŀ	Hazards:	Container explosion may occ		ons.			
		Emits toxic fumes under fire					
		Sensitive to static discharge.					
		Vapors can travel to a source	e of ignition and has	n dack.			
-		No data available.					
	Flash Pt:	14.00 C Method Used: Cl LEL: 3.3% at 25.0 C	·	at 25.0 C			
	Explosive Limits:	25.0 C 363.00 C	UEL. 19.0%	at 25.0 C			
	Autoignition Pt:		ained breathing ann	aratua progouro d	amond (NIOCH approved or		
5.3 F	Fire Fighting Instructions	S: As in any fire, wear self-cont equivalent), and full protectiv		-			
		Note: Flammable as diluted i	÷ .				



SAFETY DATA SHEET

15(R),19(R)-hydroxy Prostaglandin F1.alpha.

					·	
		Section 6. A	ccidentai	Release Measures	<u> </u>	
6.1	Protective Precautions,	Avoid breathing va	pors and provid	le adequate ventilation.		
	Protective Equipment and	As conditions warra	ant, wear a NIC	SH approved self-contained	breathing apparatu	s, or respirato
	Emergency Procedures:	and appropriate pe	rsonal protection	on (rubber boots, safety gogg	gles, and heavy rubl	per gloves).
5.2	Environmental	Take steps to avoid release into the environment, if safe to do so.				
	Precautions:					
6.3	Methods and Material For	Contain spill and co	ollect, as appro	priate.		
	Containment and Cleanin	g Transfer to a chem	ical waste cont	ainer for disposal in accorda	nce with local regula	ations.
	Up:					
		Section 7	7. Handlir	ng and Storage		
7.1	Precautions To Be Taken	Avoid breathing due	st/fume/gas/mis	st/vapours/spray.		
	in Handling:	Avoid prolonged or	repeated expo	sure.		
		Keep away from so	urces of ignition	า.		
		Take precautionary	measures aga	inst static discharge.		
7.2	Precautions To Be Taken	Keep away from he	at, sparks, and	flame.		
	in Storing:	Keep container tigh	-			
			e with information	on listed on the product inser	rt.	
	Other Precautions:	Hygroscopic				
	Sect	tion 8. Expos	ure Contr	ols/Personal Prote	ction	
	Exposure Parameters:	1				1
	_	Jurisdiction	n F	Recommended Exposure L	imits	Notations
CAS	# Chemical Name	ACGIH TLV	۲	LV: 1000 ppm	imits	Notations
B.1 CAS : 64-17	# Chemical Name	ACGIH TLV France VL	ר ר פ		imits	Notations
CAS	# Chemical Name	ACGIH TLV France VL OSHA PELs	۲ ۲ ۶ ۶	TLV: 1000 ppm TWA: 1900 mg/m3 (1000 ppm) STEL: 9500 mg/m3 (5000 ppm) PEL: 1000 ppm	imits	Notations
CAS	# Chemical Name	ACGIH TLV France VL	۲ ۲ ۶ ۶ ۶ ۲	TLV: 1000 ppm TWA: 1900 mg/m3 (1000 ppm) STEL: 9500 mg/m3 (5000 ppm) PEL: 1000 ppm TWA: 1920 mg/m3 (1000 ppm)	imits	Notations
CAS : 64-17	# Chemical Name	ACGIH TLV France VL OSHA PELs	۲ ۲ ۶ ۶ ۶ ۲	TLV: 1000 ppm TWA: 1900 mg/m3 (1000 ppm) STEL: 9500 mg/m3 (5000 ppm) PEL: 1000 ppm	imits	Notations
CAS : 64-17 3.2	 Chemical Name 5 Ethyl alcohol 	ACGIH TLV France VL OSHA PELs Britain EH40	۲ ۲ ۶ ۶ ۶ ۲ ۹ ۶ ۶ ۶ ۶ ۶ ۶ ۶ ۶ ۶ ۶ ۶ ۶ ۶	TLV: 1000 ppm TWA: 1900 mg/m3 (1000 ppm) STEL: 9500 mg/m3 (5000 ppm) PEL: 1000 ppm TWA: 1920 mg/m3 (1000 ppm)		
CAS : 64-17 3.2	Chemical Name Chemical Name Exposure Controls:	ACGIH TLV France VL OSHA PELs Britain EH40	rures, local exh	TLV: 1000 ppm TWA: 1900 mg/m3 (1000 ppm) STEL: 9500 mg/m3 (5000 ppm) PEL: 1000 ppm TWA: 1920 mg/m3 (1000 ppm) STEL: () aust ventilation, or other eng		
CAS = 64-17 3.2 3.2.1	 Chemical Name 5 Ethyl alcohol Exposure Controls: Engineering Controls 	ACGIH TLV France VL OSHA PELs Britain EH40 Use process enclos levels below recom	rures, local exh	TLV: 1000 ppm TWA: 1900 mg/m3 (1000 ppm) STEL: 9500 mg/m3 (5000 ppm) PEL: 1000 ppm TWA: 1920 mg/m3 (1000 ppm) STEL: () aust ventilation, or other eng		
CAS = 64-17	 Chemical Name 5 Ethyl alcohol Exposure Controls: Engineering Controls (Ventilation etc.): Personal protection equipation 	ACGIH TLV France VL OSHA PELs Britain EH40 Use process enclos levels below recom	rures, local exh	TLV: 1000 ppm TWA: 1900 mg/m3 (1000 ppm) STEL: 9500 mg/m3 (5000 ppm) PEL: 1000 ppm TWA: 1920 mg/m3 (1000 ppm) STEL: () aust ventilation, or other eng		
CAS : 64-17 3.2 3.2.1	 Chemical Name 5 Ethyl alcohol Exposure Controls: Engineering Controls (Ventilation etc.): Personal protection equiperation Eye Protection: 	ACGIH TLV France VL OSHA PELs Britain EH40 Use process enclos levels below recom pment: Safety glasses	ures, local exh	TLV: 1000 ppm TWA: 1900 mg/m3 (1000 ppm) STEL: 9500 mg/m3 (5000 ppm) PEL: 1000 ppm TWA: 1920 mg/m3 (1000 ppm) STEL: () aust ventilation, or other eng ure limits.		
CAS : 64-17 8.2 8.2.1	 Chemical Name 5 Ethyl alcohol Exposure Controls: Engineering Controls (Ventilation etc.): Personal protection equi Eye Protection: Protective Gloves: 	ACGIH TLV France VL OSHA PELs Britain EH40 Use process enclos levels below recom pment: Safety glasses Compatible chemic	ures, local exh	TLV: 1000 ppm TWA: 1900 mg/m3 (1000 ppm) STEL: 9500 mg/m3 (5000 ppm) PEL: 1000 ppm TWA: 1920 mg/m3 (1000 ppm) STEL: () aust ventilation, or other eng ure limits.		
CAS : 64-17 8.2 8.2.1	 Chemical Name 5 Ethyl alcohol Exposure Controls: Engineering Controls (Ventilation etc.): Personal protection equip Eye Protection: Protective Gloves: Other Protective Clothing 	ACGIH TLV France VL OSHA PELs Britain EH40 Use process enclos levels below recom pment: Safety glasses Compatible chemic g:Lab coat	ures, local exh mended exposi	TLV: 1000 ppm TWA: 1900 mg/m3 (1000 ppm) STEL: 9500 mg/m3 (5000 ppm) PEL: 1000 ppm TWA: 1920 mg/m3 (1000 ppm) STEL: () aust ventilation, or other eng ure limits.		
CAS : 64-17 3.2 3.2.1	 Chemical Name 5 Ethyl alcohol Exposure Controls: Engineering Controls (Ventilation etc.): Personal protection equi Eye Protection: Protective Gloves: Other Protective Clothing Respiratory Equipment 	ACGIH TLV France VL OSHA PELs Britain EH40 Use process enclos levels below recom pment: Safety glasses Compatible chemic	ures, local exh mended exposi	TLV: 1000 ppm TWA: 1900 mg/m3 (1000 ppm) STEL: 9500 mg/m3 (5000 ppm) PEL: 1000 ppm TWA: 1920 mg/m3 (1000 ppm) STEL: () aust ventilation, or other eng ure limits.		
CAS : 64-17 3.2 3.2.1	 Chemical Name 5 Ethyl alcohol 5 Ethyl alcohol Exposure Controls: Engineering Controls (Ventilation etc.): Personal protection equip Eye Protection: Protective Gloves: Other Protective Clothing Respiratory Equipment (Specify Type): 	ACGIH TLV France VL OSHA PELs Britain EH40 Use process enclos levels below recom pment: Safety glasses Compatible chemic g:Lab coat NIOSH approved re	ures, local exh mended exposi al-resistant glov	TLV: 1000 ppm TWA: 1900 mg/m3 (1000 ppm) STEL: 9500 mg/m3 (5000 ppm) PEL: 1000 ppm TWA: 1920 mg/m3 (1000 ppm) STEL: () aust ventilation, or other eng ure limits.		
CAS : 64-17 3.2 3.2.1	 Chemical Name 5 Ethyl alcohol Exposure Controls: Engineering Controls (Ventilation etc.): Personal protection equi Eye Protection: Protective Gloves: Other Protective Clothing Respiratory Equipment 	ACGIH TLV France VL OSHA PELs Britain EH40 Use process enclos levels below recom pment: Safety glasses Compatible chemic g:Lab coat NIOSH approved recom	al-resistant glov	TLV: 1000 ppm TWA: 1900 mg/m3 (1000 ppm) STEL: 9500 mg/m3 (5000 ppm) PEL: 1000 ppm TWA: 1920 mg/m3 (1000 ppm) STEL: () aust ventilation, or other eng ure limits.	ineering controls to	control airborr
CAS	 Chemical Name 5 Ethyl alcohol 5 Ethyl alcohol Exposure Controls: Engineering Controls (Ventilation etc.): Personal protection equip Eye Protection: Protective Gloves: Other Protective Clothing Respiratory Equipment (Specify Type): Work/Hygienic/Maintenar 	ACGIH TLV France VL OSHA PELs Britain EH40 Use process enclos levels below recom pment: Safety glasses Compatible chemic g:Lab coat NIOSH approved recom	al-resistant glov espirator, as con ly. utilizing this ma	TLV: 1000 ppm TWA: 1900 mg/m3 (1000 ppm) STEL: 9500 mg/m3 (5000 ppm) PEL: 1000 ppm TWA: 1920 mg/m3 (1000 ppm) STEL: () aust ventilation, or other eng ure limits. //es nditions warrant.	ineering controls to	control airborr



SAFETY DATA SHEET

Multi-region format

15(R),19(R)-hydroxy Prostaglandin F1.alpha.

Supersedes Revision	03/27/2015			
Section 9. Physical and Chemical Properties				
Information on Basic Physical and Chemical Properties				
Physical States: [] Gas [X] Liquid [] Solid				
Appearance and Odor: A solution in ethanol				
pH: No data.				
Melting Point: No data.				
Boiling Point: No data.				
Flash Pt: 14.00 C Method Used: Closed Cup				
Evaporation Rate: No data.				
Flammability (solid, gas): No data available.				
Explosive Limits: LEL: 3.3% at 25.0 C UEL: 19.0% at 25.0 C				
Vapor Pressure (vs. Air or mm 43 MM_HG at 20.0 C				
Hg):				
Vapor Density (vs. Air = 1): No data.				
Specific Gravity (Water = 1): No data.				
Solubility in Water: No data.				
Octanol/Water Partition No data.				
Coefficient:				
Autoignition Pt: 363.00 C				
Decomposition Temperature: No data.				
Viscosity: No data.				
9.2 Other Information				
Percent Volatile: No data.				
Molecular Formula & Weight: C20H36O6 372.5				
Section 10. Stability and Reactivity				
10.1 Reactivity: No data available.				
10.2 Stability: Unstable [] Stable [X]				
10.3 Stability Note(s): Stable if stored in accordance with information listed on the product insert.				
Polymerization: Will occur [] Will not occur [X]				
10.4 Conditions To Avoid: heat, flames, and sparks				
10.5 Incompatibility - Materials alkali metals				
To Avoid: ammonia				
peroxides				
strong oxidizing agents				
10.6 Hazardous carbon dioxide				
Decomposition or carbon monoxide				
Byproducts:				



SAFETY DATA SHEET 15(R),19(R)-hydroxy Prostaglandin F1.alpha.

	10.41			S	upersedes Revis	ion: 03/27/2018	
		Section 11. Toxicol	ogical Informa	ation			
To	Information on Toxicological Effects:The toxicological effects of this product have not be Ethanol - Toxicity Data: Oral TDLO (man): 1.14 ml/ (rat): 7,060 mg/kg; Oral LD50 (mouse): 3,450 mg/k (rabbit): 6,300 mg/kg; Inhalation LC50 (rat): 20,000 ppm (30m); Inhalation TCLO (human): 2,500 mg/m (6h); Inhalation LCLO (mouse): 29,300 ppm (7h); Ethanol - Irritation Data: Eyes (rabbit): 500 mg (24h)Chronic Toxicological Effects:Ethanol - Investigated as a drug, mutagen, natural and tumorigen. Only select Registry of Toxic Effects of Chemical S See actual entry in RTECS for complete information Ethanol RTECS Number: KQ6300000			Oral TDLO (r Oral LD50 (mo om (10h); Inha 20m); Inhalati nild; Skin (rabl oduct, primary	nan): 650 mg/l buse): 10.5 ml/ lation TCLO (f on LC50 (rat): bit): 20 mg (24 irritant, reprod	kg; Oral LD50 human): 1,800 5,900 mg/m3 h) moderate; uctive effector	
Carcinoge	enicity:	NTP? No IARC Monograph	s? No OSHA Re	gulated? No			
CAS #		ponents (Chemical Name)	NTP	IARC	ACGIH	OSHA	
NA		roxy Prostaglandin F1.alpha.	n.a.	n.a.	n.a.	n.a.	
64-17-	5 Ethyl alcohol		n.a.	1	A4	n.a.	
		Section 12. Ecolog	gical Informati	ion			
12.1 To	xicity:	Avoid release into the environme	ent.				
		Runoff from fire control or dilution water may cause pollution.					
	rsistence and	No data available.					
De	gradability:						
	oaccumulative tential:	No data available.					
12.4 Mo	bility in Soil:	No data available.					
	sults of PBT and vPvE sessment:	No data available.					
12.6 Otl	her adverse effects:	No data available.					
		Section 13. Dispos	al Considerati	ons			
13.1 Wa	aste Disposal Method:	Dispose in accordance with local					
		Section 14. Trans	sport Informati	ion			
14.1 LA	ND TRANSPORT (US	DOT):	•				
	Proper Shipping Name	-					
	lazard Class:	3 FLAMMABL	E LIQUID				
UN/N/	A Number:	UN1170	Packing Grou	p:	II		
	ND TRANSPORT (Eur						
	RID Shipping Name:	Ethyl Alcohol Solution					
	imber:	1170	Packing Grou	p:	II		
Hazar	d Class:	3 - FLAMMABLE LIQUID					
					N	Aulti-region for	



SAFETY DATA SHEET 15(R),19(R)-hydroxy Prostaglandin F1.alpha.

14.3 AIR TRA	ANSPORT (ICAO/I	IATA):				
ICAO/IATA	Shipping Name:	Ethyl Alcohol Solution				
UN Numbe	r:	1170	Packing Gro	up:	II	
Hazard Cla	SS:	3 - FLAMMABLE LIQUID	IATA Classif	cation:	3	
Additional Transport		Transport in accordance with lo	ocal, state, and federa	I regulations.		
Information:		When sold in quantities of less	than or equal to 1 mL	., or 1 g, with an E	cepted Quantity Code of	
		E1, E2, E4, or E5, this item me	ets the De Minimis Q	uantities exemption	n, per IATA 2.6.10.	
		Therefore packaging does not h	have to be labeled as	Dangerous Goods	s/Excepted Quantity.	
		Section 15. Regu	latory Informa	tion		
	1	nents and Reauthorization Act	of 1986) Lists			
CAS #		ponents (Chemical Name)	S. 302 (EHS)	S. 304 RQ	S. 313 (TRI)	
NA	15(R),19(R)-hydr	oxy Prostaglandin F1.alpha.	No	No	No	
64-17-5	Ethyl alcohol		No	No	No	
CAS #	Hazardous Com	ponents (Chemical Name)	Other US EPA or	+ State Lists		
NA		oxy Prostaglandin F1.alpha.			No: TSCA: No: CA	
		oxy i rootagianan'i riaipna.	CAA HAP,ODC: No; CWA NPDES: No; TSCA: No; CA PROP.65: No			
64-17-5	Ethyl alcohol		CAA HAP,ODC: N Inventory; CA PR		No; TSCA: Yes -	
Regulatory Info	ormation	This SDS was prepared in acco	ordance with 29 CFR	1910.1200 and Re	gulation (EC)	
Statement:		No.1272/2008.				
		Section 16. Oth	ner Informatio	n		
Revision Date:		11/14/2019				
Additional Info	rmation About	No data available.				
This Product:						
Company Polic	cy or Disclaimer:	DISCLAIMER: This information currently available to us. Howev express or implied, with respect	ver, we make no warr	anty of merchantal	bility or any other warranty,	
		use. Users should make their of their particular purposes.	own investigations to	determine the suita	ability of the information for	