

Printing date 09/15/2021

Revision date 09/15/2021

Page 1/10

### **1** Identification

- · Product identifier
- · Trade name: 2,3-dinor-8-iso Prostaglandin F2α
- · Article number: 16290, 013693
- Application of the substance / the mixture This product is for research use - Not for human or veterinary diagnostic or therapeutic use. It is the responsibility of the purchaser to determine suitability for other applications.
- Details of the supplier of the safety data sheet
   Manufacturer/Supplier: Cayman Chemical Co.
   1180 E. Ellsworth Rd. Ann Arbor, MI 48108 USA
- · Information department: Product safety department
- Emergency telephone number: During normal opening times: +1 (734) 971-3335 US/CANADA: 800-424-9300 Outside US/CANADA: 703-741-5970

## 2 Hazard(s) identification

· Classificati	ion of the substance or mixture
GI	HS02 Flame
$\mathbf{\nabla}$	
Flam. Liq. 2	H225 Highly flammable liquid and vapor.
$\checkmark$	HS07 H319 Causes serious eye irritation.
,	H336 May cause drowsiness or dizziness.
Label elem	ents
GHS label e	elements
The product	t is classified and labeled according to the Globally Harmonized System (GHS). (Contd. on pag

Printing date 09/15/2021

Revision date 09/15/2021

#### Trade name: 2,3-dinor-8-iso Prostaglandin F2α

(Contd. from page 1) · Hazard pictograms GHS02 GHS07 · Signal word Danger · Hazard-determining components of labeling: Methyl acetate · Hazard statements H225 Highly flammable liquid and vapor. H319 Causes serious eye irritation. H336 May cause drowsiness or dizziness. Precautionary statements P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking. P240 Ground/bond container and receiving equipment. P241 Use explosion-proof electrical/ventilating/lighting/equipment. P242 Use only non-sparking tools. P243 Take precautionary measures against static discharge. Avoid breathing dust/fume/gas/mist/vapors/spray P261 P264 Wash thoroughly after handling. P271 Use only outdoors or in a well-ventilated area. P280 Wear protective gloves/protective clothing/eye protection/face protection. P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P312 Call a poison center/doctor if you feel unwell. P337+P313 If eye irritation persists: Get medical advice/attention. P370+P378 In case of fire: Use CO2, powder or water spray to extinguish. P403+P233 Store in a well-ventilated place. Keep container tightly closed. P403+P235 Store in a well-ventilated place. Keep cool. P405 Store locked up. P501 Dispose of contents/container in accordance with local/regional/national/international regulations. · Classification system: · NFPA ratings (scale 0 - 4) Health = 2



Health = 2 Fire = 3 Reactivity = 0

· HMIS-ratings (scale 0 - 4)

HEALTH2Health = 2FIRE3Fire = 3REACTIVITY0Reactivity = 0

· Other hazards

- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.

(Contd. on page 3)

US

Printing date 09/15/2021

Revision date 09/15/2021

(Contd. from page 2)

99.99%

0.01%

#### Trade name: 2,3-dinor-8-iso Prostaglandin F2α

· **vPvB:** Not applicable.

### **3 Composition/information on ingredients**

#### · Chemical characterization: Mixtures

• **Description:** Mixture of the substances listed below with nonhazardous additions.

#### · Dangerous components:

CAS: 79-20-9 Methyl acetate RTECS: Al9100000

#### Other ingredients

221664-05-7 2,3-dinor-8-iso Prostaglandin F2α

## **4 First-aid measures**

- · Description of first aid measures
- General information: Immediately remove any clothing soiled by the product.
- After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Immediately rinse with water.
- After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

• After swallowing: If symptoms persist consult doctor.

- Information for doctor:
- Most important symptoms and effects, both acute and delayed May cause anemia, cough, CNS depression, drowsiness, headache, heart damage, lassitude (weakness, exhaustion), liver damage, narcosis, reproductive effects, teratogenic effects. No further relevant information available.
- Indication of any immediate medical attention and special treatment needed No further relevant information available.

## **5 Fire-fighting measures**

- · Extinguishing media
- Suitable extinguishing agents:
- CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- For safety reasons unsuitable extinguishing agents: Water with full jet
- Special hazards arising from the substance or mixture

Can release vapors that form explosive mixtures at temperatures at or above the flashpoint. Container explosion may occur under fire conditions.

Emits toxic fumes under fire conditions.

Sensitive to static discharge.

Vapors can travel to a source of ignition and flash back.

- Advice for firefighters
- · Protective equipment: No special measures required.

### 6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures** Wear protective equipment. Keep unprotected persons away.
- Environmental precautions: Do not allow to enter sewers/ surface or ground water.

(Contd. on page 4)

US

Printing date 09/15/2021

Revision date 09/15/2021

#### Trade name: 2,3-dinor-8-iso Prostaglandin F2α

(Co	ontd. from page 3)
• Methods and material for containment and cleaning up:	
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawd	ust).
Dispose contaminated material as waste according to item 13.	
Ensure adequate ventilation.	
<ul> <li>Reference to other sections</li> <li>See Section 7 for information on safe handling.</li> </ul>	
See Section 8 for information on personal protection equipment.	
See Section 13 for disposal information.	
· Protective Action Criteria for Chemicals	
· PAC-1:	
79-20-9 Methyl acetate	250 ppm
· PAC-2:	
79-20-9 Methyl acetate	1,700 ppm
· PAC-3:	
79-20-9 Methyl acetate	10000* ppm

## 7 Handling and storage

· Handling:

- **Precautions for safe handling** Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.
- Information about protection against explosions and fires: Keep ignition sources away - Do not smoke. Protect against electrostatic charges.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

Specific end use(s) No further relevant information available.

### 8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see item 7.

· Control parameters

· Components with limit values that require monitoring at the workplace:

#### 79-20-9 Methyl acetate

- PEL Long-term value: 610 mg/m<sup>3</sup>, 200 ppm
- REL Short-term value: 760 mg/m<sup>3</sup>, 250 ppm
- Long-term value: 610 mg/m<sup>3</sup>, 200 ppm
- TLV Short-term value: 250 ppm Long-term value: 200 ppm

• Additional information: The lists that were valid during the creation were used as basis.

Printing date 09/15/2021

Revision date 09/15/2021

#### Trade name: 2,3-dinor-8-iso Prostaglandin F2α

(Contd. from page 4)

US

- Exposure controls
- Personal protective equipment:
- General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Avoid contact with the eyes. Avoid contact with the eyes and skin.
- · Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

#### Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

#### Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

#### Eye protection:



Tightly sealed goggles

## 9 Physical and chemical properties

 Information on basic physical and chemical properties · General Information · Appearance: Form: Liquid Color: According to product specification · Odor: Characteristic C18H30O5 · Structural Formula · Molecular Weight 326.4 · Odor threshold: Not determined. · Formulation A solution in methyl acetate · pH-value: Not determined. · Change in condition Melting point/Melting range: -98.05 °C (-144.5 °F) (Contd. on page 6)

Printing date 09/15/2021

Revision date 09/15/2021

## Trade name: 2,3-dinor-8-iso Prostaglandin F2 $\alpha$

	(Contd. from page 5
Boiling point/Boiling range:	57 °C (134.6 °F)
· Flash point:	-13 °C (8.6 °F)
· Flammability (solid, gaseous):	Not applicable.
· Ignition temperature:	455 °C (851 °F)
· Decomposition temperature:	Not determined.
· Auto igniting:	Product is not selfigniting.
· Danger of explosion:	Product is not explosive. However, formation of explosive air/ vapor mixtures are possible.
<sup>·</sup> Explosion limits: Lower: Upper:	3.1 Vol % 16 Vol %
· Vapor pressure at 20 °C (68 °F):	220 hPa (165 mm Hg)
· Density at 20 °C (68 °F):	0.93 g/cm³ (7.76085 lbs/gal)
<ul> <li>Bulk density:</li> <li>Relative density</li> <li>Vapor density</li> <li>Evaporation rate</li> </ul>	1 kg/m <sup>3</sup> Not determined. Not determined. Not determined.
<ul> <li>Solubility in / Miscibility with</li> <li>Water at 20 °C (68 °F):</li> </ul>	330 g/l
· Partition coefficient (n-octanol/water):	Not determined.
<ul> <li>Viscosity:</li> <li>Dynamic:</li> <li>Kinematic:</li> </ul>	Not determined. Not determined.
<ul> <li>Solvent content:</li> <li>Organic solvents:</li> <li>VOC content:</li> </ul>	100.0 % 0.00 % 0.0 g/l / 0.00 lb/gal
Solids content:	0.0 %
• Other information	No further relevant information available.

## **10 Stability and reactivity**

• Reactivity No further relevant information available.

- · Chemical stability
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- Possibility of hazardous reactions No dangerous reactions known.
- Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.

· Hazardous decomposition products: No dangerous decomposition products known.

(Contd. on page 7)

US

Printing date 09/15/2021

#### Revision date 09/15/2021

#### Trade name: 2,3-dinor-8-iso Prostaglandin F2α

(Contd. from page 6)

LD/LC50 values that are relevant for classification:     79-20-9 Methyl acetate				
Oral	LD50	>5,000 mg/kg (rat)		
		3,705 mg/kg (rabbit)		
Dermal	LD50	>5,000 mg/kg (rabbit)		
Inhalative	TCLO	15,000 mg/m³ (hmn)		
Irritation of skin	Irritation	500 mg/24h (rabbit)		
	Irritation	40 mg/kg/24h (rabbit)		
Irritation of eyes		100 mg/24h (rabbit)		
	Intraperitoneal LD50	70 ma/ka (mouse)		
Additional toxic The product sho	effect: irritant effect. ating effect. lo sensitizing effects k cological information	nown.		
on the skin: No on the eye: Irrita Sensitization: N Additional toxic The product sho preparations: Irritant	effect: irritant effect. ating effect. lo sensitizing effects k cological information ows the following dar	nown.		
on the skin: No on the eye: Irrita Sensitization: N Additional toxic The product sho preparations: Irritant Carcinogenic ca	effect: irritant effect. ating effect. lo sensitizing effects k cological information ows the following dar ategories	nown. : ngers according to internally approved calculation methods f		
on the skin: No on the eye: Irrita Sensitization: N Additional toxic The product sho preparations: Irritant Carcinogenic ca IARC (Internatio	effect: irritant effect. ating effect. lo sensitizing effects k cological information ows the following dar ategories onal Agency for Rese	nown. : ngers according to internally approved calculation methods f		
on the skin: No on the eye: Irrita Sensitization: N Additional toxic The product sho preparations: Irritant Carcinogenic ca IARC (Internatic None of the ingre	effect: irritant effect. ating effect. lo sensitizing effects k cological information ows the following dar ategories onal Agency for Rese edients is listed.	nown. : ngers according to internally approved calculation methods f		
on the skin: No on the eye: Irrita Sensitization: N Additional toxic The product sho preparations: Irritant Carcinogenic ca IARC (Internatio None of the ingre	effect: irritant effect. ating effect. lo sensitizing effects k cological information ows the following dar ategories onal Agency for Rese edients is listed. coxicology Program)	nown. : ngers according to internally approved calculation methods f		
on the skin: No on the eye: Irrita Sensitization: N Additional toxic The product sho preparations: Irritant Carcinogenic ca IARC (Internatic None of the ingre NTP (National T None of the ingre	effect: irritant effect. ating effect. lo sensitizing effects k cological information ows the following dar ategories onal Agency for Rese edients is listed. oxicology Program) edients is listed.	nown. : ngers according to internally approved calculation methods f earch on Cancer)		
on the skin: No on the eye: Irrita Sensitization: N Additional toxic The product sho preparations: Irritant Carcinogenic ca IARC (Internatic None of the ingre NTP (National T None of the ingre	effect: irritant effect. ating effect. lo sensitizing effects k cological information ows the following dar ategories onal Agency for Rese edients is listed. oxicology Program) edients is listed.	nown. : ngers according to internally approved calculation methods f		

- · Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes:
- Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

(Contd. on page 8)

<sup>-</sup> US

Printing date 09/15/2021

Revision date 09/15/2021

### Trade name: 2,3-dinor-8-iso Prostaglandin F2α

• Other adverse effects No further relevant information available.

## **13 Disposal considerations**

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

· Uncleaned packagings:

• Recommendation: Disposal must be made according to official regulations.

UN-Number DOT, IMDG, IATA	UN1231
UN proper shipping name DOT, IATA IMDG	Methyl acetate solution METHYL ACETATE solution
Transport hazard class(es)	
DOT	
PLAMABLE LOUD	
3	
Class	3 Flammable liquids
Label	3
IMDG, IATA	
Class	3 Flammable liquids 3
Label	3
Packing group DOT, IMDG, IATA	Ш
Environmental hazards:	Not applicable.
Special precautions for user	Warning: Flammable liquids
Hazard identification number (Kemler code):	
EMS Number:	F-E,S-D
Stowage Category	В
Transport in bulk according to Annex II of	
MARPOL73/78 and the IBC Code	Not applicable.

(Contd. from page 7)

Printing date 09/15/2021

Revision date 09/15/2021

### Trade name: 2,3-dinor-8-iso Prostaglandin F2α

	(Contd. from page
· Transport/Additional information:	
· DOT	
· Quantity limitations	On passenger aircraft/rail: 5 L On cargo aircraft only: 60 L
·IMDG	
· Limited quantities (LQ)	1L
Excepted quantities (EQ)	Code: E2
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 500 ml
· IATA	
· Remarks:	When sold in quantities of less than or equal to 1 mL
	or 1 g, with an Excepted Quantity Code of
	E1, E2, E4, or E5, this item meets the De Minimi
	Quantities exemption, per IATA 2.6.10.
	Therefore packaging does not have to be labeled a
	Dangerous Goods/Excepted Quantity.
· UN "Model Regulation":	UN 1231 METHYL ACETATE SOLUTION, 3, II

### 15 Regulatory information

• Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

· Sara

· Section 355 (extremely hazardous substances):

None of the ingredients is listed.

• Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

• TSCA (Toxic Substances Control Act):

79-20-9 Methyl acetate

· Hazardous Air Pollutants

None of the ingredients is listed.

· Proposition 65

· Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

#### · Carcinogenic categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

(Contd. on page 10)

ACTIVE

US

Printing date 09/15/2021

#### Revision date 09/15/2021

#### Trade name: 2,3-dinor-8-iso Prostaglandin F2α

(Contd. from page 9)

• TLV (Threshold Limit Value)

None of the ingredients is listed.

#### · NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

• Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### **16 Other information**

All chemicals may pose unknown hazards and should be used with caution. This SDS applies only to the material as packaged. If this product is combined with other materials, deteriorates, or becomes contaminated, it may pose hazards not mentioned in this SDS. Cayman Chemical Company assumes no responsibility for incidental or consequential damages, including lost profits, arising from the use of these data. It shall be the user's responsibility to develop proper methods of handling and personal protection based on the actual conditions of use. While this SDS is based on technical data judged to be reliable, Cayman Chemical Company assumes no responsibility for the completeness or accuracy of the information contained herein.

- · Department issuing SDS: Environment protection department.
- · Contact: -
- · Date of preparation / last revision 09/15/2021 / -

 Abbreviations and acronyms: IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit **REL: Recommended Exposure Limit** Flam. Lig. 2: Flammable liquids - Category 2 Eye Irrit. 2A: Serious eye damage/eye irritation - Category 2A STOT SE 3: Specific target organ toxicity (single exposure) - Category 3