



Printing date 09/07/2020 Revision date 09/07/2020

1 Identification

- · Product identifier
- · Trade name: 1,3-Dilinoleoyl Glycerol
- · Svnonvm

USA

9Z,12Z-octadecadienoic acid, 1,1'-(2-hydroxy-1,3-propanediyl) ester; 1,3-Dilinolein; 1,3-Glyceryl dilinoleate

- · **Article number:** 16481, 012409
- · Application of the substance / the mixture For research use only not for human or veterinary use.
- · Details of the supplier of the safety data sheet
- · Manufacturer/Supplier: Cayman Chemical Co. 1180 E. Ellsworth Rd. Ann Arbor, MI 48108

· Information department: Product safety department

· Emergency telephone number:

During normal opening times: +1 (734) 971-3335

US/CANADA: 800-424-9300

Outside US/CANADA: 703-741-5970

2 Hazard(s) identification

· Classification of the substance or mixture



GHS02 Flame

Flam. Liq. 2 H225 Highly flammable liquid and vapor.

- · Label elements
- · GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms



GHS02

- · Signal word Danger
- · Hazard statements

Highly flammable liquid and vapor.

Precautionary statements

Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

Keep container tightly closed.

Ground/bond container and receiving equipment.

Use explosion-proof electrical/ventilating/lighting/equipment.

Use only non-sparking tools.

Take precautionary measures against static discharge.

Wear protective gloves/protective clothing/eye protection/face protection.

(Contd. on page 2)

Printing date 09/07/2020 Revision date 09/07/2020

Trade name: 1,3-Dilinoleoyl Glycerol

(Contd. from page 1)

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. In case of fire: Use for extinction: CO2, powder or water spray.

Store in a well-ventilated place. Keep cool.

Dispose of contents/container in accordance with local/regional/national/international regulations.

- Classification system:
- NFPA ratings (scale 0 4)



Health = 0 Fire = 3 Reactivity = 0

· HMIS-ratings (scale 0 - 4)



Health = 0Fire = 3Reactivity = 0

- · Other hazards
- · Results of PBT and vPvB assessment
- PBT: Not applicable.vPvB: Not applicable.

3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · **Description**: Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:				
CAS: 64-17-5 RTECS: KQ6300000	Ethyl alcohol	!	95.0%	
· Other ingredients				
CAS: 15818-46-9 RTECS: RG0180100	1,3-Dilinoleoyl Glycerol		5.0%	

4 First-aid measures

- · Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Immediately rinse with water.
- After eye contact: Rinse opened eye for several minutes under running water.
- After swallowing: If symptoms persist consult doctor.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed

May cause anemia, cough, CNS depression, drowsiness, headache, heart damage, lassitude (weakness, exhaustion), liver damage, narcosis, reproductive effects, teratogenic effects.

Indication of any immediate medical attention and special treatment needed. No further relevant information available.

US

Printing date 09/07/2020 Revision date 09/07/2020

Trade name: 1,3-Dilinoleoyl Glycerol

(Contd. from page 2)

5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

· Special hazards arising from the substance or mixture

Can release vapors that form explosive mixtures at temperatures at or above the flashpoint.

Container explosion may occur under fire conditions.

Emits toxic fumes under fire conditions.

Sensitive to static discharge.

Vapors can travel to a source of ignition and flash back.

- Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

· Environmental precautions:

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

· Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

Protective Action Criteria for Chemicals

· PAC-1:	
64-17-5 Ethyl alcohol	1,800 ppm
· PAC-2:	
64-17-5 Ethyl alcohol	3300* ppm
· PAC-3:	
64-17-5 Ethyl alcohol	15000* ppm

7 Handling and storage

- · Handling:
- Precautions for safe handling

No special precautions are necessary if used correctly.

Avoid breathing dust/fume/gas/mist/vapours/spray.

Avoid prolonged or repeated exposure.

Keep away from sources of ignition.

Take precautionary measures against static discharge.re.

Information about protection against explosions and fires:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

(Contd. on page 4)

Printing date 09/07/2020 Revision date 09/07/2020

Trade name: 1,3-Dilinoleoyl Glycerol

(Contd. from page 3)

· Conditions for safe storage, including any incompatibilities

Keep away from heat, sparks and flame.

Keep container tightly closed.

Store in accordance with information listed on the product insert.

- · Storage:
- · Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions:

Keep receptacle tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

· Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace:

64-17-5 Ethyl alcohol

PEL Long-term value: 1900 mg/m³, 1000 ppm REL Long-term value: 1900 mg/m³, 1000 ppm TLV Short-term value: 1880 mg/m³, 1000 ppm

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- Personal protective equipment:
- · General protective and hygienic measures:

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

- · Breathing equipment: Not required.
- · Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material


The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 5)

Printing date 09/07/2020 Revision date 09/07/2020

Trade name: 1,3-Dilinoleoyl Glycerol

· Eye protection:



(Contd. from page 4)

Information on basic physical and chemical properties General Information Appearance: Form: Color: According to product specification Odor: Otheracteristic Structural Formula C39H68O5 Molecular Weight Odor threshold: Not determined. Formulation A solution in ethanol PH-value: Not determined. Change in condition Melting point/Melting range: Boiling point/Melting range: T14.5 °C (-174.1 °F) Flash point: T3 °C (55.4 °F) Flammability (solid, gaseous): Not applicable. Ignition temperature: Auto igniting: Product is not selfigniting. Danger of explosion: Product is not explosive. However, formation of explosive are possible. Explosion limits: Lower: Upper: T5 Vol % Vapor pressure at 20 °C (68 °F): Selative density Not determined. Not determined. O.79 g/cm³ (6.59255 lbs/gal) Not determined.	
General Information Appearance: Form: Color: According to product specification Characteristic C39H68O5 Molecular Weight Odor threshold: Formulation A solution in ethanol PH-value: Not determined. C194.4°F) Flash point: Flash point: Flammability (solid, gaseous): Not applicable. Ignition temperature: Auto igniting: Panger of explosion: Panger of explosion: Explosion limits: Lower: Upper: Uvapor pressure at 20 °C (68 °F): Density at 20 °C (68 °F): Decomposition temperature) Liquid According to product specification According to produc	
Form: Color: According to product specification Characteristic C39H68O5 Molecular Weight Odor threshold: Formulation PH-value: Not determined. C139H68O5 Not determined. Change in condition Melting point/Melting range: Boiling point/Boiling range: T14.5 °C (-174.1 °F) Boiling point/Boiling range: T18 °C (172.4 °F) Flammability (solid, gaseous): Not applicable. Ignition temperature: Auto igniting: Product is not selfigniting. Product is not explosive. However, formation of exprapriation imports Explosion limits: Lower: Upper: Upper: Summability (50 (68 °F): Sum	
Color: Odor: Odor: Structural Formula Odor threshold: Formulation Odor threshold: Not determined. Formulation Odor threshold: Not determined. Change in condition Melting point/Melting range: Boiling point/Boiling range: Tlash point: Flash point: Flammability (solid, gaseous): Ignition temperature: Auto igniting: Danger of explosion: Explosion limits: Lower: Upper: Upper: Density at 20 °C (68 °F): Density at 20 °C (68 °F): Odor threshold: Ca3H68O5 At Corraction Characteristic Ca3H68O5 At Corraction Cashes	
Odor: Structural Formula Structural Formula Molecular Weight Odor threshold: Not determined. Formulation A solution in ethanol PH-value: Not determined. Change in condition Melting point/Melting range: Boiling point/Boiling range: Tash point: Flash point: Flammability (solid, gaseous): Ignition temperature: Auto igniting: Product is not selfigniting. Product is not explosive. However, formation of expanding the possible. Explosion limits: Lower: Upper: Summability (colid of a secondary of the possible	
Structural Formula Molecular Weight Odor threshold: Formulation PH-value: Not determined. Change in condition Melting point/Melting range: Boiling point/Boiling range: Tlash point: Flash point: Flammability (solid, gaseous): Ignition temperature: Decomposition temperature: Not determined. **Yes C (-174.1 °F) **The shape of the shape of th	
 Molecular Weight Odor threshold: Not determined. A solution in ethanol pH-value: Not determined. Change in condition Melting point/Melting range: Boiling point/Boiling range: Tas °C (-174.1 °F) Flash point: Tas °C (55.4 °F) Flammability (solid, gaseous): Not applicable. Ignition temperature: Auto igniting: Product is not selfigniting. Product is not explosive. However, formation of expansion limits: Lower: Upper: Table 17 Not determined. Not determined. Product is not explosive. However, formation of expansion limits: Lower: Upper: Table 20 °C (68 °F): SphPa (44.3 mm Hg) Density at 20 °C (68 °F): O.79 g/cm³ (6.59255 lbs/gal) 	
Odor threshold: Formulation Not determined. A solution in ethanol Not determined. Change in condition Melting point/Melting range: Boiling point/Boiling range: Ta °C (-174.1 °F) Flash point: Flash point: Flammability (solid, gaseous): Not applicable. Ignition temperature: Auto igniting: Product is not explosive. However, formation of explosion limits: Lower: Upper: Sa °C (68 °F): Not determined. Product is not explosive. However, formation of explosive in the product is not explosive. Sa S Vol % Sa S Vo	
Formulation A solution in ethanol PH-value: Not determined. Change in condition Melting point/Melting range: Boiling point/Boiling range: 78 °C (-174.1 °F) 78 °C (172.4 °F) Flash point: 13 °C (55.4 °F) Not applicable. Ignition temperature: 425 °C (797 °F) Decomposition temperature: Not determined. Auto igniting: Product is not selfigniting. Product is not explosive. However, formation of expaper of explosion: Product is not explosive. However, formation of expaper mixtures are possible. Explosion limits: Lower: Upper: 3.5 Vol % 15 Vol % Vapor pressure at 20 °C (68 °F): Density at 20 °C (68 °F): 78 °C (-174.1 °F) 78 °C (792 °F) 79 °F) 70 °F)	
PH-value: Not determined. Change in condition Melting point/Melting range: Boiling point/Boiling range: 78 °C (172.4 °F) Flash point: Flammability (solid, gaseous): Not applicable. Ignition temperature: Auto igniting: Product is not selfigniting. Product is not explosive. However, formation of exprange mixtures are possible. Explosion limits: Lower: Upper: San Yol % Vapor pressure at 20 °C (68 °F): Density at 20 °C (68 °F): Not determined. -114.5 °C (-174.1 °F) 78 °C (172.4 °F) Not applicable. -125 °C (797 °F) Not determined. -126 °C (797 °F) Not determined. -127 °C (797 °F) Not determined. -128 °C (797 °F) Not determined. -129 °C (797 °F) Not determined. -120 °C (68 °F):	
Change in condition Melting point/Melting range: Boiling point/Boiling range: 78 °C (172.4 °F) Flash point: 13 °C (55.4 °F) Flammability (solid, gaseous): Not applicable. Ignition temperature: 425 °C (797 °F) Decomposition temperature: Not determined. Auto igniting: Product is not selfigniting. Product is not explosive. However, formation of exprange mixtures are possible. Explosion limits: Lower: Upper: 15 Vol % Vapor pressure at 20 °C (68 °F): 59 hPa (44.3 mm Hg) Density at 20 °C (68 °F): 0.79 g/cm³ (6.59255 lbs/gal)	
Melting point/Melting range: Boiling point/Boiling range: -114.5 °C (-174.1 °F) 78 °C (172.4 °F) - Flash point: - 13 °C (55.4 °F) Not applicable Ignition temperature: - 425 °C (797 °F) - Decomposition temperature: - Not determined Auto igniting: - Product is not selfigniting. - Danger of explosion: - Product is not explosive. However, formation of expression limits: - Lower: - Upper: - 15 Vol % - Vapor pressure at 20 °C (68 °F): - 59 hPa (44.3 mm Hg) - Density at 20 °C (68 °F): - 0.79 g/cm³ (6.59255 lbs/gal)	
Boiling point/Boiling range: 78 °C (172.4 °F) · Flash point: 13 °C (55.4 °F) · Flammability (solid, gaseous): Not applicable. · Ignition temperature: 425 °C (797 °F) · Decomposition temperature: Not determined. · Auto igniting: Product is not selfigniting. · Danger of explosion: Product is not explosive. However, formation of expression limits: Lower: 3.5 Vol % Upper: 15 Vol % · Vapor pressure at 20 °C (68 °F): 59 hPa (44.3 mm Hg) · Density at 20 °C (68 °F): 0.79 g/cm³ (6.59255 lbs/gal)	
 Flash point: 13 °C (55.4 °F) Flammability (solid, gaseous): Not applicable. Ignition temperature: 425 °C (797 °F) Decomposition temperature: Not determined. Auto igniting: Product is not selfigniting. Danger of explosion: Product is not explosive. However, formation of expression limits: Explosion limits: Lower: 3.5 Vol % Upper: 15 Vol % Vapor pressure at 20 °C (68 °F): 59 hPa (44.3 mm Hg) Density at 20 °C (68 °F): 0.79 g/cm³ (6.59255 lbs/gal) 	
 Flammability (solid, gaseous): Not applicable. Ignition temperature: 425 °C (797 °F) Decomposition temperature: Not determined. Auto igniting: Product is not selfigniting. Danger of explosion: Product is not explosive. However, formation of expression limits: Explosion limits: Lower: 3.5 Vol % Upper: 15 Vol % Vapor pressure at 20 °C (68 °F): 59 hPa (44.3 mm Hg) Density at 20 °C (68 °F): 0.79 g/cm³ (6.59255 lbs/gal) 	
 Ignition temperature: 425 °C (797 °F) Decomposition temperature: Not determined. Auto igniting: Product is not selfigniting. Danger of explosion: Product is not explosive. However, formation of expression limits: Explosion limits: Lower: 3.5 Vol % Upper: 15 Vol % Vapor pressure at 20 °C (68 °F): 59 hPa (44.3 mm Hg) Density at 20 °C (68 °F): 0.79 g/cm³ (6.59255 lbs/gal) 	
 Decomposition temperature: Not determined. Auto igniting: Product is not selfigniting. Danger of explosion: Product is not explosive. However, formation of expression limits: Explosion limits: Lower: 3.5 Vol % Upper: 15 Vol % Vapor pressure at 20 °C (68 °F): 59 hPa (44.3 mm Hg) Density at 20 °C (68 °F): 0.79 g/cm³ (6.59255 lbs/gal) 	
 Auto igniting: Product is not selfigniting. Danger of explosion: Product is not explosive. However, formation of expression limits: Lower: 3.5 Vol % Upper: 15 Vol % Vapor pressure at 20 °C (68 °F): 59 hPa (44.3 mm Hg) Density at 20 °C (68 °F): 0.79 g/cm³ (6.59255 lbs/gal) 	
 Danger of explosion: Product is not explosive. However, formation of exposition limits: Lower: Upper: Vapor pressure at 20 °C (68 °F): Density at 20 °C (68 °F): Product is not explosive. However, formation of exposition of explosive. 3.5 Vol % 15 Vol % 59 hPa (44.3 mm Hg) 0.79 g/cm³ (6.59255 lbs/gal) 	
vapor mixtures are possible. Explosion limits: Lower: Upper: 15 Vol % Vapor pressure at 20 °C (68 °F): 59 hPa (44.3 mm Hg) Density at 20 °C (68 °F): 0.79 g/cm³ (6.59255 lbs/gal)	
Lower: 3.5 Vol % 15 Vol % • Vapor pressure at 20 °C (68 °F): 59 hPa (44.3 mm Hg) • Density at 20 °C (68 °F): 0.79 g/cm³ (6.59255 lbs/gal)	losive air/
Upper: 15 Vol % · Vapor pressure at 20 °C (68 °F): 59 hPa (44.3 mm Hg) · Density at 20 °C (68 °F): 0.79 g/cm³ (6.59255 lbs/gal)	
· Vapor pressure at 20 °C (68 °F): 59 hPa (44.3 mm Hg) · Density at 20 °C (68 °F): 0.79 g/cm³ (6.59255 lbs/gal)	
Density at 20 °C (68 °F): 0.79 g/cm³ (6.59255 lbs/gal)	
· Vapor density Not determined.	
Evaporation rate Not determined.	
Solubility in / Miscibility with	
Water at 20 °C (68 °F): 1,000 g/l	
Partition coefficient (n-octanol/water): Not determined.	
Viscosity:	
Dynamic: Not determined.	
Kinematic: Not determined.	
(Conf	d. on page 6

Printing date 09/07/2020 Revision date 09/07/2020

Trade name: 1,3-Dilinoleoyl Glycerol

Solvent content:
Organic solvents:
95.0 %
VOC content:
95.00 %
950.0 g/l / 7.93 lb/gal

Solids content:
0.0 %
No further relevant information available.

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:

· LD/LC50 values	· LD/LC50 values that are relevant for classification:				
64-17-5 Ethyl al	64-17-5 Ethyl alcohol				
Oral	TDLO	1.14 ml/kg (man)			
	LD50	7,060 mg/kg (rat)			
	TDLO	650 (man)			
Dermal	LD50	40,000 mg/kg (rat)			
Inhalative	LC50/4 h	5,900 mg/m³ (rat)			
	LC50	20,000 mg/m³/10h (rat)			
	TCLO	1,800 mg/m³/30m (hmn)			
	LCLO	29,300 mg/m³/7h (mouse)			
	TCLO	1,800 (hmn)			
	LC50	10 h - 20,000 mg/m³ (rat)			
	LD50 Inhalation TCLO	1,800 mg/m³/30m (hmn)			
	LC50/4 h	20,000 mg/l (rat)			
Irritation of skin	Irritation	20 mg/24h (rabbit)			
	TDLO	1,800 mg/kg (wmn)			
Irritation of eyes	Irritation	500 mg/24h (rabbit)			
	Intraperitoneal LD50	280 mg/kg (rat)			
	Data	500 mg/24h (rabbit)			

- · Primary irritant effect:
- on the skin: No irritant effect.
 on the eye: No irritating effect.
- · Sensitization: No sensitizing effects known.

(Contd. on page 7)

Printing date 09/07/2020 Revision date 09/07/2020

Trade name: 1,3-Dilinoleoyl Glycerol

· Additional toxicological information:

(Contd. from page 6)

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

64-17-5 Ethyl alcohol

1

NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · **Recommendation:** Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

4 Transport information		
· UN-Number		
· DOT, IMDG, IATA	UN1170	
· UN proper shipping name		
DOT	Ethanol solutions	
· IMDG	ETHANOL SOLUTION (ETHYL ALCOHOL	
	SOLUTION)	
· IATA	Ethanol solution	

(Contd. on page 8)

Printing date 09/07/2020 Revision date 09/07/2020

Trade name: 1,3-Dilinoleoyl Glycerol

(Contd. from page 7) · Transport hazard class(es) · DOT · Class 3 Flammable liquids · Label · IMDG, IATA · Class 3 Flammable liquids · Label 3 · Packing group DOT, IMDG, IATA Ш · Environmental hazards: Not applicable. · Special precautions for user Warning: Flammable liquids · Hazard identification number (Kemler code): 33 · EMS Number: F-E,S-D Stowage Category · Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. · Transport/Additional information: Quantity limitations On passenger aircraft/rail: 5 L On cargo aircraft only: 60 L · IMDG · Limited quantities (LQ) 1L Code: E2 Excepted quantities (EQ) Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml · IATA · Remarks: When sold in quantities of less than or equal to 1 mL, or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minimis Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled as Dangerous Goods/Excepted Quantity. · UN "Model Regulation": UN 1170 ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION), 3, II

Printing date 09/07/2020 Revision date 09/07/2020

Trade name: 1,3-Dilinoleoyl Glycerol

(Contd. from page 8)

15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Sara
- · Section 355 (extremely hazardous substances):

None of the ingredients is listed.

Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

TSCA (Toxic Substances Control Act):

64-17-5 Ethyl alcohol

ACTIVE

· Hazardous Air Pollutants

None of the ingredients is listed.

- · Proposition 65
- · Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

64-17-5 Ethyl alcohol

- · Carcinogenic categories
- EPA (Environmental Protection Agency)

None of the ingredients is listed.

TLV (Threshold Limit Value established by ACGIH)

64-17-5 Ethyl alcohol

А3

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

· GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

Hazard pictograms



GHS02

- · Signal word Danger
- · Hazard statements

Highly flammable liquid and vapor.

· Precautionary statements

Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

Keep container tightly closed.

Ground/bond container and receiving equipment.

Use explosion-proof electrical/ventilating/lighting/equipment.

Use only non-sparking tools.

Take precautionary measures against static discharge.

(Contd. on page 10)

Printing date 09/07/2020 Revision date 09/07/2020

Trade name: 1,3-Dilinoleoyl Glycerol

(Contd. from page 9)

Wear protective gloves/protective clothing/eye protection/face protection.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

In case of fire: Use for extinction: CO2, powder or water spray.

Store in a well-ventilated place. Keep cool.

Dispose of contents/container in accordance with local/regional/national/international regulations.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Environment protection department.
- · Contact: -
- · Date of preparation / last revision 09/07/2020 / -
- · Abbreviations and acronyms:

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value
PEL: Permissible Exposure Limit
REL: Recommended Exposure Limit

Flam. Lig. 2: Flammable liquids - Category 2

- US