

Page: 1 of 6

Revision: 04/24/2015

Supersedes Revision: 02/28/2002

according to Regulation (EC) No. 1907/2006 as amended by (EC) No. 1272/2008

Section 1. Identification of the Substance/Mixture and of the Company/Undertaking

1.1 **Product Code:** 16720

> **Product Name:** 15-keto Prostaglandin F2.alpha.

Synonyms: 9.alpha.,11.alpha.-dihydroxy-15-oxo-prosta-5Z,13E-dien-1-oic acid; 15-keto PGF2.alpha.;

Relevant identified uses of the substance or mixture and uses advised against:

Relevant identified uses: For research use only, not for human or veterinary use.

1.3 **Details of the Supplier of the Safety Data Sheet:** 

> **Company Name:** Cayman Chemical Company

> > 1180 E. Ellsworth Rd. Ann Arbor, MI 48108

Web site address: www.caymanchem.com

Information: Cayman Chemical Company +1 (734)971-3335

1.4 **Emergency telephone number:** 

> **Emergency Contact:** CHEMTREC Within USA and Canada: +1 (800)424-9300

> > CHEMTREC Outside USA and Canada: +1 (703)527-3887

## Section 2. Hazards Identification

#### 2.1 Classification of the Substance or Mixture:

### 2.1.1 Classification according to Regulation (EC) No 1272/2008 [CLP]:

Flammable Liquids, Category 2

Serious Eye Damage/Eye Irritation, Category 2

**Toxic To Reproduction, Category 1B** 

Specific Target Organ Toxicity (single exposure), Category 3

### 2.2 **Label Elements:**

### Labeling according to Regulation (EC) No 1272/2008 [CLP]:







**GHS Signal Word:** Danger

### **GHS Hazard Phrases:**

EUH066: Repeated exposure may cause skin dryness or cracking.

H225: Highly flammable liquid and vapor.

H319: Causes serious eye irritation.

H336: May cause drowsiness or dizziness.

H360: May damage fertility or the unborn child.

### **GHS Precaution Phrases:**

P201: Obtain special instructions before use.

P202: Do not handle until all safety precautions have been read and understood.

P210: Keep away from {heat/sparks/open flames/hot surfaces}. - No smoking.

P261: Avoid breathing {dust/fume/gas/mist/vapors/spray}.

P264: Wash {hands} thoroughly after handling.

P280: Wear {protective gloves/protective clothing/eye protection/face protection}.

### **GHS Response Phrases:**

P303+361+353: IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with





Revision: 04/24/2015 Supersedes Revision: 02/28/2002

water/shower.

P304+340: IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

P305+351+338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy

to do. Continue rinsing.

P308+313: IF exposed or concerned: Get medical attention/advice.

P312: Call a POISON CENTER or doctor/physician if you feel unwell.

P337+313: If eye irritation persists, get medical advice/attention.

### **GHS Storage and Disposal Phrases:**

Please refer to Section 7 for Storage and Section 13 for Disposal information.

2.3 Adverse Human Health Causes serious eye irritation.

Effects and Symptoms: Harmful if swallowed.

Material may be irritating to the mucous membranes and upper respiratory tract.

May be harmful by inhalation or skin absorption.

May cause adverse reproductive effects in males and/or females.

May cause drowsiness or dizziness.

May cause gastrointestinal disturbances.

May cause skin or respiratory system irritation.

May damage fertility or the unborn child.

May stimulate contraction of intestinal and reproductive smooth muscle.

Repeated exposure may cause skin dryness or cracking.

This chemical has the potential to induce premature labor or abortion.

To the best of our knowledge, the toxicological properties have not been thoroughly investigated.

## Section 3. Composition/Information on Ingredients

CAS#/ RTECS#	Hazardous Components (Chemical Name)/ REACH Registration No.	Concentration	EC No./ EC Index No.	GHS Classification
35850-13-6 NA	15-keto Prostaglandin F2.alpha.	1.0 %	NA NA	Acute Tox.(O) 4: H302 Toxic Repro. 1B: H360
79-20-9 Al9100000	Methyl acetate	99.0 %		Flam. Liq. 2: H225 Eye Damage 2: H319 STOT (SE) 3: H335 H336

## Section 4. First Aid Measures

4.1 Description of First Aid No data available.

Measures:

**In Case of Inhalation:** Remove to fresh air. If not breathing, give artificial respiration or give oxygen by trained personnel.

Get immediate medical attention.

In Case of Skin Contact: Immediately wash skin with soap and plenty of water for at least 15 minutes. Remove contaminated

clothing. Get medical attention if symptoms occur. Wash clothing before reuse.

In Case of Eye Contact: Hold eyelids apart and flush eyes with plenty of water for at least 15 minutes. Have eyes examined

and tested by medical personnel.

In Case of Ingestion: Wash out mouth with water provided person is conscious. Never give anything by mouth to an

unconscious person. Get medical attention. Do NOT induce vomiting unless directed to do so by

medical personnel.

4.2 Important Symptoms and Exposure may cause: coughing, dizziness, drowsiness, headache, narcosis, optic nerve atrophy,

Effects, Both Acute and chest tightness.

**Delayed:** Exposure can cause: diarrhea, dizziness, fever, flushing, headache, hypotension, nausea,

shivering, vomiting.





Revision: 04/24/2015

Supersedes Revision: 02/28/2002

## Section 5. Fire Fighting Measures

5.1 Suitable Extinguishing Use alcohol-resistant foam, carbon dioxide, water, or dry chemical spray.

Use water spray to cool fire-exposed containers. Media:

Unsuitable Extinguishing A solid water stream may be inefficient.

5.2 Flammable Properties andCan release vapors that form explosive mixtures at temperatures at or above the flash point.

Container explosion may occur under fire conditions. Hazards:

Emits toxic fumes under fire conditions.

Sensitive to static discharge.

Vapors can travel to a source of ignition and flash back.

Flash Pt: -10.00 C Method Used: Closed Cup

LEL: 3.1% at 25.0 C **Explosive Limits:** UEL: 16.0% at 25.0 C

455.00 C **Autoignition Pt:** 

5.3 Fire Fighting Instructions: As in any fire, wear self-contained breathing apparatus pressure-demand (NIOSH approved or

equivalent), and full protective gear to prevent contact with skin and eyes.

Note: Flammable as diluted in methyl acetate.

## Section 6. Accidental Release Measures

6.1 **Protective Precautions,** Avoid breathing vapors and provide adequate ventilation.

Protective Equipment and As conditions warrant, wear a NIOSH approved self-contained breathing apparatus, or respirator,

and appropriate personal protection (rubber boots, safety goggles, and heavy rubber gloves). **Emergency Procedures:** 

6.2 **Environmental** Take steps to avoid release into the environment, if safe to do so.

Precautions:

6.3 Methods and Material For Contain spill and collect, as appropriate.

Containment and Cleaning Transfer to a chemical waste container for disposal in accordance with local regulations.

Up:

# Section 7. Handling and Storage

7.1 Precautions To Be Taken Avoid breathing dust/fume/gas/mist/vapours/spray.

Avoid prolonged or repeated exposure. in Handling:

Keep away from sources of ignition.

Take precautionary measures against static discharge.

Precautions To Be Taken Keep away from heat, sparks, and flame. 7.2

in Storing: Keep container tightly closed.

Store in accordance with information listed on the product insert.

Other Precautions: Protect from moisture.

# Section 8. Exposure Controls/Personal Protection

### 8.1 **Exposure Parameters:**

CAS#	Partial Chemical Name	Britain EH40	France VL	Europe
35850-13-6	15-keto Prostaglandin F2.alpha.	No data.	No data.	No data.
79-20-9	Methyl acetate	TWA: 616 mg/m3 (200 ppm) STEL: 770 mg/m3 (250 ppm)	TWA: 610 mg/m3 (200 ppm) STEL: 760 mg/m3 (250 ppm)	No data.





Revision: 04/24/2015

Supersedes Revision: 02/28/2002

CAS#	Partial Chemical Name	OSHA TWA	ACGIH TWA	Other Limits
35850-13-6	15-keto Prostaglandin F2.alpha.	No data.	No data.	No data.
79-20-9	Methyl acetate	PEL: 200 ppm	TLV: 200 ppm STEL: 250 ppm	No data.

8.2 **Exposure Controls:** 

8.2.1 Engineering Controls Use process enclosures, local exhaust ventilation, or other engineering controls to control airborne

levels below recommended exposure limits. (Ventilation etc.):

8.2.2 Personal protection equipment:

**Eye Protection:** Safety glasses

**Protective Gloves:** Compatible chemical-resistant gloves

Other Protective Clothing: Lab coat

**Respiratory Equipment** NIOSH approved respirator, as conditions warrant.

(Specify Type):

Work/Hygienic/Maintenan Do not take internally.

Facilities storing or utilizing this material should be equipped with an eyewash and a safety shower. ce Practices:

Wash thoroughly after handling.

No data available.

## Section 9. Physical and Chemical Properties

9.1 Information on Basic Physical and Chemical Properties

> **Physical States:** [ ] Gas [X] Liquid [ ] Solid

**Appearance and Odor:** A solution in methyl acetate

**Melting Point:** No data. **Boiling Point:** No data.

Flash Pt: -10.00 C Method Used: Closed Cup

**Evaporation Rate:** No data.

**Explosive Limits:** LEL: 3.1% at 25.0 C UEL: 16.0% at 25.0 C

Vapor Pressure (vs. Air or mm 173 MM\_HG at 20.0 C

Vapor Density (vs. Air = 1): No data. Specific Gravity (Water = 1): No data. Solubility in Water: No data. 455.00 C **Autoignition Pt:** 

9.2 Other Information

> No data. **Percent Volatile:**

C20H32O5 Molecular Formula & Weight: 352.5

## Section 10. Stability and Reactivity

10.1 Reactivity: No data available.

10.2 Unstable [ ] Stability: Stable [X]

10.3 Stable if stored in accordance with information listed on the product insert. Stability Note(s):

Polymerization: Will occur [ ] Will not occur [X]

10.4 **Conditions To Avoid:** heat, flames and sparks

10.5 Incompatibility - Materials acids alkalis To Avoid:

nitrates

strong oxidizing agents

carbon dioxide 10.6 **Hazardous** 

Multi-region format



Page: 5 of 6

Revision: 04/24/2015 Supersedes Revision: 02/28/2002

Decomposition Or

carbon monoxide

**Byproducts:** 

Section 11. Toxicological Information

**11.1 Information on** The toxicological effects of this product have not been thoroughly studied.

Toxicological Effects: Methyl Acetate - Toxicity Data: Oral LD50 (rat): >5,000 mg/kg; Oral LD50 (rabbit): 3,705 mg/kg;

Skin LD50 (rabbit): >5,000 mg/kg; Inhalation TCLO (human): 15,000 mg/m3;

Methyl Acetate - Irritation Data: Skin (rabbit): 500 mg (24h) mild; Eyes (rabbit): 100 mg (24h)

moderate:

**Chronic Toxicological** 

Only select Registry of Toxic Effects of Chemical Substances (RTECS) data is presented here.

**Effects:** See actual entry in RTECS for complete information.

Carcinogenicity: NTP? No IARC Monographs? No OSHA Regulated? No

Methyl Acetate RTECS Number: Al9100000

CAS#	Hazardous Components (Chemical Name)	NTP	IARC	ACGIH	OSHA
35850-13-6	15-keto Prostaglandin F2.alpha.	n.a.	n.a.	n.a.	n.a.
79-20-9	Methyl acetate	n.a.	n.a.	n.a.	n.a.

## Section 12. Ecological Information

**12.1 Toxicity:** Avoid release into the environment.

Runoff from fire control or dilution water may cause pollution.

**12.2** Persistence and No data available.

Degradability:

**12.3** Bioaccumulative No data available.

Potential:

**12.4 Mobility in Soil:** No data available.

12.5 Results of PBT and vPvB No data available.

assessment:

12.6 Other adverse effects: No data available.

## Section 13. Disposal Considerations

13.1 Waste Disposal Method: Dispose in accordance with local, state, and federal regulations.

# Section 14. Transport Information

### 14.1 LAND TRANSPORT (US DOT):

**DOT Proper Shipping Name:** Methyl Acetate Solution

**DOT Hazard Class:** 3 FLAMMABLE LIQUID

UN/NA Number: 1231 Packing Group: ||



### 14.1 LAND TRANSPORT (European ADR/RID):

ADR/RID Shipping Name: Methyl Acetate Solution

UN Number: 1231 Packing Group: II

Hazard Class: 3 - FLAMMABLE LIQUID



Page: 6 of 6

Revision: 04/24/2015 Supersedes Revision: 02/28/2002

14.3 AIR TRANSPORT (ICAO/IATA):

ICAO/IATA Shipping Name: Methyl Acetate Solution

UN Number: 1231 Packing Group: II
Hazard Class: 3 - FLAMMABLE LIQUID IATA Classification: 3

Additional Transport Transport in accordance with local, state, and federal regulations.

Information: When sold in quantities of less than or equal to 1 mL, or 1 g, with an Excepted Quantity Code of

E1, E2, E4, or E5, this item meets the De Minimis Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled as Dangerous Goods/Excepted Quantity.

## Section 15. Regulatory Information

### EPA SARA (Superfund Amendments and Reauthorization Act of 1986) Lists

CAS#	Hazardous Components (Chemical Name)	S. 302 (EHS)	S. 304 RQ	S. 313 (TRI)
35850-13-6	15-keto Prostaglandin F2.alpha.	No	No	No
79-20-9	Methyl acetate	No	No	No
CAS#	Hazardous Components (Chemical Name)	Other US EPA or State Lists		
35850-13-6	15-keto Prostaglandin F2.alpha.	CAA HAP,ODC: No; CWA NPDES: No; TSCA: No; CA PROP.65: No		
79-20-9	Methyl acetate	CAA HAP,ODC: No; CWA NPDES: No; TSCA: Yes - Inventory, 4 Test, 8A PAIR; CA PROP.65: No		

Regulatory Information This SDS was prepared in accordance with 29 CFR 1910.1200 and Regulation (EC)

Statement: No.1272/2008.

### Section 16. Other Information

**Revision Date:** 04/24/2015

Additional Information About No data available.

This Product:

Company Policy or Disclaimer: DISCLAIMER: This information is believed to be accurate and represents the best information

currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for

their particular purposes.