

Page 1/11

Safety Data Sheet acc. to OSHA HCS

Printing date 10/21/2021

Revision date 10/21/2021

1 Identification

· Product identifier

· Trade name: 15-keto Latanoprost

· Article number: 16816

· Application of the substance / the mixture

This product is for research use - Not for human or veterinary diagnostic or therapeutic use. It is the responsibility of the purchaser to determine suitability for other applications.

- · Details of the supplier of the safety data sheet
- Manufacturer/Supplier:
 Cayman Chemical Co.
 1180 E. Ellsworth Rd.
 Ann Arbor, MI 48108

USA

- · Information department: Product safety department
- **Emergency telephone number:**

During normal opening times: +1 (734) 971-3335

US/CANADA: 800-424-9300

Outside US/CANADA: 703-741-5970

2 Hazard(s) identification

· Classification of the substance or mixture



GHS02 Flame

Flam. Liq. 2 H225 Highly flammable liquid and vapor.



GHS08 Health hazard

Repr. 1A H360 May damage fertility or the unborn child.



GHS07

Acute Tox. 4 H302 Harmful if swallowed.

Eye Irrit. 2A H319 Causes serious eye irritation.

STOT SE 3 H336 May cause drowsiness or dizziness.

(Contd. on page 2)

Printing date 10/21/2021 Revision date 10/21/2021

Trade name: 15-keto Latanoprost

(Contd. from page 1)

- · Label elements
- · GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

Hazard pictograms







GHS02 GHS07 GH

· Signal word Danger

· Hazard-determining components of labeling:

Methyl acetate

15-keto Latanoprost

· Hazard statements

H225 Highly flammable liquid and vapor.

H302 Harmful if swallowed.

H319 Causes serious eye irritation.

H360 May damage fertility or the unborn child.

H336 May cause drowsiness or dizziness.

· Precautionary statements

D004	O	
P201	Obtain special instructions before use	_
1 401	obtain special monucions perole us	⋾.

P202 Do not handle until all safety precautions have been read and understood. P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

P240 Ground/bond container and receiving equipment.

P241 Use explosion-proof electrical/ventilating/lighting/equipment.

P242 Use only non-sparking tools.

P243 Take precautionary measures against static discharge.
P261 Avoid breathing dust/fume/gas/mist/vapors/spray

P264 Wash thoroughly after handling.

P270 Do not eat, drink or smoke when using this product. P271 Use only outdoors or in a well-ventilated area.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P301+P312 If swallowed: Call a poison center/doctor if you feel unwell.

P330 Rinse mouth.

P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with

water/shower.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P308+P313 IF exposed or concerned: Get medical advice/attention.
P337+P313 If eye irritation persists: Get medical advice/attention.
In case of fire: Use CO2, powder or water spray to extinguish.
P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P403+P235 Store in a well-ventilated place. Keep cool.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

· Classification system:

· NFPA ratings (scale 0 - 4)



Health = 2 Fire = 3 Reactivity = 0

Printing date 10/21/2021 Revision date 10/21/2021

Trade name: 15-keto Latanoprost

· HMIS-ratings (scale 0 - 4)

(Contd. from page 2)



Health = *2 Fire = 3 Reactivity = 0

EACTIVITY 0 Reductivity -

- · Other hazards
- · Results of PBT and vPvB assessment
- PBT: Not applicable.vPvB: Not applicable.

3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:		
CAS: 79-20-9 RTECS: Al9100000	Methyl acetate	99.0%
CAS: 135646-98-9	15-keto Latanoprost	1.0%

4 First-aid measures

- · Description of first aid measures
- · General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Immediately rinse with water.
- · After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- · After swallowing: Immediately call a doctor.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed

May cause anemia, cough, CNS depression, drowsiness, headache, heart damage, lassitude (weakness, exhaustion), liver damage, narcosis, reproductive effects, teratogenic effects. No further relevant information available.

· Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- · For safety reasons unsuitable extinguishing agents: Water with full jet
- · Special hazards arising from the substance or mixture No further relevant information available.

(Contd. on page 4)

Printing date 10/21/2021 Revision date 10/21/2021

Trade name: 15-keto Latanoprost

Advice for firefighters

(Contd. from page 3)

Protective equipment: No special measures required.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

- Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- · Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

· Protective Action Criteria for Chemicals

· PAC-1:			
79-20-9	Methyl acetate	250 ppm	
· PAC-2:	· PAC-2:		
79-20-9	Methyl acetate	1,700 ppm	
· PAC-3:	· PAC-3:		
79-20-9	Methyl acetate	10000* ppm	

7 Handling and storage

- · Handling:
- Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Open and handle receptacle with care.

Prevent formation of aerosols.

· Information about protection against explosions and fires:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

Keep respiratory protective device available.

- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions:

Keep receptacle tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

· Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

· Additional information about design of technical systems: No further data; see item 7.

(Contd. on page 5)

Printing date 10/21/2021 Revision date 10/21/2021

Trade name: 15-keto Latanoprost

(Contd. from page 4)

· Control parameters

Components with limit values that require monitoring at the workplace:

The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit.

At this time, the remaining constituent has no known exposure limits.

79-20-9 Methyl acetate

PEL Long-term value: 610 mg/m³, 200 ppm REL Short-term value: 760 mg/m³, 250 ppm Long-term value: 610 mg/m³, 200 ppm

TLV Short-term value: 250 ppm Long-term value: 200 ppm

- Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:

· General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Store protective clothing separately.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

Printing date 10/21/2021 Revision date 10/21/2021

Trade name: 15-keto Latanoprost

(Contd. from page 5)

Information on basic physical and chemical properties General Information Appearance: Form: Liquid Color: Colores Odor: Pleasant Structural Formula C26H3805 Molecular Weight 430.6 g/mol Odor threshold: Not determined. Formulation A solution in methyl acetate Ph-value: Not determined. Change in condition Molting point/Molting range: 98.05 °C (-144.5 °F) Boiling point/Molting range: 97 °C (134.6 °F) Flash point: -13 °C (8.6 °F) Flash point: 455 °C (851 °F) Decomposition temperature: A55 °C (851 °F) Decomposition temperature: Not determined. Auto igniting: Product is not explosive. However, formation of explosive air vapor mixtures are possible. Explosion limits: Lower: 3.1 Vol % Upper: 16 Vol % Vapor pressure at 20 °C (68 °F): 220 hPa (165 mm Hg) Density at 20 °C (68 °F): 0.93 g/cm³ (7.76085 lbs/gal) Bulk density: Not determined. Vapor density Not determined. Solubility in / Miscibility with Water at 20 °C (68 °F): 330 g/l Partition coefficient (n-octanol/water): Not determined. Viscosity: Dynamic: Not determined. Viscosity: Dynamic: Not determined. Viscosity: Dynamic: Not determined. Not determined. Solubility in / Miscibility with Water at 20 °C (68 °F): 330 g/l Partition coefficient (n-octanol/water): Not determined. Viscosity: Dynamic: Not determined. Not determined. Solubility in / Miscibility with Water at 20 °C (68 °F): 300 g/l / 0.00 mg/ml; DMSO: PBS (1:12): 80 g/m² (1.76085 lbs/gal) Solvent content: Organic solvents: 99.0 % VOC content: 0.00 % 0.00 % 0.00 % 0.00 /6 0.00 g/l / 0.00 lb/gal	9 Physical and chemical properties		
General Information Appearance: Form: Color: Color: Coloriess Odor: Structural Formula Odor threshold: Formulation A solution in methyl acetate PH-value: Not determined. Change in condition Melting point/Melting range: Boiling point/Boiling range: Soliting to the member ature: Vistosish: Danger of explosion: Product is not explosive. However, formation of explosive air vapor pressure at 20 °C (68 °F): Density at 20 °C (68 °F): Oensity at 20 °C (68 °F): All More and Appearance of Color of the determined. Solubility in / Miscibility with Water at 20 °C (68 °F): Dynamic: Kinematic: Solubility in / Miscibility with Water at 20 °C (68 °F): Not determined. Solubility in / Miscibility with Water at 20 °C (68 °F): Not determined.	· Information on basic physical and chemical properties		
Form: Color: Color: Coloress Odor: Pleasant C26H3805 Molecular Weight A 30.6 g/mol Odor threshold: Not determined. PH-value: Not determined. Change in condition Melting point/Melting range: Bolling point/Melting range:			
Color: Colorless Pleasant Structural Formula C26H3805 Molecular Weight 430.6 g/mol Odor threshold: Not determined. Formulation A solution in methyl acetate pH-value: Not determined. Change in condition Melting point/Melting range: Boiling point/Boiling range: 57 °C (134.6 °F) Flash point: -13 °C (8.6 °F) Flammability (solid, gaseous): Not applicable. Ignition temperature: 455 °C (851 °F) Decomposition temperature: Not determined. Auto Igniting: Product is not selfigniting. Danger of explosion: Product is not selfigniting. Explosion limits: Lower: 3.1 Vol % Vapor pressure at 20 °C (68 °F): 220 hPa (165 mm Hg) Density at 20 °C (68 °F): 0.93 g/cm² (7.76085 lbs/gal) Bulk density: 1 kg/m³ Relative density Vapor density Not determined. Solubility in / Miscibility with Water at 20 °C (68 °F): 330 g/l Partition coefficient (n-octanol/water): Not determined. Viscosity: Dynamic: Kinematic: Not determined. Not determined. Not determined. Not determined. Not determined. Solubility: Not determined. Not determined. Not determined. Not determined. Solubility: Not determined. Not determined. Not determined. Not determined. Not determined. Solubility: Not one g/ml; DMSO: 100 mg/ml; DMSO: PBS (1:12): 86 mg/ml; Ethanol: 100 mg/ml Solubility: DMF: 100 mg/ml; DMSO: 100 mg/ml; DMSO: PBS (1:12): 86 mg/ml; Ethanol: 100 mg/ml Solubility Organic solvents: One Molecular solvents: Organic solvents: One Molecular solvents one Molecular solvents one Molecular solvents	· Appearance:		
Odor: Pleasant Structural Formula C26H38O5 Molecular Weight 430.6 g/mol Odor threshold: Not determined. Formulation A solution in methyl acetate pH-value: Not determined. Change in condition Melting point/Melting range: Boiling point/Boiling range: Boiling point/Boiling range: 57 °C (134.6 °F) Flash point: -13 °C (8.6 °F) Flash point: -13 °C (8.6 °F) Flammability (solid, gaseous): Not applicable. Ignition temperature: 455 °C (851 °F) Decomposition temperature: Not determined. Auto igniting: Product is not explosive. However, formation of explosive air vapor mixtures are possible. Explosion limits: Lower: 3.1 Vol % Lower: 16 Vol % Vapor pressure at 20 °C (68 °F): 220 hPa (165 mm Hg) Density at 20 °C (68 °F): 0.93 g/cm² (7.76085 lbs/gal) Bulk density: 1 kg/m³ Relative density Not determined. Vapor density Not determined. Vapor density Not determined. Vapor density Not determined. Partition coefficient (n-octanol/water):		•	
Structural Formula			
Molecular Weight 430.6 g/mol Odor threshold: Not determined. Formulation A solution in methyl acetate pH-value: Not determined. Change in condition Melting point/Melting range: -98.05 °C (-144.5 °F) Boiling point/Boiling range: 57 °C (134.6 °F) Flash point: -13 °C (8.6 °F) Flammability (solid, gaseous): Not applicable. Ignition temperature: 455 °C (851 °F) Decomposition temperature: Not determined. Auto igniting: Product is not selfigniting. Danger of explosion: Product is not explosive. However, formation of explosive air vapor mixtures are possible. Explosion limits: Lower: 3.1 Vol % Upper: 16 Vol % Vapor pressure at 20 °C (68 °F): 220 hPa (165 mm Hg) Density at 20 °C (68 °F): 0.93 g/cm³ (7.76085 lbs/gal) Bulk density: 1 kg/m³ Relative density Not determined. Vapor density Not determined. Solubility in / Miscibility with Water at 20 °C (68 °F): 330 g/l Partition coefficient (n-octanol/water): Not determined. Viscosity: Dynamic: Not determined. Viscosity: Dynamic: Not determined. SOLUBILITY DMF: 100 mg/ml; DMSO: 100 mg/ml; DMSO:PBS (1:12): 86 ug/ml; Ethanol: 100 mg/ml Solvent content: Organic solvents: 99.0 % VOC content: 0.00 %			
Odor threshold: Not determined. PH-value: Not determined. Change in condition Melting point/Melting range: Boiling point/Boiling range: -98.05 °C (-144.5 °F) Flash point: -13 °C (8.6 °F) *Flash point: -13 °C (8.6 °F) *Flammability (solid, gaseous): Not applicable. *Ignition temperature: 455 °C (851 °F) *Decomposition temperature: Not determined. *Auto igniting: Product is not selfigniting. *Danger of explosion: Product is not explosive. However, formation of explosive air vapor mixtures are possible. *Explosion limits: Lower: 3.1 Vol % *Upper: 16 Vol % *Upper: 16 Vol % *Upper: 16 Vol % *Density at 20 °C (68 °F): 220 hPa (165 mm Hg) *Density at 20 °C (68 °F): 0.93 g/cm² (7.76085 lbs/gal) *Bulk density: 1 kg/m² *Relative density Not determined. *Vapor density Not determined. *Solubility in / Miscibility with Water at 20 °C (68 °F): 330 g/l *Partition coefficient (n-octanol/water): Not determined. *Viscosity: Pynamic: Not determined. <			
Formulation A solution in methyl acetate pH-value: Not determined. Change in condition Melting point/Melting range: 57 °C (134.6 °F) Flash point: -13 °C (8.6 °F) Flammability (solid, gaseous): Not applicable. Ignition temperature: 455 °C (851 °F) Decomposition temperature: Not determined. Auto igniting: Product is not explosive. However, formation of explosive air vapor mixtures are possible. Explosion limits: Lower: 3.1 Vol % Upper: 16 Vol % Vapor pressure at 20 °C (68 °F): 220 hPa (165 mm Hg) Density at 20 °C (68 °F): 0.93 g/cm² (7.76085 lbs/gal) Bulk density: 1 kg/m³ Relative density Not determined. Solubility in / Miscibility with Water at 20 °C (68 °F): 330 g/l Partition coefficient (n-octanol/water): Not determined. Viscosity: Dynamic: Not determined. Viscosity: Dynamic: Not determined. Viscosity: Dynamic: Not determined. SoluBiLITY DMF: 100 mg/ml; DMSO: 100 mg/ml; DMSO:PBS (1:12): 86 ug/ml; Ethanol: 100 mg/ml Solubility on / Misciboling with ug/ml; Ethanol: 100 mg/ml Solubility in purple of the product of the purple of the			
pH-value: Not determined. Change in condition Melting point/Melting range: 57 °C (-144.5 °F) 57 °C (134.6 °F) Flash point: -13 °C (8.6 °F) Flammability (solid, gaseous): Not applicable. Ignition temperature: 455 °C (851 °F) Decomposition temperature: Not determined. Auto igniting: Product is not selfigniting. Danger of explosion: Product is not explosive. However, formation of explosive air vapor mixtures are possible. Explosion limits: Lower: 3.1 Vol % Upper: 16 Vol % Vapor pressure at 20 °C (68 °F): 220 hPa (165 mm Hg) Density at 20 °C (68 °F): 0.93 g/cm² (7.76085 lbs/gal) Bulk density: 1 kg/m³ Relative density Not determined. Vapor density Not determined. Vapor density Not determined. Solubility in / Miscibility with Water at 20 °C (68 °F): 330 g/l Partition coefficient (n-octanol/water): Not determined. Viscosity: Dynamic: Not determined. Viscosity: Dynamic: Not determined. Not determined. Not determined. SOLUBILITY DMF: 100 mg/ml; DMSO: 100 mg/ml; DMSO:PBS (1:12): 86 μg/ml; Ethanol: 100 mg/ml Solvent content: Organic solvents: 99.0 % VOC content: 0.00 %			
Melting point/Melting range: Boiling point/Bolling range: Flash point: -13 °C (134.6 °F) Flammability (solid, gaseous): Not applicable. Ignition temperature: -455 °C (851 °F) Decomposition temperature: Not determinedAuto igniting: - Danger of explosion: - Product is not explosive. However, formation of explosive air vapor mixtures are possible. Explosion limits: Lower: Upper: - 16 Vol % Vapor pressure at 20 °C (68 °F): - 220 hPa (165 mm Hg) Density at 20 °C (68 °F): - 0.93 g/cm² (7.76085 lbs/gal) Bulk density: Relative density: Vapor density: - Vapor density: - Vapor density: - Solubility in / Miscibility with Water at 20 °C (68 °F): - Partition coefficient (n-octanol/water): - Not determined Viscosity: - Dynamic: - Kinematic: - SOLUBILITY - DMF: 100 mg/ml; DMSO: 100 mg/ml; DMSO: PBS (1:12): 86 mg/mic solvents: - Organic so	· pH-value:	•	
Melting point/Melting range: Boiling point/Bolling range: Flash point: -13 °C (134.6 °F) Flammability (solid, gaseous): Not applicable. Ignition temperature: -455 °C (851 °F) Decomposition temperature: Not determinedAuto igniting: - Danger of explosion: - Product is not explosive. However, formation of explosive air vapor mixtures are possible. Explosion limits: Lower: Upper: - 16 Vol % Vapor pressure at 20 °C (68 °F): - 220 hPa (165 mm Hg) Density at 20 °C (68 °F): - 0.93 g/cm² (7.76085 lbs/gal) Bulk density: Relative density: Vapor density: - Vapor density: - Vapor density: - Solubility in / Miscibility with Water at 20 °C (68 °F): - Partition coefficient (n-octanol/water): - Not determined Viscosity: - Dynamic: - Kinematic: - SOLUBILITY - DMF: 100 mg/ml; DMSO: 100 mg/ml; DMSO: PBS (1:12): 86 mg/mic solvents: - Organic so	· Change in condition		
Boiling point/Boiling range: 57 °C (134.6 °F) Flash point: -13 °C (8.6 °F) Flammability (solid, gaseous): Not applicable. Ignition temperature: 455 °C (851 °F) Decomposition temperature: Not determined. Auto igniting: Product is not selfigniting. Danger of explosion: Product is not explosive. However, formation of explosive air vapor mixtures are possible. Explosion limits: Lower: 3.1 Vol % Upper: 16 Vol % Vapor pressure at 20 °C (68 °F): 220 hPa (165 mm Hg) Density at 20 °C (68 °F): 0.93 g/cm² (7.76085 lbs/gal) Bulk density: 1 kg/m³ Relative density Not determined. Vapor density Not determined. Vapor density Not determined. Solubility in / Miscibility with Water at 20 °C (68 °F): 330 g/l Partition coefficient (n-octanol/water): Not determined. Viscosity: Dynamic: Not determined. Kinematic: Not determined. Kinematic: Not determined. Solubility my (my (my (my (my (my (my (my (my (my		-98.05 °C (-144.5 °F)	
Flash point: Flammability (solid, gaseous): Not applicable. Ignition temperature: Decomposition temperature: Not determined. Auto igniting: Product is not selfigniting. Danger of explosion: Product is not explosive. However, formation of explosive air vapor mixtures are possible. Explosion limits: Lower: Upper: Solubility in / Miscibility with Water at 20 °C (68 °F): Solubility in / Miscibility Dynamic: Kinematic: SOLUBILITY Not determined. Solubility in / Miscibility with Water at 20 °C (68 °F): Dynamic: Kinematic: SOLUBILITY DMF: 100 mg/ml; DMSO: 100 mg/ml; DMSO:PBS (1:12): 86 mg/ml; Ethanol: 100 mg/ml Solvent content: Organic solvents: Organic solvents: Organic solvents: ORGAN: OR			
Ignition temperature: 455 °C (851 °F) Decomposition temperature: Not determined. Auto igniting: Product is not selfigniting. Danger of explosion: Product is not explosive. However, formation of explosive air vapor mixtures are possible. Explosion limits: Lower: 3.1 Vol % Upper: 16 Vol % Vapor pressure at 20 °C (68 °F): 220 hPa (165 mm Hg) Density at 20 °C (68 °F): 0.93 g/cm³ (7.76085 lbs/gal) Bulk density: 1 kg/m³ Relative density Not determined. Vapor density Not determined. Solubility in / Miscibility with Water at 20 °C (68 °F): 330 g/l Partition coefficient (n-octanol/water): Not determined. Viscosity: Dynamic: Not determined. Kinematic: Not determined. Not determined. Not determined. Not determined. Viscosity: Dynamic: Not determined. Not determined. Not determined. Solubility in / Miscibility with Water at 20 °C (68 °F): 300 g/l Partition coefficient (n-octanol/water): Not determined. Viscosity: Dynamic: Not determined. Not determined. Solubility in / Miscibility with Water at 20 °C (68 °F): 300 g/ml; DMSO: 100 mg/ml; DMSO:PBS (1:12): 80 g/m/ml; Ethanol: 100 mg/ml Solvent content: Ogganic solvents: 99.0 % VOC content: 0.00 %	· Flash point:	, ,	
Decomposition temperature: Not determined. Auto igniting: Product is not selfigniting. Product is not explosive. However, formation of explosive air vapor mixtures are possible. Explosion limits: Lower: Upper: 16 Vol % Vapor pressure at 20 °C (68 °F): 220 hPa (165 mm Hg) Density at 20 °C (68 °F): 1 kg/m³ Not determined. Vapor density: Not determined. Vapor density: Evaporation rate: Not determined. Solubility in / Miscibility with Water at 20 °C (68 °F): Dynamic: Kinematic: SOLUBILITY: Not determined. Not determined. Not determined. Not determined. Not determined. Solubility in / Miscibility with Water at 20 °C (68 °F): Dynamic: Kinematic: SOLUBILITY: Not determined. Not determined. Not determined. Not determined. Solubility in / Miscibility with Water at 20 °C (68 °F): Omynamic: Kinematic: Solubility in / Miscibility with Water at 20 °C (68 °F): Not determined. Not determined. Not determined. Not determined. Not determined. Solubility in / Miscibility with Water at 20 °C (68 °F): Omynamic: Kinematic: Solubility in / Miscibility with Water at 20 °C (68 °F): Not determined.	· Flammability (solid, gaseous):	Not applicable.	
Auto igniting: Product is not selfigniting. Product is not explosive. However, formation of explosive air vapor mixtures are possible. Explosion limits: Lower: Upper: 16 Vol % Vapor pressure at 20 °C (68 °F): 220 hPa (165 mm Hg) Density at 20 °C (68 °F): 0.93 g/cm³ (7.76085 lbs/gal) Bulk density: 1 kg/m³ Relative density Not determined. Vapor density Not determined. Evaporation rate Not determined. Solubility in / Miscibility with Water at 20 °C (68 °F): 330 g/l Partition coefficient (n-octanol/water): Not determined. Viscosity: Dynamic: Kinematic: SOLUBILITY Not determined. Not determined. Not determined. SOLUBILITY DMF: 100 mg/ml; DMSO: 100 mg/ml; DMSO:PBS (1:12): 86 μg/ml; Ethanol: 100 mg/ml Solvent content: Organic solvents: 99.0 % VOC content:	· Ignition temperature:	455 °C (851 °F)	
 Danger of explosion: Product is not explosive. However, formation of explosive air vapor mixtures are possible. Explosion limits: Lower:	· Decomposition temperature:	Not determined.	
vapor mixtures are possible. Explosion limits: Lower: Upper: 3.1 Vol % 16 Vol % Vapor pressure at 20 °C (68 °F): 220 hPa (165 mm Hg) Density at 20 °C (68 °F): 0.93 g/cm³ (7.76085 lbs/gal) Bulk density: 1 kg/m³ Relative density Not determined. Vapor density Not determined. Solubility in / Miscibility with Water at 20 °C (68 °F): 330 g/l Partition coefficient (n-octanol/water): Not determined. Viscosity: Dynamic: Not determined. Kinematic: Not determined. Kinematic: Not determined. SOLUBILITY DMF: 100 mg/ml; DMSO: 100 mg/ml; DMSO:PBS (1:12): 86 μg/ml; Ethanol: 100 mg/ml Solvent content: Organic solvents: 99.0 % VOC content: 0.00 %	· Auto igniting:	Product is not selfigniting.	
Lower: Upper: 16 Vol % Vapor pressure at 20 °C (68 °F): 220 hPa (165 mm Hg) Density at 20 °C (68 °F): 0.93 g/cm³ (7.76085 lbs/gal) Bulk density: 1 kg/m³ Relative density Not determined. Vapor density Not determined. Evaporation rate Not determined. Solubility in / Miscibility with Water at 20 °C (68 °F): 330 g/l Partition coefficient (n-octanol/water): Not determined. Viscosity: Dynamic: Not determined. Kinematic: Not determined. SOLUBILITY DMF: 100 mg/ml; DMSO: 100 mg/ml; DMSO:PBS (1:12): 86 μg/ml; Ethanol: 100 mg/ml Solvent content: Organic solvents: 99.0 % VOC content: 0.00 %	· Danger of explosion:	Product is not explosive. However, formation of explosive air vapor mixtures are possible.	
Upper: 16 Vol % Vapor pressure at 20 °C (68 °F): 220 hPa (165 mm Hg) Density at 20 °C (68 °F): 0.93 g/cm³ (7.76085 lbs/gal) Bulk density: 1 kg/m³ Relative density Not determined. Vapor density Not determined. Evaporation rate Not determined. Solubility in / Miscibility with Water at 20 °C (68 °F): 330 g/l Partition coefficient (n-octanol/water): Not determined. Viscosity: Not determined. Kinematic: Not determined. Kinematic: Not determined. SOLUBILITY DMF: 100 mg/ml; DMSO: 100 mg/ml; DMSO:PBS (1:12): 86 μg/ml; Ethanol: 100 mg/ml Solvent content: Organic solvents: 99.0 % VOC content: 0.00 %	· Explosion limits:		
Vapor pressure at 20 °C (68 °F): Density at 20 °C (68 °F): 1 kg/m³ Relative density: Vapor density Vapor density Evaporation rate Not determined. Solubility in / Miscibility with Water at 20 °C (68 °F): Dynamic: Kinematic: SOLUBILITY Solvent content: Organic solvents: Organic solvents: Vapor density 1 kg/m³ Not determined. Solvent content: Organic solvents: 99.0 % VOC content: 0.00 %		• 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
Density at 20 °C (68 °F): Relative density Not determined. Vapor density Not determined. Solubility in / Miscibility with Water at 20 °C (68 °F): Partition coefficient (n-octanol/water): Not determined. Viscosity: Dynamic: Kinematic: SOLUBILITY Not determined. Solubility in / Miscibility with Water at 20 °C (68 °F): Not determined.	Upper:	16 Vol %	
Bulk density: Relative density Not determined. Vapor density Not determined. Evaporation rate Not determined. Solubility in / Miscibility with Water at 20 °C (68 °F): 330 g/l Partition coefficient (n-octanol/water): Not determined. Viscosity: Dynamic: Kinematic: Not determined. Kinematic: Not determined. SOLUBILITY DMF: 100 mg/ml; DMSO: 100 mg/ml; DMSO:PBS (1:12): 80 μg/ml; Ethanol: 100 mg/ml Solvent content: Organic solvents: 99.0 % VOC content: 0.00 %	· Vapor pressure at 20 °C (68 °F):	220 hPa (165 mm Hg)	
Relative density Vapor density Not determined. Pevaporation rate Not determined. Not determined. Not determined. Solubility in / Miscibility with Water at 20 °C (68 °F): Partition coefficient (n-octanol/water): Not determined. Viscosity: Dynamic: Not determined. Kinematic: Not determined. SOLUBILITY DMF: 100 mg/ml; DMSO: 100 mg/ml; DMSO:PBS (1:12): 80 mg/ml; Ethanol: 100 mg/ml Solvent content: Organic solvents: 99.0 % VOC content: 0.00 %	Density at 20 °C (68 °F):	0.93 g/cm³ (7.76085 lbs/gal)	
Vapor density Evaporation rate Not determined. Solubility in / Miscibility with Water at 20 °C (68 °F): Partition coefficient (n-octanol/water): Not determined. Viscosity: Dynamic: Kinematic: SOLUBILITY Not determined. Not determined. Not determined. SOLUBILITY DMF: 100 mg/ml; DMSO: 100 mg/ml; DMSO:PBS (1:12): 80 µg/ml; Ethanol: 100 mg/ml Solvent content: Organic solvents: 99.0 % VOC content: 0.00 %			
Evaporation rate Not determined. Solubility in / Miscibility with Water at 20 °C (68 °F): 330 g/l • Partition coefficient (n-octanol/water): Not determined. • Viscosity: Not determined. Dynamic: Not determined. Kinematic: Not determined. SOLUBILITY DMF: 100 mg/ml; DMSO: 100 mg/ml; DMSO:PBS (1:12): 80 μg/ml; Ethanol: 100 mg/ml • Solvent content: 99.0 % VOC content: 0.00 %			
Solubility in / Miscibility with Water at 20 °C (68 °F): 330 g/l Partition coefficient (n-octanol/water): Not determined. Viscosity: Dynamic: Not determined. Kinematic: Not determined. SOLUBILITY DMF: 100 mg/ml; DMSO: 100 mg/ml; DMSO:PBS (1:12): 80 μg/ml; Ethanol: 100 mg/ml Solvent content: Organic solvents: 99.0 % VOC content: 0.00 %			
Water at 20 °C (68 °F): 330 g/l Partition coefficient (n-octanol/water): Not determined. Viscosity: Dynamic: Not determined. Kinematic: Not determined. SOLUBILITY DMF: 100 mg/ml; DMSO: 100 mg/ml; DMSO:PBS (1:12): 80 µg/ml; Ethanol: 100 mg/ml Solvent content: Organic solvents: 99.0 % VOC content: 0.00 %	•	NOL GETERMINEG.	
Partition coefficient (n-octanol/water): Not determined. Viscosity: Dynamic: Not determined. Kinematic: Not determined. SOLUBILITY DMF: 100 mg/ml; DMSO: 100 mg/ml; DMSO:PBS (1:12): 80 µg/ml; Ethanol: 100 mg/ml Solvent content: Organic solvents: 99.0 % VOC content: 0.00 %	· Solubility in / Miscibility with Water at 20 °C (68 °F):	330 g/l	
Dynamic: Kinematic: Not determined. Not determined. Not determined. DMF: 100 mg/ml; DMSO: 100 mg/ml; DMSO:PBS (1:12): 80 µg/ml; Ethanol: 100 mg/ml Solvent content: Organic solvents: VOC content: 0.00 %	Partition coefficient (n-octanol/wate		
Dynamic: Kinematic: Not determined. Not determined. Not determined. DMF: 100 mg/ml; DMSO: 100 mg/ml; DMSO:PBS (1:12): 80 µg/ml; Ethanol: 100 mg/ml Solvent content: Organic solvents: VOC content: 0.00 %	, , , , , , , , , , , , , , , , , , ,		
Kinematic: SOLUBILITY DMF: 100 mg/ml; DMSO: 100 mg/ml; DMSO:PBS (1:12): 80 pg/ml; Ethanol: 100 mg/ml Solvent content: Organic solvents: 99.0 % VOC content: 0.00 %		Not determined.	
μg/ml; Ethanol: 100 mg/ml Solvent content: Organic solvents: 99.0 % VOC content: 0.00 %			
Solvent content: Organic solvents: VOC content: 99.0 % 0.00 %	SOLUBILITY		
Organic solvents: 99.0 % VOC content: 0.00 %	· Solvent content:	-	
VOC content: 0.00 %		99.0 %	
0.0 g/l / 0.00 lb/gal			
		0.0 g/l / 0.00 lb/gal	

Printing date 10/21/2021 Revision date 10/21/2021

Trade name: 15-keto Latanoprost

Solids content: 0.0 %

Other information No further relevant information available.

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- · Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: strong oxidizing agents
- · Hazardous decomposition products: carbon dioxide, carbon monoxide

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:

· LD/LC50	· LD/LC50 values that are relevant for classification:		
ATE (Acu	ATE (Acute Toxicity Estimate)		
Oral	LD50	50,000 mg/kg	
79-20-9 Methyl acetate			

79-20-9 Metnyl acetate		
Oral	LD50	>5,000 mg/kg (rat)
		3,705 mg/kg (rabbit)
Dermal	LD50	>5,000 mg/kg (rabbit)
Inhalative	TCLO	15,000 mg/m³ (hmn)
Irritation of skin	Irritation	500 mg/24h (rabbit)
	Irritation	40 mg/kg/24h (rabbit)
Irritation of eyes	Irritation	100 mg/24h (rabbit)
	Intraperitoneal LD50	70 mg/kg (mouse)

- · Primary irritant effect:
- · on the skin: No irritant effect.
- on the eye: Irritating effect.
- · Sensitization: No sensitizing effects known.
- Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

Harmful Irritant

- Carcinogenic categories
- · IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

(Contd. on page 8)

Printing date 10/21/2021 Revision date 10/21/2021

Trade name: 15-keto Latanoprost

(Contd. from page 7)

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · **vPvB:** Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.

14 Transport information

· UN-Number

· DOT, IMDG, IATA UN1231

· UN proper shipping name

DOT, IATA Methyl acetate solution

METHYL ACETATE solution

· Transport hazard class(es)

· DOT



· Class 3 Flammable liquids

(Contd. on page 9)

Printing date 10/21/2021 Revision date 10/21/2021

Trade name: 15-keto Latanoprost

	(Contd. from page 8
· Label	3
· IMDG, IATA	
· Class · Label	3 Flammable liquids 3
· Packing group · DOT, IMDG, IATA	П
· Environmental hazards:	Not applicable.
 Special precautions for user Hazard identification number (Kemler code): EMS Number: Stowage Category 	Warning: Flammable liquids 33 F-E,S-D B
Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
· Transport/Additional information:	
· DOT · Quantity limitations	On passenger aircraft/rail: 5 L On cargo aircraft only: 60 L
· IMDG · Limited quantities (LQ) · Excepted quantities (EQ)	1L Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
· IATA · Remarks:	When sold in quantities of less than or equal to 1 mL or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minimi Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled a Dangerous Goods/Excepted Quantity.
· UN "Model Regulation":	UN 1231 METHYL ACETATE SOLUTION, 3, II

15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.
- · Sara
- Section 355 (extremely hazardous substances):

None of the ingredients is listed.

Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

(Contd. on page 10)

Revision date 10/21/2021 Printing date 10/21/2021

Trade name: 15-keto Latanoprost

(Contd. from page 9)

TSCA (Toxic Substances Control Act):

79-20-9 Methyl acetate

ACTIVE

· Hazardous Air Pollutants

None of the ingredients is listed.

· Proposition 65

· Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· Carcinogenic categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value)

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

All chemicals may pose unknown hazards and should be used with caution. This SDS applies only to the material as packaged. If this product is combined with other materials, deteriorates, or becomes contaminated, it may pose hazards not mentioned in this SDS. Cayman Chemical Company assumes no responsibility for incidental or consequential damages, including lost profits, arising from the use of these data. It shall be the user's responsibility to develop proper methods of handling and personal protection based on the actual conditions of use. While this SDS is based on technical data judged to be reliable, Cayman Chemical Company assumes no responsibility for the completeness or accuracy of the information contained herein.

- · Department issuing SDS: Environment protection department.
- · Contact: -
- · Date of preparation / last revision 10/21/2021 / -

· Abbreviations and acronyms:

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

(Contd. on page 11)

Printing date 10/21/2021 Revision date 10/21/2021

Trade name: 15-keto Latanoprost

TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit
Flam. Liq. 2: Flammable liquids – Category 2
Acute Tox. 4: Acute toxicity – Category 4
Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A
Repr. 1A: Reproductive toxicity – Category 1A
STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

(Contd. from page 10)