

Page: 1 of 6

Revision: 04/28/2015 Supersedes Revision: 03/07/2003

according to Regulation (EC) No. 1907/2006 as amended by (EC) No. 1272/2008

Section 1. Identification of the Substance/Mixture and of the Company/Undertaking

1.1 Product Code: 16822

Product Name: Latanoprost ethyl amide

Synonyms: N-ethyl-9.alpha.,11.alpha.,15R-trihydroxy-17-phenyl-18,19,20-trinor-prost-5Z-en-1-amide;

Lat-NEt;

1.2 Relevant identified uses of the substance or mixture and uses advised against:

Relevant identified uses: For research use only, not for human or veterinary use.

1.3 Details of the Supplier of the Safety Data Sheet:

Company Name: Cayman Chemical Company

1180 E. Ellsworth Rd. Ann Arbor, MI 48108

Web site address: www.caymanchem.com

Information: Cayman Chemical Company +1 (734)971-3335

1.4 Emergency telephone number:

Emergency Contact: CHEMTREC Within USA and Canada: +1 (800)424-9300

CHEMTREC Outside USA and Canada: +1 (703)527-3887

Section 2. Hazards Identification

2.1 Classification of the Substance or Mixture:

2.1.1 Classification according to Regulation (EC) No 1272/2008 [CLP]:

Flammable Liquids, Category 2

Serious Eye Damage/Eye Irritation, Category 2

Toxic To Reproduction, Category 1B

Specific Target Organ Toxicity (single exposure), Category 3

2.2 Label Elements:

2.2.1 Labeling according to Regulation (EC) No 1272/2008 [CLP]:







GHS Signal Word: Danger

GHS Hazard Phrases:

EUH066: Repeated exposure may cause skin dryness or cracking.

H225: Highly flammable liquid and vapor.

H319: Causes serious eye irritation.

H335: May cause respiratory irritation.

H360: May damage fertility or the unborn child.

GHS Precaution Phrases:

P201: Obtain special instructions before use.

P202: Do not handle until all safety precautions have been read and understood.

P210: Keep away from {heat/sparks/open flames/hot surfaces}. - No smoking.

P261: Avoid breathing {dust/fume/gas/mist/vapors/spray}.

P264: Wash {hands} thoroughly after handling.

P280: Wear {protective gloves/protective clothing/eye protection/face protection}.

GHS Response Phrases:



Page: 2 of 6

Revision: 04/28/2015 Supersedes Revision: 03/07/2003

P303+361+353: IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with water/shower.

P304+340: IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

P305+351+338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P308+313: IF exposed or concerned: Get medical attention/advice.

P312: Call a POISON CENTER or doctor/physician if you feel unwell.

P337+313: If eye irritation persists, get medical advice/attention.

GHS Storage and Disposal Phrases:

Please refer to Section 7 for Storage and Section 13 for Disposal information.

2.3 Adverse Human Health Causes serious eye irritation.

Effects and Symptoms: Material may be irritating to the mucous membranes and upper respiratory tract.

May be harmful by inhalation, ingestion, or skin absorption.

May cause adverse reproductive effects in males and/or females.

May cause drowsiness or dizziness.

May cause gastrointestinal disturbances.

May cause skin or respiratory system irritation.

May damage fertility or the unborn child.

May stimulate contraction of intestinal and reproductive smooth muscle.

Repeated exposure may cause skin dryness or cracking.

This chemical has the potential to induce premature labor or abortion.

To the best of our knowledge, the toxicological properties have not been thoroughly investigated.

Section 3. Composition/Information on Ingredients

CAS#/ RTECS#	Hazardous Components (Chemical Name)/ REACH Registration No.	Concentration	EC No./ EC Index No.	GHS Classification
607351-44-0 NA	Latanoprost ethyl amide	1.0 %	NA NA	Acute Tox.(O) 4: H302 Toxic Repro. 1B: H360
79-20-9 AI9100000	Methyl acetate	99.0 %	201-185-2 607-021-00-X	Flam. Liq. 2: H225 Eye Damage 2: H319 STOT (SE) 3: H335 H336

Section 4. First Aid Measures

4.1 Description of First Aid No data available.

Measures:

In Case of Inhalation: Remove to fresh air. If not breathing, give artificial respiration or give oxygen by trained personnel.

Get immediate medical attention.

In Case of Skin Contact: Immediately wash skin with soap and plenty of water for at least 15 minutes. Remove contaminated

clothing. Get medical attention if symptoms occur. Wash clothing before reuse.

In Case of Eye Contact: Hold eyelids apart and flush eyes with plenty of water for at least 15 minutes. Have eyes examined

and tested by medical personnel.

In Case of Ingestion: Wash out mouth with water provided person is conscious. Never give anything by mouth to an

unconscious person. Get medical attention. Do NOT induce vomiting unless directed to do so by

medical personnel.

4.2 Important Symptoms and Exposure may cause: coughing, dizziness, drowsiness, headache, narcosis, optic nerve atrophy,

Effects, Both Acute and chest tightness.

Delayed: Exposure can cause: diarrhea, dizziness, fever, flushing, headache, hypotension, nausea,

shivering, vomiting.





Revision: 04/28/2015 Supersedes Revision: 03/07/2003

Section 5. Fire Fighting Measures

5.1 Suitable Extinguishing Use alcohol-resistant foam, carbon dioxide, water, or dry chemical spray.

Media: Use water spray to cool fire-exposed containers.

Unsuitable Extinguishing A solid water stream may be inefficient.

Media:

5.2 Flammable Properties andCan release vapors that form explosive mixtures at temperatures at or above the flash point.

Hazards: Container explosion may occur under fire conditions.

Emits toxic fumes under fire conditions.

Sensitive to static discharge.

Vapors can travel to a source of ignition and flash back.

Flash Pt: -10.00 C Method Used: Closed Cup

Explosive Limits: LEL: 3.1% at 25.0 C UEL: 16.0% at 25.0 C

Autoignition Pt: 455.00 C

5.3 Fire Fighting Instructions: As in any fire, wear self-contained breathing apparatus pressure-demand (NIOSH approved or

equivalent), and full protective gear to prevent contact with skin and eyes.

Note: Flammable as diluted in methyl acetate.

Section 6. Accidental Release Measures

6.1 Protective Precautions, Avoid breathing vapors and provide adequate ventilation.

Protective Equipment and As conditions warrant, wear a NIOSH approved self-contained breathing apparatus, or respirator,

Emergency Procedures: and appropriate personal protection (rubber boots, safety goggles, and heavy rubber gloves).

6.2 Environmental Take steps to avoid release into the environment, if safe to do so.

Precautions:

6.3 Methods and Material For Contain spill and collect, as appropriate.

Containment and Cleaning Transfer to a chemical waste container for disposal in accordance with local regulations.

Up:

Section 7. Handling and Storage

7.1 Precautions To Be Taken Avoid breathing dust/fume/gas/mist/vapours/spray.

in Handling: Avoid prolonged or repeated exposure.

Keep away from sources of ignition.

Take precautionary measures against static discharge.

7.2 Precautions To Be Taken Keep away from heat, sparks, and flame.

in Storing: Keep container tightly closed.

Store in accordance with information listed on the product insert.

Other Precautions: Protect from moisture.

Section 8. Exposure Controls/Personal Protection

8.1 Exposure Parameters:

CAS#	Partial Chemical Name	Britain EH40	France VL	Europe
607351-44-0	Latanoprost ethyl amide	No data.	No data.	No data.
79-20-9	Methyl acetate	TWA: 616 mg/m3 (200 ppm) STEL: 770 mg/m3 (250 ppm)	TWA: 610 mg/m3 (200 ppm) STEL: 760 mg/m3 (250 ppm)	No data.



Page: 4 of 6

Revision: 04/28/2015 Supersedes Revision: 03/07/2003

CAS# **Partial Chemical Name OSHA TWA ACGIH TWA** Other Limits No data. No data. No data. 607351-44-0 Latanoprost ethyl amide 79-20-9 PEL: 200 ppm TLV: 200 ppm No data. Methyl acetate STEL: 250 ppm

8.2 Exposure Controls:

8.2.1 Engineering Controls Use process enclosures, local exhaust ventilation, or other engineering controls to control airborne

(Ventilation etc.): levels below recommended exposure limits.

8.2.2 Personal protection equipment:

Eye Protection: Safety glasses

Protective Gloves: Compatible chemical-resistant gloves

Other Protective Clothing: Lab coat

Respiratory Equipment NIOSH approved respirator, as conditions warrant.

(Specify Type):

Work/Hygienic/Maintenan Do not take internally.

ce Practices: Facilities storing or utilizing this material should be equipped with an eyewash and a safety shower.

Wash thoroughly after handling.

No data available.

Section 9. Physical and Chemical Properties

9.1 Information on Basic Physical and Chemical Properties

Physical States: [] Gas [X] Liquid [] Solid

Appearance and Odor: A solution in methyl acetate

Melting Point:No data.Boiling Point:No data.

Flash Pt: -10.00 C Method Used: Closed Cup

Evaporation Rate: No data.

Explosive Limits: LEL: 3.1% at 25.0 C UEL: 16.0% at 25.0 C

Vapor Pressure (vs. Air or mm 173 MM_HG at 20.0 C

Hg):

Vapor Density (vs. Air = 1):No data.Specific Gravity (Water = 1):No data.Solubility in Water:No data.Autoignition Pt:455.00 C

9.2 Other Information

Percent Volatile: No data.

Molecular Formula & Weight: C25H39NO4 417.6

Section 10. Stability and Reactivity

10.1 Reactivity: No data available.

10.2 Stability: Unstable [] Stable [X]

10.3 Stability Note(s): Stable if stored in accordance with information listed on the product insert.

Polymerization: Will occur [] Will not occur [X]

10.4 Conditions To Avoid: heat, flames and sparks

10.5 Incompatibility - Materials acidsTo Avoid: alkalis

nitrates

strong oxidizing agents

10.6 Hazardous carbon dioxide

Multi-region format



Page: 5 of 6

Revision: 04/28/2015 Supersedes Revision: 03/07/2003

Decomposition Or

carbon monoxide

Byproducts:

Section 11. Toxicological Information

11.1 Information on The toxicological effects of this product have not been thoroughly studied.

Toxicological Effects: Methyl Acetate - Toxicity Data: Oral LD50 (rat): >5,000 mg/kg; Oral LD50 (rabbit): 3,705 mg/kg;

Skin LD50 (rabbit): >5,000 mg/kg; Inhalation TCLO (human): 15,000 mg/m3;

Methyl Acetate - Irritation Data: Skin (rabbit): 500 mg (24h) mild; Eyes (rabbit): 100 mg (24h)

moderate:

Chronic Toxicological

Only select Registry of Toxic Effects of Chemical Substances (RTECS) data is presented here.

Effects: See actual entry in RTECS for complete information.

Methyl Acetate RTECS Number: Al9100000

Carcinogenicity: NTP? No IARC Monographs? No OSHA Regulated? No

CAS#	Hazardous Components (Chemical Name)	NTP	IARC	ACGIH	OSHA
607351-44-0	Latanoprost ethyl amide	n.a.	n.a.	n.a.	n.a.
79-20-9	Methyl acetate	n.a.	n.a.	n.a.	n.a.

Section 12. Ecological Information

12.1 Toxicity: Avoid release into the environment.

Runoff from fire control or dilution water may cause pollution.

12.2 Persistence and No data available.

Degradability:

12.3 Bioaccumulative No data available.

Potential:

12.4 Mobility in Soil: No data available.

12.5 Results of PBT and vPvB No data available.

assessment:

12.6 Other adverse effects: No data available.

Section 13. Disposal Considerations

13.1 Waste Disposal Method: Dispose in accordance with local, state, and federal regulations.

Section 14. Transport Information

14.1 LAND TRANSPORT (US DOT):

DOT Proper Shipping Name: Methyl Acetate Solution

DOT Hazard Class: 3 FLAMMABLE LIQUID

UN/NA Number: 1231 Packing Group: ||



14.1 LAND TRANSPORT (European ADR/RID):

ADR/RID Shipping Name: Methyl Acetate Solution

UN Number: 1231 Packing Group: II

Hazard Class: 3 - FLAMMABLE LIQUID



Page: 6 of 6

Revision: 04/28/2015 Supersedes Revision: 03/07/2003

14.3 AIR TRANSPORT (ICAO/IATA):

ICAO/IATA Shipping Name: Methyl Acetate Solution

UN Number:1231Packing Group:IIHazard Class:3 - FLAMMABLE LIQUIDIATA Classification:3

Additional Transport Transport in accordance with local, state, and federal regulations.

Information: When sold in quantities of less than or equal to 1 mL, or 1 g, with an Excepted Quantity Code of

E1, E2, E4, or E5, this item meets the De Minimis Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled as Dangerous Goods/Excepted Quantity.

Section 15. Regulatory Information

EPA SARA (Superfund Amendments and Reauthorization Act of 1986) Lists

CAS#	Hazardous Components (Chemical Name)	S. 302 (EHS)	S. 304 RQ	S. 313 (TRI)
607351-44-0	Latanoprost ethyl amide	No	No	No
79-20-9	Methyl acetate	No	No	No
CAS#	Hazardous Components (Chemical Name)	Other US EPA or State Lists		

CAS#	Hazardous Components (Chemical Name)	Other US EPA or State Lists
607351-44-0	Latanoprost ethyl amide	CAA HAP,ODC: No; CWA NPDES: No; TSCA: No; CA PROP.65: No
79-20-9	Methyl acetate	CAA HAP,ODC: No; CWA NPDES: No; TSCA: Yes - Inventory, 4 Test, 8A PAIR; CA PROP.65: No

Regulatory Information This SDS was prepared in accordance with 29 CFR 1910.1200 and Regulation (EC)

Statement: No.1272/2008.

Section 16. Other Information

Revision Date: 04/28/2015

Additional Information About No data available.

This Product:

Company Policy or Disclaimer: DISCLAIMER: This information is believed to be accurate and represents the best information

currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for

their particular purposes.