



Printing date 01/28/2021 Revision date 01/28/2021

### 1 Identification

· Product identifier

· Trade name: Phosphatidylethanolamines (bovine)

· Synonym PE (bovine)

· Article number: 16878, 024141

· Application of the substance / the mixture For research use only, not for human or veterinary use.

· Details of the supplier of the safety data sheet

• Manufacturer/Supplier: Cayman Chemical Co. 1180 E. Ellsworth Rd. Ann Arbor, MI 48108

USA

· Information department: Product safety department

· Emergency telephone number:

During normal opening times: +1 (734) 971-3335

US/CĂNADA: 800-424-9300

Outside US/CANADA: 703-741-5970

## 2 Hazard(s) identification

· Classification of the substance or mixture



GHS06 Skull and crossbones

Acute Tox. 2 H310 Fatal in contact with skin.



GHS08 Health hazard

Carc. 2 H351 Suspected of causing cancer.

Repr. 2 H361 Suspected of damaging fertility or the unborn child.

STOT RE 1 H372 Causes damage to the central nervous system, the kidneys, the liver and the

respiratory system through prolonged or repeated exposure.



**GHS09 Environment** 

Aquatic Chronic 1 H410 Very toxic to aquatic life with long lasting effects.



Acute Tox. 4 H302 Harmful if swallowed. Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2A H319 Causes serious eye irritation.

(Contd. on page 2)

Revision date 01/28/2021 Printing date 01/28/2021

Trade name: Phosphatidylethanolamines (bovine)

(Contd. from page 1)

Aguatic Acute 3 H402 Harmful to aquatic life.

- Label elements
- · GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms









GHS06 GHS07 GHS08 GHS09

- · Signal word Danger
- · Hazard-determining components of labeling:

Chloroform

#### · Hazard statements

H302 Harmful if swallowed.

H310 Fatal in contact with skin.

H315 Causes skin irritation.

H319 Causes serious eve irritation.

H351 Suspected of causing cancer.

H361 Suspected of damaging fertility or the unborn child.

H372 Causes damage to the central nervous system, the kidneys, the liver and the respiratory system through prolonged or repeated exposure.

H402 Harmful to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

#### · Precautionary statements

Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

Do not breathe dust/fume/gas/mist/vapors/spray.

Do not get in eyes, on skin, or on clothing.

Wash thoroughly after handling.

Do not eat, drink or smoke when using this product.

Avoid release to the environment.

Wear protective gloves/protective clothing/eye protection/face protection.

If swallowed: Call a poison center/doctor if you feel unwell.

If on skin: Wash with plenty of water.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Immediately call a poison center/doctor.

IF exposed or concerned: Get medical advice/attention.

Specific treatment (see on this label).

Get medical advice/attention if you feel unwell.

Rinse mouth.

Take off immediately all contaminated clothing and wash it before reuse.

If skin irritation occurs: Get medical advice/attention.

If eye irritation persists: Get medical advice/attention.

Collect spillage.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

(Contd. on page 3)

(Contd. from page 2)

## Safety Data Sheet acc. to OSHA HCS

Printing date 01/28/2021 Revision date 01/28/2021

Trade name: Phosphatidylethanolamines (bovine)

· Classification system:

· NFPA ratings (scale 0 - 4)



Health = 3 Fire = 0 Reactivity = 0

· HMIS-ratings (scale 0 - 4)



Health = 3 Fire = 0 Reactivity = 0

- Other hazards
- · Results of PBT and vPvB assessment
- PBT: Not applicable.vPvB: Not applicable.

## 3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · Description: Mixture of the substances listed below with nonhazardous additions.

Dangerous components:		
CAS: 67-66-3	Chloroform	95.0%
RTECS: FS9100000		
· Other ingredients		
90989-93-8 Phospha	atidylethanolamines (bovine)	5.0%

## 4 First-aid measures

- Description of first aid measures
- · General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

- After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- · After swallowing: Immediately call a doctor.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed

May cause anemia, cough, CNS depression, drowsiness, headache, heart damage, lassitude (weakness, exhaustion), liver damage, narcosis, reproductive effects, teratogenic effects. No further relevant information available.

· Indication of any immediate medical attention and special treatment needed No further relevant information available.

110

Printing date 01/28/2021 Revision date 01/28/2021

Trade name: Phosphatidylethanolamines (bovine)

(Contd. from page 3)

## **5 Fire-fighting measures**

- · Extinguishing media
- Suitable extinguishing agents:

Use fire fighting measures that suit the environment.

A solid water stream may be inefficient.

Special hazards arising from the substance or mixture

67-56-1During heating or in case of fire poisonous gases are produced.

- Advice for firefighters
- **Protective equipment:** Mouth respiratory protective device.

### **6 Accidental release measures**

· Personal precautions, protective equipment and emergency procedures

Mount respiratory protective device.

**Environmental precautions:** 

Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system.

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

· Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

· Protective Action Criteria for Chemicals

· PAC-1:	
67-66-3 Chloroform	2 ppm
· PAC-2:	
67-66-3 Chloroform	64 ppm
· PAC-3:	
67-66-3 Chloroform	3,200 ppm

## 7 Handling and storage

- · Handling:
- · Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Open and handle receptacle with care.

Prevent formation of aerosols.

Information about protection against explosions and fires:

Keep respiratory protective device available.

· Conditions for safe storage, including any incompatibilities

Keep container tightly closed.

Store in accordance with information listed on the product insert.

- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.

(Contd. on page 5)

Printing date 01/28/2021 Revision date 01/28/2021

Trade name: Phosphatidylethanolamines (bovine)

(Contd. from page 4)

- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep receptacle tightly sealed.
- · Specific end use(s) No further relevant information available.

## 8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace:

#### 67-66-3 Chloroform

PEL Ceiling limit value: 240 mg/m³, 50 ppm
REL Short-term value: 9.78\* mg/m³, 2\* ppm
\*60-min; See Pocket Guide App. A
TLV Long-term value: 49 mg/m³, 10 ppm

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- Personal protective equipment:
- General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Store protective clothing separately.

Avoid contact with the eyes and skin.

· Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

Protection of hands:



### Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

#### Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

#### Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 6)


(Contd. from page 5)

# Safety Data Sheet acc. to OSHA HCS

Printing date 01/28/2021 Revision date 01/28/2021

Trade name: Phosphatidylethanolamines (bovine)

· Eye protection:



## 9 Physical and chemical properties

· Information on basic physical and chemical properties

· General Information

· Appearance:

Form: Liquid

Color: According to product specification

· Odor: Characteristic

· **Structural Formula** C41H78NO8P (for oleoyl)

· Molecular Weight 744

· Odor threshold: Not determined.

• **Formulation** A solution in chloroform

· **pH-value:** Not determined.

· Change in condition

Melting point/Melting range:
Boiling point/Boiling range:

Flash point:

Not applicable.

Flammability (solid, gaseous):

Not applicable.

· Ignition temperature: 982 °C (1,799.6 °F)

• **Decomposition temperature:** Not determined.

· **Auto igniting:** Product is not selfigniting.

• Danger of explosion: Product does not present an explosion hazard.

· Explosion limits:

**Lower:** Not determined. **Upper:** Not determined.

· Vapor pressure at 20 °C (68 °F): 210 hPa (157.5 mm Hg)

Density at 20 °C (68 °F): 1.47988 g/cm³ (12.3496 lbs/gal)

Relative density
 Vapor density
 Evaporation rate
 Not determined.
 Not determined.

· Solubility in / Miscibility with

Water at 20 °C (68 °F): 8 g/l

· Partition coefficient (n-octanol/water): Not determined.

· Viscosity:

**Dynamic:** Not determined. **Kinematic:** Not determined.

(Contd. on page 7)

Printing date 01/28/2021 Revision date 01/28/2021

Trade name: Phosphatidylethanolamines (bovine)

	(Contd. from pag	ge 6)
· Solvent content: VOC content:	0.00 % 0.0 g/l / 0.00 lb/gal	
Solids content:	0.0 %	
· Other information	No further relevant information available.	

## 10 Stability and reactivity

- · **Reactivity** No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

## 11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:

· LD/LC50 values that are relevant for classification:		
ATE (Acute Tox	cicity Estimate)	
Oral	LD50	37.9 mg/kg (mouse)
Dermal	LD50	78.9 mg/kg (rat)

67-66-3 Chlorof	orm	
Oral	LDLO	2,514 mg/kg (man)
	LD50	300 mg/kg (rat)
Dermal	LD50	>20 g/kg (rabbit)
	LD50	75 mg/kg (rat)
Inhalative	LC50	47,702 mg/m³/4h (rat)
	TCLO	5,000 mg/m³/7m (hmn)
Irritation of skin	Irritation	10 mg/24h (rabbit)
Irritation of eyes	Irritation	20 mg/24h (rabbit)
	Intraperitoneal LD50	623 mg/kg (mouse)

- · Primary irritant effect:
- on the skin: Irritant to skin and mucous membranes.
- · on the eve: Irritating effect.
- · Sensitization: No sensitizing effects known.
- Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

Harmful Irritant

(Contd. on page 8)

Printing date 01/28/2021 Revision date 01/28/2021

Trade name: Phosphatidylethanolamines (bovine)

(Contd. from page 7)

· Carcinogenic categories	
· IARC (International Agency for Research on Cancer)	
67-66-3 Chloroform	2B
· NTP (National Toxicology Program)	
67-66-3 Chloroform	R
· OSHA-Ca (Occupational Safety & Health Administration)	
None of the ingredients is listed.	

## 12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 3 (Self-assessment): extremely hazardous for water

Do not allow product to reach ground water, water course or sewage system, even in small quantities.

Danger to drinking water if even extremely small quantities leak into the ground.

Also poisonous for fish and plankton in water bodies.

- Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- vPvB: Not applicable.
- Other adverse effects No further relevant information available.

## 13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

Transport information		
UN-Number DOT, IMDG, IATA	UN1888	
· UN proper shipping name	5111665	
DOT, IATA	Chloroform	
IMDG	CHLOROFORM	
		(Contd. on

(Contd. on page 9)

Printing date 01/28/2021 Revision date 01/28/2021

Trade name: Phosphatidylethanolamines (bovine)

(Contd. from page 8) · Transport hazard class(es) · DOT · Class 6.1 Toxic substances · Label 6.1 · IMDG, IATA · Class 6.1 Toxic substances · Label · Packing group DOT, IMDG, IATA Ш · Environmental hazards: Not applicable. · Special precautions for user Warning: Toxic substances · Hazard identification number (Kemler code): 60 · EMS Number: F-A,S-A · Segregation groups Liquid halogenated hydrocarbons Stowage Category Stowage Code SW2 Clear of living quarters. · Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. · Transport/Additional information: **Quantity limitations** On passenger aircraft/rail: 60 L On cargo aircraft only: 220 L · IMDG · Limited quantities (LQ) 5L Excepted quantities (EQ) Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml · IATA When sold in quantities of less than or equal to 1 mL, · Remarks: or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minimis Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled as Dangerous Goods/Excepted Quantity. UN "Model Regulation": UN 1888 CHLOROFORM, 6.1, III

Printing date 01/28/2021 Revision date 01/28/2021

Trade name: Phosphatidylethanolamines (bovine)

(Contd. from page 9)

## 15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.
- · Sara

<ul> <li>Section 355 (extremely hazardous substances)</li> </ul>	):
--	----

67-66-3 Chloroform

#### Section 313 (Specific toxic chemical listings):

67-66-3 Chloroform

### TSCA (Toxic Substances Control Act):

67-66-3 Chloroform

ACTIVE

#### · Hazardous Air Pollutants

67-66-3 Chloroform

Proposition 65

#### · Chemicals known to cause cancer:

67-66-3 Chloroform

### · Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

#### · Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

#### · Chemicals known to cause developmental toxicity:

67-66-3 Chloroform

Carcinogenic categories

#### EPA (Environmental Protection Agency)

67-66-3 Chloroform

B2, L, NL

### TLV (Threshold Limit Value established by ACGIH)

67-66-3 Chloroform

А3

## · NIOSH-Ca (National Institute for Occupational Safety and Health)

67-66-3 Chloroform

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

## **16 Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Environment protection department.
- · Contact: -
- Date of preparation / last revision 01/28/2021 / -
- Abbreviations and acronyms:

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA)

lazardous Materials Identification System (USA)
(Contd. on page 11)

Printing date 01/28/2021 Revision date 01/28/2021

## Trade name: Phosphatidylethanolamines (bovine)

VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health

TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit

Acute Tox. 4: Acute toxicity – Category 4
Acute Tox. 2: Acute toxicity – Category 2
Skin Irrit. 2: Skin corrosion/irritation – Category 2
Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A

Carc. 2: Carcinogenicity – Category 2
Repr. 2: Reproductive toxicity – Category 2
STOT RE 1: Specific target organ toxicity (repeated exposure) – Category 1

Aquatic Acute 3: Hazardous to the aquatic environment - acute aquatic hazard - Category 3

Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard - Category 1

(Contd. from page 10)