

Page 1/10

## Safety Data Sheet acc. to OSHA HCS

Printing date 01/07/2021

Revision date 01/07/2021

### **1** Identification

#### · Product identifier

- · Trade name: <u>8-iso Prostaglandin F3α</u>
- · Synonym 9α,11α,15S-trihydroxy-(8β)-prosta-5Z,13E,17Z-trien-1-oic acid; 8-epi PGF3α; 8-iso PGF3α
- · Article number: 16992, 006579
- Application of the substance / the mixture For research use only, not for human or veterinary use.

#### · Details of the supplier of the safety data sheet

- Manufacturer/Supplier: Cayman Chemical Co. 1180 E. Ellsworth Rd. Ann Arbor, MI 48108 USA
- Information department: Product safety department
   Emergency telephone number: During normal opening times: +1 (734) 971-3335 US/CANADA: 800-424-9300 Outside US/CANADA: 703-741-5970

### 2 Hazard(s) identification

#### Classification of the substance or mixture

GHS02 Flame

Flam. Liq. 2 H225 Highly flammable liquid and vapor.

GHS07

Eye Irrit. 2AH319Causes serious eye irritation.STOT SE 3H336May cause drowsiness or dizziness.

· Label elements

· GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS). • Hazard pictograms



· Signal word Danger

• Hazard-determining components of labeling: Methyl acetate

Hazard statements
 H225 Highly flammable liquid and vapor.
 H319 Causes serious eye irritation.

(Contd. on page 2)

Printing date 01/07/2021

Revision date 01/07/2021

### Trade name: 8-iso Prostaglandin F3α

(Contd. from page 1)
H336 May cause drowsiness or dizziness.
Precautionary statements
Keep away from heat/sparks/open flames/hot surfaces No smoking.
Ground/bond container and receiving equipment.
Use explosion-proof electrical/ventilating/lighting/equipment.
Use only non-sparking tools.
Take precautionary measures against static discharge.
Avoid breathing dust/fume/gas/mist/vapors/spray
Wash thoroughly after handling.
Use only outdoors or in a well-ventilated area.
Wear protective gloves/protective clothing/eye protection/face protection.
If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
IF INHALED: Remove person to fresh air and keep comfortable for breathing.
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy
to do. Continue rinsing.
Call a poison center/doctor if you feel unwell.
If eye irritation persists: Get medical advice/attention.
In case of fire: Use for extinction: CO2, powder or water spray.
Store in a well-ventilated place. Keep container tightly closed.
Store in a well-ventilated place. Keep cool.
Store locked up.
Dispose of contents/container in accordance with local/regional/national/international regulations.
· Classification system:
· NFPA ratings (scale 0 - 4)
Health = 2
Fire = 3
2 0 Reactivity = 0
· HMIS-ratings (scale 0 - 4)
HEALTH 2 Health = 2
FIRE 3 Fire = 3
REACTIVITY Reactivity = 0
· Other hazards
Results of PBT and vPvB assessment
· PBT: Not applicable.
vPvB: Not applicable.
3 Composition/information on ingredients
Chemical characterizations Nixtures
Chemical characterization: Mixtures
• Description: Mixture of the substances listed below with nonhazardous additions.
<sup>·</sup> Dangerous components:
CAS: 79-20-9 Methyl acetate 99.95%
RTECS: AI9100000
· Other ingredients
· Other ingredients
CAS: 7045-31-0 8-iso Prostaglandin F3α 0.05%
RTECS: UK8360000

(Contd. on page 3)

US

Printing date 01/07/2021

Revision date 01/07/2021

#### Trade name: 8-iso Prostaglandin F3α

(Contd. from page 2)

#### **4 First-aid measures**

- · Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact: Immediately rinse with water.
- After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- After swallowing: If symptoms persist consult doctor.
- · Information for doctor:
- Most important symptoms and effects, both acute and delayed May cause anemia, cough, CNS depression, drowsiness, headache, heart damage, lassitude (weakness, exhaustion), liver damage, narcosis, reproductive effects, teratogenic effects. No further relevant information available.
- Indication of any immediate medical attention and special treatment needed No further relevant information available.

#### **5 Fire-fighting measures**

- Extinguishing media
- · Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- · For safety reasons unsuitable extinguishing agents: Water with full jet
- Special hazards arising from the substance or mixture

Can release vapors that form explosive mixtures at temperatures at or above the flashpoint. Container explosion may occur under fire conditions.

Emits toxic fumes under fire conditions.

Sensitive to static discharge.

- Vapors can travel to a source of ignition and flash back.
- Advice for firefighters
- · Protective equipment: No special measures required.

#### 6 Accidental release measures

- Personal precautions, protective equipment and emergency procedures
   Wear protective equipment. Keep unprotected persons away.
   Environmental precautions: Do not allow to enter sewers/ surface or ground water.
   Methods and material for containment and cleaning up:
- Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to item 13. Ensure adequate ventilation.
- Reference to other sections
- See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

Protective Action Criteria for Chemicals

#### · PAC-1:

79-20-9 Methyl acetate

#### · PAC-2:

79-20-9 Methyl acetate

1,700 ppm (Contd. on page 4)

onto. on page 4)

250 ppm

Printing date 01/07/2021

#### Revision date 01/07/2021

Trade name: 8-iso Prostaglandin F3α

(Contd. from page 3)

10000\* ppm

### 7 Handling and storage

79-20-9 Methyl acetate

· Handling:

· PAC-3:

- **Precautions for safe handling** Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.
- Information about protection against explosions and fires: Keep ignition sources away - Do not smoke.
   Protect against electrostatic charges.
- Conditions for safe storage, including any incompatibilities Keep container tightly closed. Store in accordance with information listed on the product insert.
- Storage:
- · Requirements to be met by storerooms and receptacles: Store in a cool location.
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed. Store in cool, dry conditions in well sealed receptacles.
- Specific end use(s) No further relevant information available.

#### 8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see item 7.

#### Control parameters

Components with limit values that require monitoring at the workplace:

#### 79-20-9 Methyl acetate

- PEL Long-term value: 610 mg/m<sup>3</sup>, 200 ppm
- REL Short-term value: 760 mg/m<sup>3</sup>, 250 ppm Long-term value: 610 mg/m<sup>3</sup>, 200 ppm
- TLV Short-term value: 757 mg/m<sup>3</sup>, 250 ppm Long-term value: 606 mg/m<sup>3</sup>, 200 ppm

• Additional information: The lists that were valid during the creation were used as basis.

#### • Exposure controls

- Personal protective equipment:
- · General protective and hygienic measures:
- Keep away from foodstuffs, beverages and feed.
- Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

- Avoid contact with the eyes.
- Avoid contact with the eyes and skin.
- Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

(Contd. on page 5)

US –

Printing date 01/07/2021

Revision date 01/07/2021

Trade name: 8-iso Prostaglandin F3α

(Contd. from page 4)

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

#### • Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

#### • Eye protection:



Tightly sealed goggles

Information on basic physical and General Information	chemical properties
Appearance:	
Form:	Liquid
Color:	According to product specification
Odor:	Characteristic
Structural Formula	C20H32O5
Molecular Weight	352.5
Odor threshold:	Not determined.
Formulation	A solution in methyl acetate
pH-value:	Not determined.
Change in condition	
Melting point/Melting range:	-98.05 °C (-144.5 °F)
Boiling point/Boiling range:	57 °C (134.6 °F)
Flash point:	-13 °C (8.6 °F)
Flammability (solid, gaseous):	Not applicable.
Ignition temperature:	455 °C (851 °F)
Decomposition temperature:	Not determined.
Auto igniting:	Product is not selfigniting.
Danger of explosion:	Product is not explosive. However, formation of explosive ai vapor mixtures are possible.

Printing date 01/07/2021

Revision date 01/07/2021

Trade name: 8-iso Prostaglandin F3α

		(Contd. from page §
· Explosion limits:		
Lower:	3.1 Vol %	
Upper:	16 Vol %	
· Vapor pressure at 20 °C (68 °F):	220 hPa (165 mm Hg)	
· Density at 20 °C (68 °F):	0.93 g/cm³ (7.76085 lbs/gal)	
· Bulk density:	1 kg/m³	
Relative density	Not determined.	
· Vapor density	Not determined.	
Evaporation rate	Not determined.	
· Solubility in / Miscibility with		
Water at 20 °C (68 °F):	330 g/l	
· Partition coefficient (n-octanol/wat	er): Not determined.	
· Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
· Solvent content:		
Organic solvents:	100.0 %	
VOC content:	0.00 %	
	0.0 g/l / 0.00 lb/gal	
Solids content:	0.0 %	
· Other information	No further relevant information available.	

## **10 Stability and reactivity**

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided:
- No decomposition if used according to specifications.
- Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

## **11 Toxicological information**

- · Information on toxicological effects
- · Acute toxicity:

LD/LC50 values that are relevant for classification:			
ATE (Acute Toxicity Estimate)			
Oral	LD50	3,707 mg/kg (rabbit)	
79-20-9 Methyl acetate			
Oral	LD50	>5,000 mg/kg (rat)	
		3,705 mg/kg (rabbit)	
			(Contd. on page 7)

Printing date 01/07/2021

Revision date 01/07/2021

#### Trade name: 8-iso Prostaglandin F3α

Dermal	LD50	(Contd. from page 6) >5,000 mg/kg (rabbit)			
Inhalative	TCLO				
		15,000 mg/m³ (hmn)			
Irritation of skin		500 mg/24h (rabbit)			
	Irritation	40 mg/kg/24h (rabbit)			
Irritation of eyes	Irritation	100 mg/24h (rabbit)			
	Intraperitoneal LD50	70 mg/kg (mouse)			
<ul> <li>on the skin: No irritant effect.</li> <li>on the eye: Irritating effect.</li> <li>Sensitization: No sensitizing effects known.</li> <li>Additional toxicological information: The product shows the following dangers according to internally approved calculation methods for preparations: Irritant</li> <li>Carcinogenic categories</li> </ul>					
· IARC (International Agency for Research on Cancer)					
None of the ingre	None of the ingredients is listed.				
· NTP (National Toxicology Program)					
None of the ingredients is listed.					
· OSHA-Ca (Occupational Safety & Health Administration)					
None of the ingre	edients is listed.				

### **12 Ecological information**

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes:
- Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · **vPvB:** Not applicable.
- Other adverse effects No further relevant information available.

#### **13 Disposal considerations**

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

(Contd. on page 8)

US

Revision date 01/07/2021

(Contd. from page 7)

### Trade name: 8-iso Prostaglandin F3α

Printing date 01/07/2021

• Uncleaned packagings:
 • Recommendation: Disposal must be made according to official regulations.

Transport information	
UN-Number DOT, IMDG, IATA	UN1231
UN proper shipping name	011201
DOT, IATA	Methyl acetate solution
IMDG	METHYL ACETATE solution
Transport hazard class(es)	
DOT	
CAMMARE LODO	
Class	3 Flammable liquids
Label	3
IMDG, IATA	
Class Label	3 Flammable liquids 3
Packing group	<u> </u>
DOT, IMDG, IATA	II
Environmental hazards:	Not applicable.
Special precautions for user	Warning: Flammable liquids
Hazard identification number (Kemler code):	
EMS Number:	F-E,S-D B
Stowage Category	<u>ں</u>
Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
Transport/Additional information:	
DOT	
Quantity limitations	On passenger aircraft/rail: 5 L On cargo aircraft only: 60 L
IMDG	
Limited quantities (LQ)	1L
Excepted quantities (EQ)	Code: E2
	Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml

US

Printing date 01/07/2021

Revision date 01/07/2021

(Contd. from page 8)

· IATA · Remarks:	When sold in quantities of less than or equal to 1 mL, or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minimis Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled as Dangerous Goods/Excepted Quantity.
· UN "Model Regulation":	UN 1231 METHYL ACETATE SOLUTION, 3, II

## **15 Regulatory information**

- Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.
- · Sara

#### · Section 355 (extremely hazardous substances):

None of the ingredients is listed.

• Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

• TSCA (Toxic Substances Control Act):

79-20-9 Methyl acetate

ACTIVE

Hazardous Air Pollutants

None of the ingredients is listed.

· Proposition 65

· Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

#### · Carcinogenic categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

#### • TLV (Threshold Limit Value established by ACGIH)

None of the ingredients is listed.

#### · NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

• Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### **16 Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Printing date 01/07/2021

Revision date 01/07/2021

### Trade name: 8-iso Prostaglandin F3 $\alpha$

	(Contd. from page	9)
<ul> <li>Department issuing SDS: Environment protection department.</li> </ul>		
Contact: -		
· Date of preparation / last revision 01/07/2021 / -		
· Abbreviations and acronyms:		
IMDG: International Maritime Code for Dangerous Goods		
DOT: US Department of Transportation		
IATA: International Air Transport Association		
ACGIH: American Conference of Governmental Industrial Hygienists		
EINECS: European Inventory of Existing Commercial Chemical Substances		
ELINCS: European List of Notified Chemical Substances		
CAS: Chemical Abstracts Service (division of the American Chemical Society)		
NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA)		
VOC: Volatile Organic Compounds (USA, EU)		
LC50: Lethal concentration, 50 percent		
LD50: Lethal dose, 50 percent		
PBT: Persistent, Bioaccumulative and Toxic		
vPvB: very Persistent and very Bioaccumulative		
NIOSH: National Institute for Occupational Safety		
OSHA: Occupational Safety & Health		
TLV: Threshold Limit Value		
PEL: Permissible Exposure Limit		
REL: Recommended Exposure Limit		
Flam. Liq. 2: Flammable liquids – Category 2 Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A		
STOT SE 3: Specific target organ toxicity (single exposure) – Category 3		
		us –